https://order.pieology.com/ ⋮

17	**78**	**92**	**62**
Performance	Accessibility	Best Practices	SEO

17

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   ■ 50–89   ● 90–100

METRICS   Collapse view

▲ First Contentful Paint

9.1 s

First Contentful Paint marks the time at which the first text or image is painted. Learn more.

▲ Time to Interactive

16.2 s

Time to interactive is the amount of time it takes for the page to become fully interactive. Learn more.

▲ Speed Index

11.7 s

Speed Index shows how quickly the contents of a page are visibly populated. Learn more.


▲ Total Blocking Time

2,290 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. Learn more.

▲ Largest Contentful Paint

15.8 s

Largest Contentful Paint marks the time at which the largest text or image is painted.

● Cumulative Layout Shift

0

Cumulative Layout Shift measures the movement of visible elements within the

Learn more   viewport. Learn more.

⊞ **View Treemap**

Show audits relevant to: **All** FCP TBT LCP CLS

OPPORTUNITIES

Opportunity	Estimated Savings

▲ **Reduce unused JavaScript**   ▬▬▬▬▬▬▬▬ **3.45 s** ⌃

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn more. [LCP]

☑ Show 3rd-party resources (6)

URL	Transfer Size	Potential Savings
/main.99283b7858c37f51.js (order.pieology.com)	685.6 KiB	290.1 KiB
/lottie-web.9b8a09be10876e8e.js (order.pieology.com)	71.3 KiB	62.4 KiB
…2/util.js (maps.googleapis.com)	58.9 KiB	47.1 KiB
/7606.50d54a57501b28fa.js (order.pieology.com)	200.4 KiB	41.7 KiB
/5277.547fc39f73e929c6.js (order.pieology.com)	81.3 KiB	41.2 KiB
/3108.b6666d1b1da96b1b.js (order.pieology.com)	41.2 KiB	41.1 KiB
…api/js?key=AIzaSyCY2… (maps.googleapis.com)	53.9 KiB	31.1 KiB
/polyfills.63e4033a4e8d627b.js (order.pieology.com)	65.8 KiB	30.0 KiB
/gtag/js?id=G-EX4JW1QWEK&l=dataLayer&cx=c (www.googletagmanager.com)	72.6 KiB	27.8 KiB
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	69.9 KiB	25.4 KiB
/PXAOit9CN0/main.min.js (client.px-cloud.net)	56.3 KiB	25.2 KiB
…2/common.js (maps.googleapis.com)	68.3 KiB	20.1 KiB

🟧 Reduce unused CSS   ▬   0.3 s   ⌃

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn more](#). [FCP] [LCP]

URL	Transfer Size	Potential Savings
`html.ios[_ngcontent-mwf-c113]{--ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue... } ...`	76.1 KiB	73.8 KiB
`html.ios[_ngcontent-mwf-c114]{--ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue... } ...`	74.8 KiB	73.5 KiB
`html.ios[_ngcontent-mwf-c149]{--ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue... } ...`	76.7 KiB	73.3 KiB
`html.ios[_ngcontent-mwf-c143]{--ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue... } ...`	74.8 KiB	73.3 KiB
`html.ios[_ngcontent-mwf-c146]{--ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue... } ...`	74.6 KiB	73.1 KiB
`html.ios{--ion-default-font: -apple-system, BlinkMacSystemFont, "Helvetica Neue", "Roboto", sans-ser... } ...`	53.2 KiB	48.4 KiB
/styles.1d376905c614bfec.css (order.pieology.com)	40.5 KiB	37.9 KiB

🟧 Avoid serving legacy JavaScript to modern browsers   ▬   0.15 s   ⌃

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#) [TBT]

URL		Potential Savings
/polyfills.63e4033a4e8d627b.js (order.pieology.com)		24.4 KiB
/polyfills.63e4033a4e8d627b.js:1:43429 (order.pieology.com)	`Object.defineProperty`	
/polyfills.63e4033a4e8d627b.js:1:43622 (order.pieology.com)	`Object.defineProperties`	
/polyfills.63e4033a4e8d627b.js:1:96214 (order.pieology.com)	`Array.prototype.fill`	

URL		Potential Savings
/polyfills.63e4033a4e8d627b.js:1:96325 (order.pieolo gy.com)	`Array.prototype.filter`	
/polyfills.63e4033a4e8d627b.js:1:96593 (order.pieolo gy.com)	`Array.prototype.findIndex`	
/polyfills.63e4033a4e8d627b.js:1:96841 (order.pieolo gy.com)	`Array.prototype.find`	
/polyfills.63e4033a4e8d627b.js:1:97543 (order.pieolo gy.com)	`Array.prototype.forEach`	
/polyfills.63e4033a4e8d627b.js:1:97648 (order.pieolo gy.com)	`Array.from`	
/polyfills.63e4033a4e8d627b.js:1:97806 (order.pieolo gy.com)	`Array.prototype.includes`	
/polyfills.63e4033a4e8d627b.js:1:98237 (order.pieolo gy.com)	`Array.isArray`	
/polyfills.63e4033a4e8d627b.js:1:99173 (order.pieolo gy.com)	`Array.prototype.map`	
/polyfills.63e4033a4e8d627b.js:1:100966 (order.pieol ogy.com)	`Array.prototype.some`	
/polyfills.63e4033a4e8d627b.js:1:103306 (order.pieol ogy.com)	`Date.now`	
/polyfills.63e4033a4e8d627b.js:1:103725 (order.pieol ogy.com)	`Date.prototype.toISOString`	
/polyfills.63e4033a4e8d627b.js:1:109282 (order.pieol ogy.com)	`Number.isInteger`	
/polyfills.63e4033a4e8d627b.js:1:109624 (order.pieol ogy.com)	`Number.isSafeInteger`	
/polyfills.63e4033a4e8d627b.js:1:112654 (order.pieol ogy.com)	`Object.entries`	
/polyfills.63e4033a4e8d627b.js:1:112819 (order.pieol ogy.com)	`Object.freeze`	
/polyfills.63e4033a4e8d627b.js:1:113399 (order.pieol ogy.com)	`Object.getOwnPropertyDescri ptors`	
/polyfills.63e4033a4e8d627b.js:1:113819 (order.pieol ogy.com)	`Object.getPrototypeOf`	
/polyfills.63e4033a4e8d627b.js:1:114042 (order.pieol ogy.com)	`Object.isExtensible`	
/polyfills.63e4033a4e8d627b.js:1:114212 (order.pieol ogy.com)	`Object.isFrozen`	

URL		Potential Savings
/polyfills.63e4033a4e8d627b.js:1:114440 (order.pieol ogy.com)	Object.isSealed	
/polyfills.63e4033a4e8d627b.js:1:114696 (order.pieol ogy.com)	Object.keys	
/polyfills.63e4033a4e8d627b.js:1:115410 (order.pieol ogy.com)	Object.preventExtensions	
/polyfills.63e4033a4e8d627b.js:1:115631 (order.pieol ogy.com)	Object.seal	
/polyfills.63e4033a4e8d627b.js:1:115764 (order.pieol ogy.com)	Object.setPrototypeOf	
/polyfills.63e4033a4e8d627b.js:1:115971 (order.pieol ogy.com)	Object.values	
/polyfills.63e4033a4e8d627b.js:1:116282 (order.pieol ogy.com)	Reflect.apply	
/polyfills.63e4033a4e8d627b.js:1:116707 (order.pieol ogy.com)	Reflect.construct	
/polyfills.63e4033a4e8d627b.js:1:117215 (order.pieol ogy.com)	Reflect.defineProperty	
/polyfills.63e4033a4e8d627b.js:1:117490 (order.pieol ogy.com)	Reflect.deleteProperty	
/polyfills.63e4033a4e8d627b.js:1:117674 (order.pieol ogy.com)	Reflect.getOwnPropertyDescr iptor	
/polyfills.63e4033a4e8d627b.js:1:117827 (order.pieol ogy.com)	Reflect.getPrototypeOf	
/polyfills.63e4033a4e8d627b.js:1:118015 (order.pieol ogy.com)	Reflect.get	
/polyfills.63e4033a4e8d627b.js:1:118242 (order.pieol ogy.com)	Reflect.has	
/polyfills.63e4033a4e8d627b.js:1:118360 (order.pieol ogy.com)	Reflect.isExtensible	
/polyfills.63e4033a4e8d627b.js:1:118459 (order.pieol ogy.com)	Reflect.ownKeys	
/polyfills.63e4033a4e8d627b.js:1:118562 (order.pieol ogy.com)	Reflect.preventExtensions	
/polyfills.63e4033a4e8d627b.js:1:118789 (order.pieol ogy.com)	Reflect.setPrototypeOf	
/polyfills.63e4033a4e8d627b.js:1:124581 (order.pieol ogy.com)	String.prototype.codePointA t	

URL		Potential Savings
/polyfills.63e4033a4e8d627b.js:1:125758 (order.pieology.com)	String.fromCodePoint	
/polyfills.63e4033a4e8d627b.js:1:129411 (order.pieology.com)	String.raw	
/polyfills.63e4033a4e8d627b.js:1:129612 (order.pieology.com)	String.prototype.repeat	
/scripts.698bfacff14c5ca5.js (order.pieology.com)		0.1 KiB
/scripts.698bfacff14c5ca5.js:1:12516 (order.pieology.com)	@babel/plugin-transform-classes	
/main.99283b7858c37f51.js (order.pieology.com)		0.0 KiB
/main.99283b7858c37f51.js:1:2462209 (order.pieology.com)	@babel/plugin-transform-classes	

These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

DIAGNOSTICS

⚠ **Serve static assets with an efficient cache policy** — **31 resources found**   ⌃

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

☑ Show 3rd-party resources (2)

URL	Cache TTL	Transfer Size
/main.99283b7858c37f51.js (order.pieology.com)	None	686 KiB
…images/pieology_margherita_666x654_transparent.png (order.pieology.com)	None	429 KiB
/7606.50d54a57501b28fa.js (order.pieology.com)	None	200 KiB
…images/navbar-heading-pizza.png (order.pieology.com)	None	131 KiB
/9572.47a692ac217f76bc.js (order.pieology.com)	None	120 KiB
/5277.547fc39f73e929c6.js (order.pieology.com)	None	81 KiB
/lottie-web.9b8a09be10876e8e.js (order.pieology.com)	None	71 KiB
/polyfills.63e4033a4e8d627b.js (order.pieology.com)	None	66 KiB

URL	Cache TTL	Transfer Size
/3108.b6666d1b1da96b1b.js (order.pieology.com)	None	41 KiB
/7144.73872b2cbbfc30f8.js (order.pieology.com)	None	41 KiB
/styles.1d376905c614bfec.css (order.pieology.com)	None	41 KiB
/599.b5f6e7dc780297f9.js (order.pieology.com)	None	41 KiB
…fonts/NexaRustSans-Black.woff2 (order.pieology.com)	None	35 KiB
…fonts/Nexa-Bold.woff2 (order.pieology.com)	None	29 KiB
…fonts/Nexa-Black.woff2 (order.pieology.com)	None	29 KiB
/2698.65932abbcbb27a87.js (order.pieology.com)	None	28 KiB
…fonts/Nexa-Book.woff2 (order.pieology.com)	None	28 KiB
/scripts.698bfacff14c5ca5.js (order.pieology.com)	None	23 KiB
/1463.b439be8a5b82501e.js (order.pieology.com)	None	19 KiB
/53.9cc909…ff4f.js (order.pieology.com)	None	11 KiB
/4711.2516d0ef56c4c7f8.js (order.pieology.com)	None	11 KiB
/common.b981392fdf5381d3.js (order.pieology.com)	None	7 KiB
/1650.1ab8a96c74ac0894.js (order.pieology.com)	None	7 KiB
/438.81122f0d3de8e36c.js (order.pieology.com)	None	4 KiB
/runtime.dbdfd72bc110ea7a.js (order.pieology.com)	None	4 KiB
…images/Pieology_logo.svg (order.pieology.com)	None	2 KiB
/9958.7b50a5a12f76f528.js (order.pieology.com)	None	2 KiB
/1201.2ad023211e0d2f3e.js (order.pieology.com)	None	2 KiB
/2680.cc2369cf95179915.js (order.pieology.com)	None	1 KiB
…api/js?key=AlzaSyCY2… (maps.googleapis.com)	30 m	54 KiB
/analytics.js (www.google-analytics.com)	2 h	20 KiB

▲ Ensure text remains visible during webfont load ⌃

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more. [FCP] [LCP]

| URL	Potential Savings
…fonts/NexaRustSans-Black.woff2 (order.pieology.com)	210 ms
…fonts/Nexa-Book.woff2 (order.pieology.com)	200 ms
…fonts/Nexa-Bold.woff2 (order.pieology.com)	160 ms
…fonts/Nexa-Black.woff2 (order.pieology.com)	210 ms

▲   Reduce the impact of third-party code   — Third-party code blocked the main thread for 1,620 ms   ∧

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn more. [TBT]

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Tag Manager	142 KiB	1,120 ms
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	70 KiB	930 ms
/gtag/js?id=G-EX4JW1QWEK&l=dataLayer&cx=c (www.googletagmanager.com)	73 KiB	190 ms
Google Maps	182 KiB	496 ms
…api/js?key=AIzaSyCY2… (maps.googleapis.com)	54 KiB	496 ms
…2/common.js (maps.googleapis.com)	68 KiB	0 ms
…2/util.js (maps.googleapis.com)	59 KiB	0 ms
Google Analytics	21 KiB	3 ms
/analytics.js (www.google-analytics.com)	20 KiB	3 ms
Dataxu	4 KiB	0 ms
Unpkg	4 KiB	0 ms
Google/Doubleclick Ads	3 KiB	0 ms

▲   Image elements do not have explicit `width` and `height`   ∧

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#) CLS

	URL
FAN FAVE Veggie Pesto Pizza `<img _ngcontent-mwf-c113="" src="assets/images/navbar-heading-pizza.png" alt="FAN FAVE Veggie Pesto Pizza" class="navbar__drawer__guest-header__img">`	…images/navbar-heading-pizza.png (order.pieology.com)
Pieology Logo `<img _ngcontent-mwf-c113="" src="assets/images/Pieology_logo.svg" alt="Pieology Logo">`	… images/Pieology_logo.svg (order.pieology.com)

⚠ Registers an `unload` listener   ⌃

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more](#)

Source
/polyfills.63e4033a4e8d627b.js:1:28108 (order.pieology.com)

⚠ First Contentful Paint (3G)   — 18930 ms   ⌃

First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. [Learn more](#).

⚠ Minimize main-thread work   — 9.0 s   ⌃

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) TBT

Category	Time Spent
Script Evaluation	5,579 ms
Other	1,479 ms
Style & Layout	1,369 ms

Category		Time Spent
Garbage Collection		198 ms
Script Parsing & Compilation		172 ms
Rendering		122 ms
Parse HTML & CSS		112 ms

🔺 Reduce JavaScript execution time — 5.7 s ⌃

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn more. [TBT]

☑ Show 3rd-party resources (7)

URL	Total CPU Time	Script Evaluation	Script Parse
/main.99283b7858c37f51.js (order.pieology.com)	2,641 ms	2,307 ms	33 ms
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	1,349 ms	1,141 ms	14 ms
https://order.pieology.com	1,091 ms	149 ms	6 ms
Unattributable	1,040 ms	16 ms	1 ms
/polyfills.63e4033a4e8d627b.js (order.pieology.com)	760 ms	659 ms	2 ms
…api/js?key=AIzaSyCY2… (maps.googleapis.com)	647 ms	622 ms	13 ms
/gtag/js?id=G-EX4JW1QWEK&l=dataLayer&cx=c (www.googletagmanager.com)	317 ms	286 ms	14 ms
/53.9cc909…ff4f.js (order.pieology.com)	293 ms	0 ms	0 ms
/2698.65932abbcbb27a87.js (order.pieology.com)	249 ms	115 ms	1 ms
/PXAOit9CN0/main.min.js (client.px-cloud.net)	139 ms	123 ms	10 ms
/styles.1d376905c614bfec.css (order.pieology.com)	92 ms	0 ms	0 ms
…2/common.js (maps.googleapis.com)	75 ms	48 ms	19 ms
/analytics.js (www.google-analytics.com)	68 ms	56 ms	4 ms
…2/util.js (maps.googleapis.com)	67 ms	50 ms	12 ms
/7606.50d54a57501b28fa.js (order.pieology.com)	55 ms	0 ms	13 ms

🟧 Avoid enormous network payloads — Total size was 2,690 KiB ⌃

Large network payloads cost users real money and are highly correlated with long load times. [Learn more]. LCP

☑ Show 3rd-party resources (2)

URL	Transfer Size
/main.99283b7858c37f51.js (order.pieology.com)	685.6 KiB
…images/pieology_margherita_666x654_transparent.png (order.pieology.com)	429.2 KiB
/7606.50d54a57501b28fa.js (order.pieology.com)	200.4 KiB
…images/navbar-heading-pizza.png (order.pieology.com)	130.9 KiB
/9572.47a692ac217f76bc.js (order.pieology.com)	120.3 KiB
/5277.547fc39f73e929c6.js (order.pieology.com)	81.3 KiB
…images/sprite.svg (order.pieology.com)	79.3 KiB
/gtag/js?id=G-EX4JW1QWEK&l=dataLayer&cx=c (www.googletagmanager.com)	72.6 KiB
/lottie-web.9b8a09be10876e8e.js (order.pieology.com)	71.3 KiB
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	69.9 KiB

⚪ Avoid chaining critical requests — 19 chains found ⌃

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more]. FCP LCP

Maximum critical path latency: **3,370 ms**

Initial Navigation

└ https://order.pieology.com

　└ …fonts/Nexa-Black.woff2 (order.pieology.com) **- 210 ms, 29.14 KiB**

　└ …fonts/Nexa-Bold.woff2 (order.pieology.com) **- 160 ms, 29.20 KiB**

　└ /main.99283b7858c37f51.js (order.pieology.com)

　　└ /7606.50d54a57501b28fa.js (order.pieology.com) **- 50 ms, 200.39 KiB**

　　└ /9572.47a692ac217f76bc.js (order.pieology.com) **- 240 ms, 120.27 KiB**

　　└ /53.9cc909…ff4f.js (order.pieology.com)

　　　└ /9958.7b50a5a12f76f528.js (order.pieology.com)

/1201.2ad023211e0d2f3e.js (order.pieology.com) **- 20 ms, 1.89 KiB**

/4711.2516d0ef56c4c7f8.js (order.pieology.com) **- 30 ms, 11.02 KiB**

/1463.b439be8a5b82501e.js (order.pieology.com) **- 30 ms, 18.53 KiB**

/2680.cc2369cf95179915.js (order.pieology.com) **- 30 ms, 1.18 KiB**

/438.81122f0d3de8e36c.js (order.pieology.com) **- 190 ms, 4.46 KiB**

/common.b981392fdf5381d3.js (order.pieology.com) **- 180 ms, 6.69 KiB**

/5277.547fc39f73e929c6.js (order.pieology.com) **- 60 ms, 81.29 KiB**

/3108.b6666d1b1da96b1b.js (order.pieology.com) **- 30 ms, 41.17 KiB**

/599.b5f6e7dc780297f9.js (order.pieology.com) **- 280 ms, 40.54 KiB**

/7144.73872b2cbbfc30f8.js (order.pieology.com) **- 220 ms, 40.88 KiB**

/runtime.dbdfd72bc110ea7a.js (order.pieology.com) **- 50 ms, 4.16 KiB**

…fonts/Nexa-Book.woff2 (order.pieology.com) **- 200 ms, 27.84 KiB**

…fonts/NexaRustSans-Black.woff2 (order.pieology.com) **- 210 ms, 35.04 KiB**

/polyfills.63e4033a4e8d627b.js (order.pieology.com) **- 60 ms, 65.78 KiB**

…js/util.js (unpkg.com)

…js/util.js (unpkg.com) **- 30 ms, 2.93 KiB**

○ User Timing marks and measures — 44 user timings   ⌃

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

Name	Type	Start Time	Duration
Zone	Measure	451.45 ms	0.85 ms
Zone:ZoneAwarePromise	Measure	452.5 ms	0.5 ms
Zone:toString	Measure	453.13 ms	0.07 ms
Zone:util	Measure	453.37 ms	0.13 ms
Zone:legacy	Measure	453.58 ms	5.12 ms
Zone:defineProperty	Measure	453.66 ms	0.14 ms
Zone:registerElement	Measure	453.78 ms	0.12 ms
Zone:EventTargetLegacy	Measure	453.95 ms	4.75 ms
Zone:queueMicrotask	Measure	458.78 ms	0.13 ms
Zone:timers	Measure	458.94 ms	0.26 ms
Zone:requestAnimationFrame	Measure	459.2 ms	0.1 ms

Name	Type	Start Time	Duration
Zone:blocking	Measure	459.37 ms	0.13 ms
Zone:EventTarget	Measure	459.51 ms	0.29 ms
Zone:MutationObserver	Measure	459.78 ms	0.32 ms
Zone:IntersectionObserver	Measure	460.12 ms	0.18 ms
Zone:FileReader	Measure	460.39 ms	0.31 ms
Zone:on_property	Measure	460.69 ms	40.11 ms
Zone:customElements	Measure	500.9 ms	0.3 ms
Zone:XHR	Measure	501.21 ms	0.29 ms
Zone:geolocation	Measure	501.53 ms	0.27 ms
Zone:PromiseRejectionEvent	Measure	501.79 ms	0.11 ms
Zone:Error	Measure	502.41 ms	3.29 ms
Zone	Mark	451.49 ms	
Zone:ZoneAwarePromise	Mark	452.51 ms	
Zone:toString	Mark	453.14 ms	
Zone:util	Mark	453.38 ms	
Zone:legacy	Mark	453.59 ms	
Zone:defineProperty	Mark	453.67 ms	
Zone:registerElement	Mark	453.79 ms	
Zone:EventTargetLegacy	Mark	453.96 ms	
Zone:queueMicrotask	Mark	458.79 ms	
Zone:timers	Mark	458.95 ms	
Zone:requestAnimationFrame	Mark	459.21 ms	
Zone:blocking	Mark	459.37 ms	
Zone:EventTarget	Mark	459.51 ms	
Zone:MutationObserver	Mark	459.79 ms	
Zone:IntersectionObserver	Mark	460.15 ms	

Name	Type	Start Time	Duration
Zone:FileReader	Mark	460.4 ms	
Zone:on_property	Mark	460.7 ms	
Zone:customElements	Mark	500.91 ms	
Zone:XHR	Mark	501.23 ms	
Zone:geolocation	Mark	501.53 ms	
Zone:PromiseRejectionEvent	Mark	501.8 ms	
Zone:Error	Mark	502.42 ms	

○ **Keep request counts low and transfer sizes small** — 56 requests • 2,690 KiB ⌃

To set budgets for the quantity and size of page resources, add a budget.json file. Learn more.

Resource Type	Requests	Transfer Size
Total	56	2,690.1 KiB
Script	29	1,869.6 KiB
Image	7	564.3 KiB
Font	4	121.2 KiB
Other	14	89.2 KiB
Stylesheet	1	40.5 KiB
Document	1	5.3 KiB
Media	0	0.0 KiB
Third-party	25	415.0 KiB

○ **Largest Contentful Paint element** — 1 element found ⌃

This is the largest contentful element painted within the viewport. Learn More LCP

Element

Element	

	header.c-location-finder__header > div.c-location-finder__header-content > div.c-location-finder__map-image > img.c-location-finder__map-image__image
	
	`<img _ngcontent-mwf-c149=""`
	`src="assets/images/pieology_margherita_666x654_transparent.png"`
	`class="c-location-finder__map-image__image">`

○ Avoid long main-thread tasks — 20 long tasks found   ⌃

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. **Learn more** TBT

☑ Show 3rd-party resources (7)

URL	Start Time	Duration
/main.99283b7858c37f51.js (order.pieology.com)	6,030 ms	1,989 ms
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	10,457 ms	771 ms
…api/js?key=AIzaSyCY2… (maps.googleapis.com)	8,019 ms	641 ms
/main.99283b7858c37f51.js (order.pieology.com)	9,480 ms	411 ms
/gtag/js?id=G-EX4JW1QWEK&l=dataLayer&cx=c (www.googletagmanager.com)	12,709 ms	272 ms
Unattributable	1,185 ms	210 ms
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	11,238 ms	166 ms
/main.99283b7858c37f51.js (order.pieology.com)	1,027 ms	158 ms
/PXAOit9CN0/main.min.js (client.px-cloud.net)	9,999 ms	142 ms
https://order.pieology.com	898 ms	129 ms
/2698.65932abbcbb27a87.js (order.pieology.com)	17,130 ms	120 ms
/polyfills.63e4033a4e8d627b.js (order.pieology.com)	2,561 ms	102 ms
Unattributable	1,490 ms	100 ms
/main.99283b7858c37f51.js (order.pieology.com)	8,752 ms	93 ms
/styles.1d376905c614bfec.css (order.pieology.com)	8,660 ms	92 ms
/main.99283b7858c37f51.js (order.pieology.com)	8,845 ms	86 ms
…2/common.js (maps.googleapis.com)	11,429 ms	76 ms

URL	Start Time	Duration
/gtm.js?id=GTM-T59TGR2 (www.googletagmanager.com)	10,299 ms	70 ms
/main.99283b7858c37f51.js (order.pieology.com)	8,957 ms	69 ms
/polyfills.63e4033a4e8d627b.js (order.pieology.com)	2,454 ms	68 ms

○ **Avoid non-composited animations** — 7 animated elements found ⌃

Animations which are not composited can be janky and increase CLS. [Learn more](#) CLS

Element	Name
div.navbar__button-group > div.navbar__location > button.link--icon > svg.icon `<svg _ngcontent-mwf-c113="" type="location-24" class="icon icon-size--md" _nghost-mwf-c67="">`	
Unsupported CSS Property: visibility	visibility
div.c-location-finder__search > header.c-location-finder__header > div.c-location-finder__header-content > div.c-location-finder__map--mobile `<div _ngcontent-mwf-c149="" class="c-location-finder__map--mobile">`	
Unsupported CSS Property: visibility	visibility
div.navbar__button-group > div.navbar__bag > button.link--icon > svg.icon `<svg _ngcontent-mwf-c113="" type="bag-24" class="icon icon-size--md" _nghost-mwf-c67="">`	
Unsupported CSS Property: visibility	visibility
Save your favorite orders, earn points towards great rewards and more when you … `<div _ngcontent-mwf-c113="" class="navbar__drawer">`	
Unsupported CSS Property: visibility	visibility
Sign Up `<button _ngcontent-mwf-c113="" type="button" class="btn--primary" tabindex="0">`	
Unsupported CSS Property: visibility	visibility

Element	Name
Log In `<button _ngcontent-mwf-c113="" type="button" class="btn--secondary" tabindex="0">`	
Unsupported CSS Property: visibility	visibility
app-custom-navbar.app-navbar > div.navbar__drawer > button.navbar__drawer__close > svg.icon `<svg _ngcontent-mwf-c113="" type="close-16" class="icon icon-size--base" _nghost-mwf-c67="">`	
Unsupported CSS Property: visibility	visibility

More information about the performance of your application. These numbers don't <u>directly affect</u> the Performance score.

PASSED AUDITS (22)   Hide

🟢 Eliminate render-blocking resources   ⌄

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. <u>Learn more</u>. [FCP] [LCP]

🟢 Properly size images   ⌄

Serve images that are appropriately-sized to save cellular data and improve load time. <u>Learn more</u>.

🟢 Defer offscreen images   ⌄

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. <u>Learn more</u>.

🟢 Minify CSS   ⌄

Minifying CSS files can reduce network payload sizes. <u>Learn more</u>. [FCP] [LCP]

🟢 Minify JavaScript   ⌄

Minifying JavaScript files can reduce payload sizes and script parse time. <u>Learn more</u>. [FCP] [LCP]

●   Efficiently encode images   ⌃

Optimized images load faster and consume less cellular data. [Learn more](#).

●   Serve images in next-gen formats   ⌃

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).

●   Enable text compression   ⌃

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more](#). `FCP` `LCP`

●   Preconnect to required origins   ⌃

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more](#). `FCP` `LCP`

●   Initial server response time was short   —   Root document took 250 ms   ⌃

Keep the server response time for the main document short because all other requests depend on it. [Learn more](#). `FCP` `LCP`

URL	Time Spent
https://order.pieology.com	250 ms

●   Avoid multiple page redirects   ⌃

Redirects introduce additional delays before the page can be loaded. [Learn more](#). `FCP` `LCP`

○   Preload key requests   ⌃

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. Learn more. FCP LCP

🟢 Use video formats for animated content   ⌃

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more LCP

🟢 Remove duplicate modules in JavaScript bundles   ⌃

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. TBT

🟢 Preload Largest Contentful Paint image   ⌃

Preload the image used by the LCP element in order to improve your LCP time. Learn more. LCP

	URL	Potential Savings
header.c-location-finder__header > div.c-location-finder__header-content > div.c-location-finder__map-image > img.c-location-finder__map-image__image `<img _ngcontent-mwf-c149="" src="assets/images/pieology_margherita_666x654_transparent.png" class="c-location-finder__map-image__image">`	…images/pieology_margherita_666x654_transparent.png (order.pieology.com)	0 ms

🟢 Avoids an excessive DOM size   — 234 elements   ⌃

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows. Learn more. TBT

Statistic	Element	Value
Total DOM Elements		234

Statistic	Element		Value

Maximum DOM Depth		div.inputWrapper > button.suffix > svg.icon > use
		`<use _ngcontent-mwf-c67=""`
		`xlink:href="assets/images/sprite.svg#s`
		`earch-24">`
			20

Maximum Child Elements	body `<body>`		8

○ Lazy load third-party resources with facades   ⌃

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more](#). [TBT]

● Largest Contentful Paint image was not lazily loaded   ⌃

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more](#).

Element

header.c-location-finder__header > div.c-location-finder__header-content > div.c-location-finder__map-image > img.c-location-finder__map-image__image
`<img _ngcontent-mwf-c149=""`
`src="assets/images/pieology_margherita_666x654_transparent.png"`
`class="c-location-finder__map-image__image">`

○ Avoid large layout shifts   ⌃

These DOM elements contribute most to the CLS of the page. [CLS]

● Uses passive listeners to improve scrolling performance   ⌃

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

● Avoids `document.write()`   ⌃

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#).

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`   ⌃

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more. `TBT`

78

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

NAMES AND LABELS

🔺 Buttons do not have an accessible name   ⌃

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more.

Failing Elements

div.navbar__container > div.navbar__button-group > div.navbar__location > button.link--icon
```
<button _ngcontent-mwf-c113="" class="link--icon"
tabindex="0">
```

app-custom-location-search > div.location-search > div.inputWrapper > button.suffix
```
<button _ngcontent-mwf-c146="" class="suffix">
```

🔺 Image elements do not have `[alt]` attributes   ⌄

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more.

Failing Elements

header.c-location-finder__header > div.c-location-finder__header-content > div.c-location-finder__map-image > img.c-location-finder__map-image__image
```
<img _ngcontent-mwf-c149=""
src="assets/images/pieology_margherita_666x654_transparent.png"
class="c-location-finder__map-image__image">
```

🔺 Document doesn't have a `<title>` element   ⌄

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more.

Failing Elements

html.js
```
<html lang="en" class="js plt-android plt-mobile plt-mobileweb md hydrated" mode="md">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

BEST PRACTICES

🔺 `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.   ⌄

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more.

Failing Elements

head > meta
```
<meta name="viewport" content="viewport-fit=cover, width=device-width, initial-scale=1.0, minimum-scale=1…">
```

These items highlight common accessibility best practices.

CONTRAST

⚠ Background and foreground colors do not have a sufficient contrast ratio.   ⌃

Low-contrast text is difficult or impossible for many users to read. Learn more.

Failing Elements

MARGHERITA PIZZA

```
<h3 _ngcontent-mwf-c149="" translate="" class="c-location-
finder__map-image__header">
```

FAN FAVORITE MARGHERITA PIZZA View map

```
<div _ngcontent-mwf-c149="" class="c-location-finder__map-image
ng-star-inserted">
```

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Hide

○ The page has a logical tab order   ⌃

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen.
Learn more.

○ Interactive controls are keyboard focusable   ⌃

Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.

○ Interactive elements indicate their purpose and state   ⌃

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from
non-interactive elements. Learn more.

○ The user's focus is directed to new content added to the page   ⌃

If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn more.

○ User focus is not accidentally trapped in a region   ⌃

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more](#).

○ Custom controls have associated labels   ⌃

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more](#).

○ Custom controls have ARIA roles   ⌃

Custom interactive controls have appropriate ARIA roles. [Learn more](#).

○ Visual order on the page follows DOM order   ⌃

DOM order matches the visual order, improving navigation for assistive technology. [Learn more](#).

○ Offscreen content is hidden from assistive technology   ⌃

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more](#).

○ HTML5 landmark elements are used to improve navigation   ⌃

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more](#).

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19)   Hide

● `[aria-*]` attributes match their roles   ⌃

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

● `[aria-hidden="true"]` is not present on the document `<body>`   ⌃

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn more](#).

● `[role]`s have all required `[aria-*]` attributes   ⌃

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

● Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.   ⌃

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

● `[role]`s are contained by their required parent element   ⌃

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

● `[role]` values are valid   ⌃

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

● `[aria-*]` attributes have valid values   ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

● `[aria-*]` attributes are valid and not misspelled   ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

● ARIA IDs are unique   ⌃

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more](#).

●   Form elements have associated labels   ⌃

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more](#).

●   `[aria-hidden="true"]` elements do not contain focusable descendents   ⌃

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more](#).

●   The page contains a heading, skip link, or landmark region   ⌃

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

●   `[id]` attributes on active, focusable elements are unique   ⌃

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more](#).

●   `<html>` element has a `[lang]` attribute   ⌃

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

●   `<html>` element has a valid value for its `[lang]` attribute   ⌃

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more](#).

●   Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).   ⌃

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more](#).

🟢 List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements   ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. Learn more.

🟢 No element has a `[tabindex]` value greater than 0   ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more.

🟢 Heading elements appear in a sequentially-descending order   ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more.

NOT APPLICABLE (20)   Hide

○ `[accesskey]` values are unique   ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more.

○ `button`, `link`, and `menuitem` elements have accessible names   ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ ARIA input fields have accessible names   ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ ARIA `meter` elements have accessible names   ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ ARIA `progressbar` elements have accessible names   ∧

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ ARIA toggle fields have accessible names   ∧

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ ARIA `tooltip` elements have accessible names   ∧

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ ARIA `treeitem` elements have accessible names   ∧

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.   ∧

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn more.

○ Definition list items are wrapped in `<dl>` elements   ∧

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn more.

○ No form fields have multiple labels   ∧

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn more.

○ `<frame>` or `<iframe>` elements have a title   ∧

Screen reader users rely on frame titles to describe the contents of frames. Learn more.

○ `<input type="image">` elements have `[alt]` text   ∧

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).

○ Links have a discernible name   ⌃

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more](#).

○ The document does not use `<meta http-equiv="refresh">`   ⌃

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).

○ `<object>` elements have alternate text   ⌃

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more](#).

○ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.   ⌃

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.   ⌃

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more](#).

○ `[lang]` attributes have a valid value   ⌃

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more](#).

○ `<video>` elements contain a `<track>` element with `[kind="captions"]`   ⌃

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more](#).

92

Best Practices

TRUST AND SAFETY

▲ Requests the geolocation permission on page load   ⌃

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

Source
/polyfills.63e4033a4e8d627b.js:1:51815 (order.pieology.com)

○ Ensure CSP is effective against XSS attacks   ⌃

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn more](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

GENERAL

○ Detected JavaScript libraries   ⌃

All front-end JavaScript libraries detected on the page. [Learn more](#).

Name	Version

Name	Version
Google Maps	3.50.2
Lo-Dash	4.17.21
Angular	13.3.11
core-js	core-js-global@3.19.1

🔺 Missing source maps for large first-party JavaScript   ⌃

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more.

URL	Map URL
/main.99283b7858c37f51.js (order.pieology.com)	
Large JavaScript file is missing a source map	
/9572.47a692ac217f76bc.js (order.pieology.com)	
Large JavaScript file is missing a source map	
/7606.50d54a57501b28fa.js (order.pieology.com)	
Large JavaScript file is missing a source map	
/5277.547fc39f73e929c6.js (order.pieology.com)	
Large JavaScript file is missing a source map	

PASSED AUDITS (11)   Hide

🟢 Uses HTTPS   ⌃

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more.

🟢 Avoids requesting the notification permission on page load   ⌃

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more.

● Avoids front-end JavaScript libraries with known security vulnerabilities   ⌃

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. Learn more.

● Allows users to paste into password fields   ⌃

Preventing password pasting undermines good security policy. Learn more.

● Displays images with correct aspect ratio   ⌃

Image display dimensions should match natural aspect ratio. Learn more.

● Serves images with appropriate resolution   ⌃

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn more.

● Page has the HTML doctype   ⌃

Specifying a doctype prevents the browser from switching to quirks-mode. Learn more.

● Properly defines charset   ⌃

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more.

● Avoids deprecated APIs   ⌃

Deprecated APIs will eventually be removed from the browser. Learn more.

● No browser errors logged to the console   ⌃

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

● No issues in the `Issues` panel in Chrome Devtools ⌃

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

NOT APPLICABLE (1)   Hide

○ Fonts with `font-display: optional` are preloaded ⌃

Preload `optional` fonts so first-time visitors may use them. [Learn more](#)

62

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more](#).

CONTENT BEST PRACTICES

🔺 Document doesn't have a `<title>` element ⌃

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

> **Failing Elements**
>
> html.js
> `<html lang="en" class="js plt-android plt-mobile plt-mobileweb md hydrated" mode="md">`

🔺 Document does not have a meta description   ⌃

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

🔺 Image elements do not have `[alt]` attributes   ⌃

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

> **Failing Elements**
>
>
>
> header.c-location-finder__header > div.c-location-finder__header-content > div.c-location-finder__map-image > img.c-location-finder__map-image__image
> `<img _ngcontent-mwf-c149="" src="assets/images/pieology_margherita_666x654_transparent.png" class="c-location-finder__map-image__image">`

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

🔺 Links are not crawlable   ⌃

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

> **Uncrawlable Link**
>
>
>
> Pieology Logo
> `<a _ngcontent-mwf-c113="" class="navbar__logo">`

Uncrawlable Link

About Us
```
<a _ngcontent-mwf-c143="" tabindex="0" translate="" class="footer-link">
```

Contact
```
<a _ngcontent-mwf-c143="" tabindex="0" translate="" class="footer-link">
```

Privacy Policy
```
<a _ngcontent-mwf-c143="" tabindex="0" translate="" class="footer-link">
```

Nutrition
```
<a _ngcontent-mwf-c143="" tabindex="0" translate="" class="footer-link">
```

Pie Life Terms
```
<a _ngcontent-mwf-c143="" tabindex="0" translate="" class="footer-link">
```

Terms of Use
```
<a _ngcontent-mwf-c143="" tabindex="0" translate="">
```

footer.c-footer > section.c-footer__container > div.c-footer__social > a.c-footer__social__link
```
<a _ngcontent-mwf-c143="" tabindex="0" class="c-footer__social__link">
```

footer.c-footer > section.c-footer__container > div.c-footer__social > a.c-footer__social__link
```
<a _ngcontent-mwf-c143="" tabindex="0" class="c-footer__social__link">
```

footer.c-footer > section.c-footer__container > div.c-footer__social > a.c-footer__social__link
```
<a _ngcontent-mwf-c143="" tabindex="0" class="c-footer__social__link">
```

footer.c-footer > section.c-footer__container > div.c-footer__social > a.c-footer__social__link
```
<a _ngcontent-mwf-c143="" tabindex="0" class="c-footer__social__link">
```

footer.c-footer > section.c-footer__container > div.c-footer__social > a.c-footer__social__link
```
<a _ngcontent-mwf-c143="" tabindex="0" class="c-footer__social__link">
```

footer.c-footer > section.c-footer__container > div.c-footer__social > a.c-footer__social__link
```
<a _ngcontent-mwf-c143="" tabindex="0" class="c-footer__social__link">
```

Terms of Use
```
<a _ngcontent-mwf-c143="" tabindex="0">
```


a.button-native
```
<a tabindex="-1" class="button-native" part="native">
```

Uncrawlable Link

a.button-native

`<a tabindex="-1" class="button-native" part="native">`

a.button-native

`<a tabindex="-1" class="button-native" part="native">`

a.button-native

`<a tabindex="-1" class="button-native" part="native">`

⚠   robots.txt is not valid   —   1 error found   ∧

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more.

Line #	Content	Error
3	Disallow	Syntax not understood

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Hide

○   Structured data is valid   ∧

Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more.

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)   Hide

●   Has a `<meta name="viewport">` tag with `width` or `initial-scale`   ∧

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more. [TBT]

● Page has successful HTTP status code   ⌃

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more.

● Links have descriptive text   ⌃

Descriptive link text helps search engines understand your content. Learn more.

● Page isn't blocked from indexing   ⌃

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more.

● Document has a valid `hreflang`   ⌃

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more.

● Document uses legible font sizes — 98.93% legible text   ⌃

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more.

Source	Selector	% of Page Text	Font Size
dynamic	`.c-location-finder__form__find-me[_ngcontent-mwf-c149] p[_ngcontent-mwf-c149]`	1.07%	10.5px
Legible text		98.93%	≥ 12px

● Document avoids plugins   ⌃

Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more.

●   Tap targets are sized appropriately   —   100% appropriately sized tap targets   ⌃

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more](#).

NOT APPLICABLE (1)   Hide

○   Document has a valid `rel=canonical`   ⌃

Canonical links suggest which URL to show in search results. [Learn more](#).

📅 Captured at Aug 25, 2022, 3:11 PM EDT

🖥 [Emulated Moto G4 with Lighthouse 9.6.6](#)

👥 [Single page load](#)

⏱ Initial page load

📶 [Unknown](#)

🔵 [Using HeadlessChromium 102.0.5005.115 with lr](#)

Generated by **Lighthouse** 9.6.6 | [File an issue](#)