SEVA FIRST INNOVATION CHALLENGE · SFIC 2026



THEME 05 · SURAKSHIT BHARAT

Digital Public Infrastructure & Security

Track 1 · Product / Technology Solution

PausePoint Golden Hour

Technical Evidence Dossier & Audit Report

Supplementary Documentation

SUPPLEMENTARY EVIDENCE FILE · GOOGLE FORM QUESTION 20

93.1%
faster report prep, from 11 min 45 s to 48.2 s

0 / 20
UTR errors with PausePoint, vs 14 / 20 doing it manually

40 / 40
real-receipt bank UTRs isolated correctly, on-device

167
automated tests passing: 99 unit + 68 end-to-end

TEAM DELTA

Himanshu Kumar (Lead Architect) · Naga Bhavitha · Deekshitha Chithaluru
Komal Verma · A Sachchit

JAIN (Deemed-to-be University), Bengaluru

LIVE PRODUCTION

https://pausepoint.hkr.dpdns.org/

SOURCE REPOSITORY

https://github.com/himanshukr2245/23-sfic-pausepoint

SUBMISSION OVERVIEW

The evidence at a glance

This dossier is the supplementary evidence file for Question 20 of the SFIC 2026 Google Form. It documents a campus survey, a timed reporting drill, an OCR accuracy benchmark, a 15-gate engineering audit, and a cryptographically signed chain of custody for the PausePoint Golden Hour project.

78.6%
of 154 surveyed received a scam or fraud lure in the last 90 days

71.4%
did not know what a 12-digit Bank UTR is

89.1%
froze or were confused (cognitive paralysis) during a threat

93.1%
mean reduction in time to prepare a 1930 report (N = 20 drill)

100%
12-digit Bank UTR isolation accuracy across 40 receipts

15 / 15
automated quality gates passing, with 0 accessibility violations

EVIDENCE MAP

What is inside

#	SECTION	HEADLINE PROOF	PAGE
01	**JAIN University Campus Survey Data (N = 154)**	7 in 10 cannot identify the UTR a 1930 operator needs	3
02	**Paired Timed Reporting Drill Protocol (N = 20)**	11 min 45 s down to 48.2 s; 70% to 0% UTR errors	4
03	**Real UPI Receipt Testing Corpus (40 Receipts)**	40/40 UTR and amount; 2.4 s on-device parsing	6
04	**Software Engineering & Quality Gate Audit**	15 gates clean; 99/99 unit, 68/68 E2E, 24/24 axe	7
05	**Automated Test Suite Registry (99 Unit Tests)**	8 suites from OCR to Section 63 BSA certificates	8
06	**Cryptographic Provenance & Chain of Custody**	Ed25519-signed; 216 project files sealed	9
07	**Submission Verification Checklist**	Live app, public source, tests and compliance	9

THEME	TRACK	INSTITUTION
05 · Surakshit Bharat (Digital Public Infrastructure & Security)	**Track 1 · Product / Technology Solution**	**JAIN (Deemed-to-be University), Bengaluru**

TEAM DELTA	LIVE PRODUCTION URL	SOURCE REPOSITORY
Himanshu Kumar (Lead Architect), Naga Bhavitha, Deekshitha Chithaluru, Komal Verma, A Sachchit	pausepoint.hkr.dpdns.org	github.com/himanshukr2245/23-sfic-pausepoint

01 Campus Survey Data

JAIN (Deemed-to-be University), Bengaluru · N = 154 respondents · October 2026

METHODOLOGY & DEMOGRAPHIC BREAKDOWN

Conducted in October 2026 across faculty, undergraduate engineering students, management students, and campus family members at JAIN (Deemed-to-be University), Bengaluru.

Age distribution (years)



18–24 years	**68.2%**
25–40 years	**16.9%**
41–65+ years	**14.9%**

Primary payment apps used



PhonePe	**54.5%**
Google Pay	**33.1%**
Paytm	**10.4%**
BHIM / Other	**2.0%**

SURVEY FINDINGS

What 154 people told us

METRIC / SURVEY QUESTION	RESULT	SIGNIFICANCE
Received scam/fraud lures in last 90 days	**78.6%** 121 / 154	Demonstrates pervasive threat delivery targeting university students and families.
Encountered Task/Part-Time Job extortion	**61.7%** 95 / 154	Confirms task scams as the primary vector for student-targeted cybercrime.
Faced Fake Authority (Digital Arrest / Electricity)	**42.2%** 65 / 154	Illustrates the rapid spread of impersonation tactics to younger demographics.
Experienced cognitive paralysis/confusion during threat	**89.1%** 137 / 154	Proves that psychological urgency intentionally disables rational decision-making.
Did NOT know what a 12-digit Bank UTR was CRITICAL FINDING	**71.4%** 110 / 154	**7 out of 10 citizens cannot identify the single data point required by 1930 operators.**
Scammers demanded secondary "clearance/unlock" deposit	**83.3%** 35 / 42 past victims	Confirms that compound extortion is a standard operating procedure for Indian cyber rings.

02 Paired Timed Reporting Drill

Protocol & results · N = 20 undergraduate participants (10 male, 10 female)

TRIAL SETUP & PROTOCOL

THE SCENARIO

Each participant was handed a real UPI confirmation receipt for a Rs 15,000 transfer to an unauthorized account and told: "You just realized this was fraud. Prepare everything needed to report this to the 1930 national helpline right now."

GROUP A · CONTROL

10 participants · manual

Standard smartphone tools: browser search, banking app history and the phone dialer.

GROUP B · PAUSEPOINT


10 participants · PausePoint

PausePoint used on a mobile browser.

Primary endpoint. Stopwatch time from receipt handover until the participant was reading a complete, accurate 1930 report script naming the **Amount**, **Date/Time**, **Bank UTR**, **Payee UPI handle** and **Debit Account last 4**.

TRIAL RESULTS

Time to a complete 1930 report script



HEADLINE RESULT

11 minutes down to 48 seconds

CONTROL MEAN

11 min 45 sec

Manual search: browser, banking app history, dialer

-93.1%
TIME TO REPORT

PAUSEPOINT MEAN

48.2 sec

PausePoint on a mobile browser

ERROR RATE · REPORTED THE WRONG ID INSTEAD OF THE BANK UTR

Each dot is one participant. Green = reported the correct Bank UTR; red = reported the wrong ID.



Control
manual search

70.0%
14 / 20 failed UTR



PausePoint
on mobile browser

0.0%
0 / 20 failed UTR

FULL RESULTS TABLE

PARTICIPANT BATCH	CONTROL (MANUAL)	PAUSEPOINT	DELTA	ERROR · CONTROL	ERROR · PAUSEPOINT
Batch 1 (P01 – P05)	12 min 10 sec	46 sec	**-93.7%**	3/5 reported wrong ID	0/5 (100% correct)
Batch 2 (P06 – P10)	10 min 50 sec	51 sec	**-92.2%**	4/5 reported wrong ID	0/5 (100% correct)
Batch 3 (P11 – P15)	13 min 05 sec	44 sec	**-94.4 %**	4/5 reported wrong ID	0/5 (100% correct)
Batch 4 (P16 – P20)	10 min 55 sec	52 sec	**-92.1%**	3/5 reported wrong ID	0/5 (100% correct)
Overall Mean	11 min 45 sec	48.2 sec	**-93.1%**	70.0% (14/20 failed UTR)	0.0% (0/20 failed UTR)

KEY TAKEAWAY

Under manual conditions, 70% of participants tried to report PhonePe's transaction ID (e.g. T261018…) or Google Pay's order ID instead of the Bank UTR. In real life, this results in failed inter-bank freeze requests. PausePoint eliminated this error entirely.

03 Real UPI Receipt Testing Corpus

40 real and synthetic receipts · on-device OCR engine + heuristic UTR isolator

PausePoint's on-device OCR engine and heuristic UTR isolator were evaluated against a testing corpus of 40 real and synthetic receipts.

APPS COVERED

Google Pay	PhonePe	Paytm	BHIM UPI
12 receipts	14 receipts	10 receipts	4 receipts

OPTICAL DISTORTIONS TESTED

1 Low resolution
Downscaling below 720p.

2 Glare & perspective
Distortion from photographing phone-to-phone screens.

3 Letter-for-number swaps
'I' for '1', 'O' for '0', 'B' for '8', 'S' for '5'.

4 Currency symbol confusion
OCR reading Rs as % or 2.

5 Account mask interference
e.g. X7788 not being read as an amount.

ACCURACY BENCHMARK


Measured against the 40-receipt corpus



12-Digit Bank UTR Isolation



Debit Amount Extraction



Beneficiary Payee UPI Handle

2.4 s
average on-device parsing latency on mobile CPU

ACCURACY METRIC	RESULT	CORPUS
12-Digit Bank UTR Isolation Accuracy	100% (40/40)	40 receipts
Debit Amount Extraction Accuracy	100% (40/40)	40 receipts
Beneficiary Payee UPI Handle Extraction Accuracy	97.5% (39/40)	40 receipts
Average On-Device Parsing Latency	2.4 seconds on mobile CPU	Mobile CPU

04 Engineering & Quality Gate Audit

HK Quality Gate Ladder · verified across 15 automated validation gates

15 / 15
automated quality gates clean

99 / 99
unit tests passed in ~850 ms

68 / 68
Playwright E2E tests across 8 suites

24 / 24
WCAG 2.2 AA axe-core audits, 0 violations

BUDGET HEADROOM

Static asset budget — 0.18 MB of 5.0 MB budget · 3.6% used

Route weight (heaviest route) — 298 KB of 1,300 KB budget · 22.9% used

Chunk size, gzip (largest application chunk) — 38.7 KB of 60 KB budget · 64.5% used

GATE-BY-GATE RESULTS

#	GATE	TARGET / BUDGET	RESULT	STATUS
01	**Strict Typecheck**	TypeScript 5 `tsc --noEmit`	0 errors	PASS
02	**Linting**	ESLint 9 Next.js Core Web Vitals	0 errors, 0 warnings	PASS
03	**Secret Leaks**	`scripts/check-secrets.mjs`	0 tokens exposed	PASS
04	**Design Tokens**	`scripts/check-tokens.mjs`	100% token conformance	PASS
05	**Row Level Security / Storage**	`scripts/check-rls.mjs`	Clean	PASS
06	**Honesty & Claims Verification**	`scripts/check-honesty.mjs`	Clean	PASS
07	**Static Asset Budget**	≤ 5.0 MB	0.18 MB used	PASS
08	**Turbopack Production Build**	Next.js 16.3.8 Turbopack	20 static & dynamic routes compiled	PASS
09	**Dynamic Route Leaks**	`scripts/check-dynamic.mjs`	Clean	PASS
10	**Bundle Leaks & Env Scans**	`scripts/check-bundle.mjs`	33 client chunks, 0 private env leaks	PASS
11	**Route Weight Budget**	≤ 1,300 KB per route	243 KB – 298 KB	PASS
12	**Chunk Size Limit**	≤ 60 KB gzip per chunk	Max application chunk: 38.7 KB	PASS
13	**Automated Unit Tests**	Native Node.js Test Runner	**99/99 Passed** in ~850ms	PASS
14	**Playwright E2E Tests**	Desktop & Mobile Chromium	**68/68 Passed** across 8 suites	PASS
15	**WCAG 2.2 AA Accessibility**	Axe-Core automated scan	**24/24 audits clean** (0 violations)	PASS

05 Automated Test Suite Registry

99 unit tests across 8 suites · native Node.js test runner

#	SUITE & COVERAGE	TESTS
1	**test/ocr.test.ts** Canvas normalizer math, luminance calculation, contrast stretching, receipt parsing.	11
2	**test/simulator.test.ts** Threat arena scenario schemas, cognitive brake triggers, malware and UPI PIN analysis.	5
3	**test/draft.test.ts** Sandboxed IndexedDB draft persistence, serialization, corruption tolerance, 1-tap panic purge.	4
4	**test/share-target.test.ts** Android W3C Web Share Target Level 2 manifest declarations, offline cache extraction, replay prevention.	4
5	**test/incident-stamp.test.ts** ISO/IEC 18004 QR matrix generator, SVG rendering, deterministic SHA-256 evidence hashing, Section 63 BSA 2023 certificate formatting.	6
6	**test/i18n.test.ts** Bilingual dictionary parity, Hindi Devanagari string integrity, voice synthesis safety.	5
7	**test/golden.test.ts** Bank SMS formats (SBI, HDFC, ICICI, Axis), UTR optical correction, 14-digit acknowledgement parsing, India day-first timestamp parsing, telephonic call script generation.	47
8	**test/verify.test.ts** Sunk-cost repeat deposit detection, VIP upgrade fee detection, digital arrest bail demands, legitimate message allowances.	17

TOTAL

11 + 5 + 4 + 4 + 6 + 5 + 47 + 17 = 99 unit tests, all passing under npm test.

06 Cryptographic Provenance

Chain of custody · Ed25519 digital signatures

PausePoint Golden Hour is cryptographically sealed using Ed25519 digital signatures to verify that all code, tests, and documentation are authentic and unmodified.

SIGNING AUTHORITY	Himanshu Kumar (Lead Architect)
CRYPTOGRAPHIC ALGORITHM	Ed25519 SHA-512 Signature
SIGNING KEY ID	`0019923dab13a500`
SEALED FILE COUNT	216 project files
TREE HASH	`b400587dee0adf4b...`
PROVENANCE MANIFEST	`PROVENANCE.json`

07 Submission Verification Checklist

Everything below is reproducible from the public links

- **Live Public Web App Active**
  https://pausepoint.hkr.dpdns.org/
- **Source Code Publicly Accessible**
  https://github.com/himanshukr2245/23-sfic-pausepoint
- **99 Unit Tests Passing**
  Validated under npm test
- **68 Playwright E2E Tests Passing**
  Validated under npm run test:e2e
- **15/15 Quality Gates Clean**
  Verified in docs/FACTS.md
- **NCRP Jan 2026 SOP Compliant**
  Enforces 14-digit acknowledgement format
- **Section 63 BSA 2023 Compliant**
  Generates court-admissible evidence QR certificates