SkincareAI — Animated Landing Page Prompt

Project Context

This is for the **SkincareAI** project — a skincare education + AI skin analysis + e-commerce platform. The landing page uses **React + Vite + TailwindCSS + Framer Motion**. Theme colors are **Baby Pink (#FFB6C1)** and **Teal Blue (#008B8B)** with a user toggle. The design should feel clinical yet warm — not overly playful.

Task

Add **animated icons, illustrations, and motion elements** to the landing page (`src/pages/Home.tsx`) to make it visually engaging, modern, and on-brand for a skincare platform. Every animation must feel smooth, purposeful, and professional — not distracting.

Use **Framer Motion** for all animations. Use **Lucide React** for icons. Use **emoji or inline SVG** only where explicitly stated below.

Section-by-Section Animation Instructions

SECTION 1 — Hero Section

Layout: Full-width hero with tagline, sub-text, two CTA buttons, and a floating skincare illustration on the right.

Animated Elements to Add:

1. Headline text — staggered word reveal

```
Each word of the headline animates in one by one:
  initial: { opacity: 0, y: 30 }
  animate: { opacity: 1, y: 0 }
  transition: { staggerChildren: 0.08, ease: "easeOut", duration: 0.5 }
```

2. Sub-headline — fade up with delay

```
initial: { opacity: 0, y: 20 }
animate: { opacity: 1, y: 0 }
transition: { delay: 0.6, duration: 0.6 }
```

3. CTA Buttons — scale in + hover effect

```
initial: { opacity: 0, scale: 0.9 }
animate: { opacity: 1, scale: 1 }
transition: { delay: 0.9, duration: 0.4 }

whileHover: { scale: 1.05 }
whileTap: { scale: 0.97 }
```

4. Floating hero image / product illustration — gentle bob

```
animate: { y: [0, -12, 0] }
transition: { duration: 4, repeat: Infinity, ease: "easeInOut" }
```

5. Background floating particles — 6 small blurred circles

```
Render 6 absolutely-positioned motion.div circles (sizes 40px–100px)
Colors: mix of #FFB6C1 and #74C69D at 20% opacity
Each has a unique:
  animate: { x: [0, 20, -10, 0], y: [0, -15, 10, 0] }
  transition: { duration: 6–10s, repeat: Infinity, delay: staggered 0–2s }
  style: { filter: "blur(40px)", borderRadius: "50%" }
```

6. Scroll indicator arrow — bounce loop

```
Bottom center of hero:
  animate: { y: [0, 8, 0] }
  transition: { duration: 1.5, repeat: Infinity, ease: "easeInOut" }
Use Lucide <ChevronDown /> icon
```

SECTION 2 — “How It Works” (3-Step Flow)

Layout: Three cards in a row: Step 1 → Step 2 → Step 3

Animated Elements:

1. Section heading — fade + slide up on scroll

```
Use Framer Motion whileInView:
  initial: { opacity: 0, y: 40 }
  whileInView: { opacity: 1, y: 0 }
  viewport: { once: true, amount: 0.3 }
  transition: { duration: 0.6 }
```

2. Step cards — staggered slide up on scroll

```
Each card:
  initial: { opacity: 0, y: 50 }
  whileInView: { opacity: 1, y: 0 }
  viewport: { once: true }
  transition: { delay: index * 0.15, duration: 0.5, ease: "easeOut" }

  whileHover: { y: -6, boxShadow: "0 20px 40px rgba(0,0,0,0.10)" }
```

3. Step icons — animated on card hover

Use these Lucide icons with a motion wrapper on each:

Step	Icon	Animation on hover
Step 1: Upload Photo	`<Camera />`	rotate(-15deg) scale(1.2)
Step 2: AI Analyses	`<ScanFace />`	pulse scale 1→1.15→1 loop
Step 3: Get Routine	`<Sparkles />`	rotate(20deg) scale(1.1)

```
whileHover: { rotate: -15, scale: 1.2 }   // Camera
animate: { scale: [1, 1.15, 1] }, transition: { repeat: Infinity, duration: 2 }
whileHover: { rotate: 20, scale: 1.1 }    // Sparkles
```

4. Connecting arrows between cards — draw-in animation

```
Use SVG path with strokeDashoffset animation
  initial: { pathLength: 0, opacity: 0 }
  whileInView: { pathLength: 1, opacity: 1 }
  transition: { duration: 0.8, delay: 0.4, ease: "easeInOut" }
Color: #74C69D (Mint)
```

5. Step number badges — scale pop on scroll entry

```
  initial: { scale: 0, opacity: 0 }
```

```
  whileInView: { scale: 1, opacity: 1 }
  transition: { type: "spring", stiffness: 300, delay: index * 0.15 }
```

SECTION 3 — Skin Type Quiz Teaser

Layout: Centered card inviting users to take the quiz.

Animated Elements:

1. Card — slide in from left on scroll

```
  initial: { opacity: 0, x: -60 }
  whileInView: { opacity: 1, x: 0 }
  viewport: { once: true }
  transition: { duration: 0.7, ease: "easeOut" }
```

2. Animated skin type icons — cycling display

Show these 5 icons cycling every 1.8 seconds with a crossfade:

```
Icons: 💧 Dry  🌿 Oily  ✨ Normal  🌸 Sensitive  🔀 Combination

Use AnimatePresence with:
  initial: { opacity: 0, y: 10 }
  animate: { opacity: 1, y: 0 }
  exit: { opacity: 0, y: -10 }
  transition: { duration: 0.4 }
```

3. “Start Quiz” button — shimmer sweep animation

```
Add a pseudo-shimmer effect using a motion.div overlay:
  animate: { x: ["-100%", "200%"] }
  transition: { duration: 2.5, repeat: Infinity, ease: "linear", delay: 1 }
  style: { background: "linear-gradient(90deg, transparent, rgba(255,255,255,0.3)
```

4. Quiz question preview — typewriter text animation

```
Cycle through question previews with a typewriter effect:
"How does your skin feel after cleansing?"
"Do you often experience breakouts?"
"How visible are your pores?"

Reveal characters one-by-one using a character-split + stagger.
```

SECTION 4 — Featured Products Carousel

Layout: Horizontal scrollable product cards.

Animated Elements:

1. Section header — fade up Standard whileInView fade + slide up (same as Section 2 heading).

2. Product cards — slide in from right on entry

```
  initial: { opacity: 0, x: 60 }
  whileInView: { opacity: 1, x: 0 }
  viewport: { once: true }
  transition: { delay: index * 0.1, duration: 0.5 }

  whileHover: { y: -8, scale: 1.02 }
```

3. "Add to Cart" icon button — bounce on click

```
Use Lucide <ShoppingCart />
  whileTap: { scale: 0.85, rotate: -10 }

After click → show animated ✓ checkmark replacing cart icon:
  animate: { scale: [0, 1.3, 1], opacity: [0, 1, 1] }
  transition: { duration: 0.4, type: "spring" }
  Reset after 1.5s
```

4. Wishlist heart icon — fill animation on click

```
Use Lucide <Heart />
  whileTap: { scale: 1.4 }
Toggle filled/unfilled with:
  animate: { scale: [1, 1.4, 1] }
  transition: { duration: 0.3, type: "spring", stiffness: 400 }
Color transitions from gray (#9CA3AF) → pink (#F43F5E) on toggle
```

5. Discount badge — pulse attention animation

```
  animate: { scale: [1, 1.08, 1] }
  transition: { duration: 1.5, repeat: Infinity, ease: "easeInOut" }
```

6. Carousel navigation arrows — slide in on hover

```
Left/right arrow buttons:
  initial: { opacity: 0, x: ±20 }
  Show on carousel container hover:
  whileHover (container): reveal arrows
  Arrow whileHover: { scale: 1.15, backgroundColor: SAGE }
```

SECTION 5 — Key Benefits / Why SkincareAI

Layout: 6-card grid with icon + title + description per benefit.

Benefits and their icons:

#	Benefit	Lucide Icon	Animation
1	AI Skin Analysis	`<ScanFace />`	Scan line sweep top→bottom loop
2	Personalized Routines	`<ListChecks />`	Items check-off one by one loop
3	19+ Curated Products	`<ShoppingBag />`	Gentle rock side-to-side
4	Expert Education	`<BookOpen />`	Page flip effect on hover
5	Korean Skincare Guide	`<Sparkles />`	Sparkle burst on hover
6	Dermatologist Backed	`<Stethoscope />`	Heartbeat pulse loop

Card animations:

```
Grid stagger on scroll:
  initial: { opacity: 0, y: 40 }
  whileInView: { opacity: 1, y: 0 }
  transition: { staggerChildren: 0.1, delay: index * 0.1 }

Card hover:
  whileHover: {
    y: -8,
    borderColor: MINT (#74C69D),
    boxShadow: "0 16px 40px rgba(45,106,79,0.12)"
  }
```

Icon-specific animations:

```
// ScanFace — scan line
animate: { y: [0, 32, 0] }
transition: { duration: 2, repeat: Infinity, ease: "linear" }

// ListChecks — sequential check
Cycle SVG stroke-dashoffset for each checkmark, staggered 0.4s

// ShoppingBag — rock
animate: { rotate: [-5, 5, -5] }
transition: { duration: 2, repeat: Infinity, ease: "easeInOut" }

// BookOpen — hover flip
whileHover: { rotateY: 15 }
style: { perspective: 600 }

// Sparkles — burst
whileHover: { scale: [1, 1.3, 0.9, 1.1, 1], rotate: [0, 15, -10, 5, 0] }
transition: { duration: 0.6 }

// Stethoscope — heartbeat
animate: { scale: [1, 1.15, 1, 1.08, 1] }
transition: { duration: 1.2, repeat: Infinity, times: [0, 0.2, 0.4, 0.6, 1] }
```

SECTION 6 — Testimonials

Layout: 3 testimonial cards with avatar, name, skin type, and review text.

Animated Elements:

1. Cards — fade in + slight tilt on entry

```
  initial: { opacity: 0, rotate: -2, y: 30 }
  whileInView: { opacity: 0, rotate: 0, y: 0 }  ← correct to opacity:1
  whileInView: { opacity: 1, rotate: 0, y: 0 }
  transition: { type: "spring", stiffness: 120, delay: index * 0.2 }
```

2. Star ratings — sequential fill on entry

```
Each star fills left to right with a 100ms delay between stars:
  initial: { scale: 0, color: "#D1D5DB" }
  whileInView: { scale: 1, color: "#FBBF24" }
  transition: { delay: starIndex * 0.1, type: "spring", stiffness: 300 }
```

3. Avatar ring — rotating gradient border

```
animate: { rotate: 360 }
transition: { duration: 8, repeat: Infinity, ease: "linear" }
Apply as a rotating gradient ring behind the avatar circle.
```

4. Quote mark icon — scale in

```
Large decorative " icon (Lucide <Quote />):
  initial: { scale: 0, opacity: 0 }
  whileInView: { scale: 1, opacity: 0.15 }
  transition: { type: "spring", stiffness: 200 }
```

SECTION 7 — Newsletter Signup

Layout: Full-width banner with email input + submit button.

Animated Elements:

1. Banner — slide up from bottom

```
  initial: { opacity: 0, y: 60 }
  whileInView: { opacity: 1, y: 0 }
  transition: { duration: 0.7, ease: "easeOut" }
```

2. Email input — focus expand animation

```
On focus:
  animate: { scaleX: 1.02, borderColor: MINT }
  transition: { duration: 0.2 }
```

3. Submit button — loading → success state

```
On click:
  Show spinner (animate: { rotate: 360 }, transition: { repeat: Infinity, duratio
  After 1.5s → swap to <Check /> icon with:
  animate: { scale: [0, 1.3, 1] }
  transition: { type: "spring", stiffness: 400 }
  Button background transitions to green (#10B981)
```

4. Floating envelope icon — fly-in animation on success

```
Lucide <Mail /> icon flies from input position upward and fades:
  animate: { y: -80, opacity: [1, 1, 0], scale: [1, 1.2, 0.8] }
  transition: { duration: 1.2, ease: "easeOut" }
  Trigger only once on successful submit.
```

SECTION 8 — Footer

Animated Elements:

1. Logo — fade in

```
  initial: { opacity: 0 }
  whileInView: { opacity: 1 }
  transition: { duration: 0.8 }
```

2. Social media icons — hover bounce

```
Each icon (Instagram, Twitter, YouTube placeholders):
  whileHover: { y: -4, scale: 1.2 }
  transition: { type: "spring", stiffness: 400 }
```

3. Back-to-top button — slide up reveal on scroll

```
Show fixed bottom-right button after scrollY > 400:
  initial: { opacity: 0, y: 20 }
  animate: { opacity: 1, y: 0 }
  exit: { opacity: 0, y: 20 }
  Use AnimatePresence to mount/unmount
  whileHover: { scale: 1.1 }
  whileTap: { scale: 0.95 }
  Icon: Lucide <ArrowUp />
```

Global Animation Rules

```
// Apply to EVERY section heading
const headingVariants = {
  initial: { opacity: 0, y: 40 },
  whileInView: { opacity: 1, y: 0 },
  viewport: { once: true, amount: 0.3 },
  transition: { duration: 0.6, ease: "easeOut" }
```

```
}

// Page load — reduce motion check
const prefersReducedMotion = window.matchMedia(
  "(prefers-reduced-motion: reduce)"
).matches

// If prefersReducedMotion === true:
// Set all durations to 0.01 and disable repeat animations
// Keep layout / opacity transitions only
```

Framer Motion Imports Required

```
import {
  motion,
  AnimatePresence,
  useScroll,
  useTransform,
  useInView,
  useAnimation
} from "framer-motion"
```

Lucide Icons Required

```
import {
  Camera,
  ScanFace,
  Sparkles,
  ShoppingCart,
  ShoppingBag,
  Heart,
  ListChecks,
  BookOpen,
  Stethoscope,
  ChevronDown,
  ArrowUp,
  Mail,
  Check,
  Quote,
  Star
} from "lucide-react"
```

Performance Rules

- All `whileInView` animations must use `viewport: { once: true }` — animate only on first entry, never on scroll back
- Use `will-change: transform` only on actively animating elements
- Particle / background blur animations must use CSS `transform` only (no layout properties)
- Lazy load all product images in the carousel section
- Keep animation durations between 0.3s–0.8s for UI interactions, 1.5s–4s for ambient loops
- No more than 3 simultaneously looping animations visible at one time in any viewport

---

Do NOT Do

- Do not add confetti, fireworks, or aggressive flash animations
- Do not animate text color changes on body/paragraph text
- Do not use CSS keyframes — use Framer Motion only for consistency
- Do not add animations that block the critical rendering path
- Do not animate layout properties (width, height, top, left) — use transform only
- Do not add sound or haptic feedback triggers
- Do not make any existing component non-functional while adding animations

---

Output Expected

Update `src/pages/Home.tsx` with all animations integrated inline using Framer Motion. Keep all existing content, layout, and functionality intact. Only add motion wrappers and animation props. Export the same default component.