Migrate: how does the data move?

Agent 04 · Data load

Module	Subscription Management
Owner	Data load agent
Version	1.0, for review
Date	8 October 2026

Document control

Document	Subscription Management - Agent 04 - Migrate
Subject	Agent 04 · Data load
Version	1.0
Date	2026-10-08
Status	For review
Owner	Data load agent
Generated by	`src/generators/emit-client-pack.js`
Source	`docs/client-pack/04-migrate.md`
Source blueprint	`49f2c22e6c8f`
Prepared by	Ascendion
Classification	Ascendion Confidential

Contents

1. Purpose and scope
2. The agents in this phase
    2.1 Data load agent
3. Inputs
4. Outputs and results
5. How we keep it safe
6. History archive
7. Work in progress at go-live
8. Review gate and items to confirm
9. Where the artifacts live

1. Purpose and scope

We move every record parent first, keep its Salesforce ID, and reconcile object by object. The load order is designed in the HLD, section 8.3, and the LLD, section 7.

2. The agents in this phase

2.1 Data load agent

> **What it does**
>
> Loads every record in dependency order, keeps the Salesforce record IDs, then recomputes totals.
>
> **What it produces**
>
> - Loaded database and load report
> - `history-archive.md`
> - `work-in-progress.md`

3. Inputs

- The data export from Agent 01
- The database built by Agent 03

4. Outputs and results

Object	Records in Salesforce	Reconciliation
Subscription	107	count and IDs match
Subscription Line	219	count and IDs match
Account	22	count and IDs match
Contact	20	count and IDs match
Opportunity	31	count and IDs match
Product	17	count and IDs match

5. How we keep it safe

- Salesforce stays the system of record until each module is switched over
- Changes in Salesforce keep flowing to the new system until cutover
- The final switch happens in a short, rehearsed freeze

- We split big objects into parts and load them in parallel, parents before children
- We recalculate totals once after the load, then check them against Salesforce

6. History archive

Salesforce deletes some history after a fixed time. From week one we save each source on a schedule, adding only what is new, so nothing expires while the project runs. At go-live we load the archive into the new system, which keeps history with no time limit.

Source	Salesforce keeps	Reaches back to today	Archive
Field history (171 history tables)	18 months in the UI, 24 via API; longer only with Field Audit Trail	per table	weekly, by `CreatedDate` watermark
Setup Audit Trail (configuration changes)	180 days	2026-09-13	weekly
Login history	6 months	2026-09-13	weekly
Recycle bin (deleted records)	15 days	—	daily, `queryAll` where `IsDeleted = true`
Event Monitoring logs	1 day, or 30 with Shield	—	daily, if licensed

7. Work in progress at go-live

Processes that are halfway through on the day we switch live inside Salesforce, not in the records. We finish each one before the freeze, or carry it over in the same state.

Item	Today	Route
Pending approvals	0	finish before the freeze, or carry over
Paused flows	0	finish before the freeze, or carry over
Scheduled jobs	3	switched in one step at cutover (Agent 06 - Go-live, section 7)

8. Review gate and items to confirm

What a person checks before the next phase starts

- Record counts and IDs match Salesforce for every object
- The history archive runs on schedule

What we ask you to confirm

- How long history must be kept, per source
- The freeze window for the final switch

9. Where the artifacts live

Artifact	Location
Load scripts and report	`adlc/4-migrate/data-load`
History archive plan	`adlc/4-migrate/data-load/history-archive.md`
Work in progress at go-live	`adlc/4-migrate/data-load/work-in-progress.md`