

EnlightenDS: Advanced Technologies for Skill Enhancement and Talent Recognition in Children with Down Syndrome

Project Proposal Report

Project ID: 24-25J-228

Jayasuriya S.H.

BSc (Hons) in Information Technology Specializing in Information Technology

Sri Lanka Institute of Information Technology
Sri Lanka

August 2024

Project Proposal Report

Project ID: 24-25J-228

Jayasuriya S.H. – IT21293030

Supervisor: Prof. Samantha Thelijjagoda

Co-Supervisor: Dr. Junius Anjana


BSc (Hons) in Information Technology Specializing in Information Technology

Sri Lanka Institute of Information Technology
Sri Lanka


August 2024

DECLARATION


We declare that this is our own work, and this proposal does not incorporate without acknowledgement any material previously submitted for a degree or diploma in any other university or Institute of higher learning and to the best of our knowledge and belief it does not contain any material previously published or written by another person except where the acknowledgement is made in the text.

Name	Student ID	Signature
Jayasuriya S.H.	IT21293030	

The supervisor/s should certify the proposal report with the following declaration. The above candidate is carrying out research for the undergraduate dissertation under my supervision.


.....
Signature of the supervisor
Prof.Samantha Thelijjagoda


.....
Date


.....
Signature of the co supervisor
Dr. Junius Anjana


.....
Date

ABSTRACT

Down Syndrome is a genetic disorder that originates from an additional chromosome 21, leading to developmental delays and intellectual disability. The most prominent of the delays are in speech and language development and usually restrict cognitive and social development. Because of this, the advantages of excellent speech therapy are very paramount for children with Down syndrome. The primary objective of this project is to develop a much-advanced web-based speech therapy application for children between 5 and 15 years with Down syndrome. It integrates the latest technologies, including NLP for speech recognition, which is very accurate and performs real-time error correction, and motion detection via real-time image processing using OpenCV, while machine learning algorithms adapt exercises based on the progress of a person.

Multimedia components, such as fun quizzes and animations, are integrated to keep users motivated by making the application design very appealing and engaging. Therefore, it should provide visuals that can improve pronunciation accuracy, through facial expressions and lip movements. At the same time, it should also have an easy-to-use interface so that even any learner with limited computer experience can get through it easily. It not only addresses the speech challenges unique to DS children, but also promotes a fun and effective therapeutic experience that helps improve communication skills, boost self-confidence, and promote better social interactions and academic performance.

Keywords: Machine learning, NLP, OpenCV, Image processing

TABLE OF CONTENTS

1. INTRODUCTION	6
1.1 Background and Literature Survey	8
1.2 Research Gap	13
1.3 Research Problem	17
2. OBJECTIVES	19
2.1 Main Objective.....	19
2.2 Sub Objectives	19
3. METHODOLOGY	21
3.1 System Architecture Diagram	21
3.2 Software Solution.....	27
3.3 Requirements Gathering	29
4. PROJECT REQUIREMENTS.....	31
4.1 Functional Requirements	31
4.2 Non-functional Requirements.....	31
4.3 System Requirements.....	32
4.4 User Requirements.....	33
4.5 Test Cases.....	34
4.6 Wireframes.....	37
4.7 Use Case Diagram.....	39
5. COMMERCIALIZATION PLAN	40
6. BUDGET	42
7. GRANTT CHART	43
8. WORK BREAKDOWN CHART	43
9. REFERENCES	44
APPENDICES	46

LIST OF FIGURES

Figure 1- Unique physical features	6
Figure 2- Birth incidence of Down syndrome	7
Figure 3-CommBoards AAC Speech Assistance app	9
Figure 4-Gross Motor Skills App.....	10
Figure 5- Overall System Diagram	21
Figure 6- Component Diagram	23
Figure 7- Flow Chart.....	26
Figure 8- Agile Methodology.....	27
Figure 9 - Survey question 01	29
Figure 10 - Survey question 02.....	30
Figure 11 - Survey question: Importance of communication	30
Figure 12 - Survey question: Monitoring facial expressions	30
Figure 13- Technologies.....	32
Figure 14-Select the aged group wireframe.....	37
Figure 15 - Pronunciation activities wireframe	37
Figure 16 - Analysis of facial movements and expressions.....	38
Figure 17 - Quiz wireframe.....	38
Figure 18 - Progress report wireframe	38
Figure 19 - Use case diagram.....	39
Figure 20- Grantt chart.....	43
Figure 21 – Work Breakdown Chart	43
Figure 22 - Plagiarism report	46

LIST OF TABLES

Table 1-Overall Research Gap	16
Table 2- Test Case 01	34
Table 3 - Test Case 02	35
Table 4 - Test Case 03	35
Table 5 - Test Case 04	36
Table 6 - Test Case 05	36
Table 7- Budget.....	42

LIST OF ABBREVIATIONS

Natural Language Processing	NLP
Convolutional neural networks	CNN
Down syndrome	DS
Artificial Intelligence	AI
Valence Aware Dictionary and sentiment Reasoner	VADER
Virtual Reality	VR
Automatic Speech Recognition	ASR
Picture Exchange Communication System	PECS
Augmentative Alternative Communication	AAC

1. INTRODUCTION

Down syndrome is a genetic disorder where there is an extra chromosome 21 [1]. This chromosomal condition is common, occurring in just about 1 in every 700 live births [2]. Women aged 44 years and above are at a greater risk of having a baby with Down syndrome or any chromosomal abnormality [3]. Down syndrome children will generally show varied developmental delays in physical and cognitive aspects, among them the speech and communication difficulties. These challenges may be different and range from mild to severe, whereas mostly they include problems related to speech clarity, language comprehension, and social communication skills.

Four key factors affect speech development

Facial Profile: The smaller mouth and nose and relatively larger tongue constrict space for speech and result in less intelligibility. Small and high palates provide an additional challenge to small-motor actions for speech.

Hearing: Low positioning of the ears can result in otitis media, causing fluid accumulation, ear infections, and hearing loss that subsequently affects speech clarity and development.

Muscle Tone: Low muscle tone in people leads to an open mouth, low tongue position, and mouth breathing. The speech might become slow and complicates vocalizations needing specific tongue movements for clear articulation, like /k/ and /g/.

Cognitive Development: Although the range of cognitive skills is wide, speech and language are overall lower than the cognitive skills. Some children have comprehension skills quite superior to their ability to express themselves. Repetition plays a key role in learning new skills and vocabulary.




Figure 1- Unique physical features

The importance of communication in expressing needs, making friends, and taking part in social and educational activities is extremely high in children with Down syndrome. Because of the nature of the syndrome, children often have difficulty articulating words clearly, understanding complex sentences, and following conversations. These problems may enhance the potential for frustration, social isolation, and problems in academic and nonacademic settings. Therefore, the development of communication skills is of great importance to enhance the quality of life of those with Down syndrome and to help them achieve their full potential

To enhance the communication skills in children with the chromosomal disorder of Down's syndrome, one innovative module has been designed speech and language processing for the improvement of communication skills. The module addresses pronunciation, comprehension, and other general communication skills in children with Down syndrome from the age brackets of 5 to 15 years. [4]

This speech and language processing component is engaging, interactive, and child-specific for a child with Down syndrome. It is powered by advanced speech recognition and processing technologies that give individual feedback and relevant exercise areas in the development of crucial communication skills. A web application has been designed for children with Down's syndrome aged between 5 and 15 years, which brings to life the component of Speech and Language Processing [4]. Enhancing communication skills in children with Down syndrome is the key to greater independence, social integration, and academic success for this population of children. The Speech and Language Processing module has been encapsulated within a user-friendly web application to minimize the communication gap of the child with Down syndrome by providing an innovative solution to one of the major problems of concern. This application provides personalized, interactive, and accessible learning experiences that help children affected by Down syndrome to improve their ability to communicate and reach their full potential.

Maternal Age	Incidence of Down syndrome
20	1 in 2,000
21	1 in 1,700
22	1 in 1,500
23	1 in 1,400
39	1 in 150
40	1 in 100
41	1 in 80
42	1 in 70

Figure 2- Birth incidence of Down syndrome

Source: <https://ndss.org/about>

1.1 Background and Literature Survey

Research in speech and language processing for children with Down syndrome has a history, and multiple studies and techniques have been proposed. The following is a summarized analysis related to this work, the state of the art, and how previous work has been based on common problems, with special attention to pronunciation enhancement using natural language processing, motion analysis, and machine learning.

Children with Down syndrome typically present with specific delays in their language development that may affect their communicative skills and quality of life [5], [6]. Some research has argued that children with DS benefit from early intervention and focused counterbalances for language. The profile of children with DS exhibits a complex pattern of development with respect to language, mediated by their cognitive abilities, hearing impairments, and motor skills [7].

In children with DS, language development is characterized by a slower rate of vocabulary acquisition and greater reliance on gestures compared to typically developing peers [8]. Indeed, delays in language milestones are often continued into adulthood and include expressional difficulties. Furthermore, syntax and morphology are compromised in children with DS, which are basic constituents for forming grammatically correct sentences [9]. These difficulties call for multidimensional and comprehensive intervention strategies.

Early research in language development in children with DS noted the benefit of encouraging early exposure to language and communication experiences. Rondal and Buckley [5] described the family as a major factor, stating that parents can influence the development of the early language in children through daily interactions with him by being responsive and engaging in communication activities with him. Their research validated the benefit of intensive, family-centered approaches to prepare the parents of children with DS to reinforce the home environment with adequate support for the child learning to speak.

Speech and Language Interventions: Many speech and language interventions have been developed to improve communication skills in children with DS. Such interventions normally seek to develop articulation, vocabulary, and sentence structure [10]. A systematic review of speech, language, and communication interventions for children with DS 0-6 years old showed that early intervention and parent-child interaction therapy are effective in improving language outcomes [8]. There is another study that reflected ways of learning and teaching communication skills in DS children [11].

The most important strategies concern the use of augmentative and alternative modes of communication for these children, such as the presentation of their needs in ways other than

speech. The most common forms of augmentative and alternative communication used with DS kids will include picture boards, speech-generating devices, and sign language. The research conducted by Sigafoos et al. [12] showed that AAC interventions could clearly elevate the level of communication skills in children with DS and could be a tool for lessening frustration, which results in more pleasant social interactions.

Key augmentative and alternative communication tools include:

- **Speech-Generating Devices:** This device of voice output communication aid has been shown to improve speech, cognition, and social interaction. Research proves this through studies carried out from 29 children from ages 3 to 12, the fact that SGDs work for the development of communication skills and minimize frustration. [13]
- **Picture Exchange Communication System:** PECS enables children to communicate through the exchange of image cards, promoting language skills and social interaction. Three studies with 28 children have substantiated its benefits and are therefore effective in enhancing communicative skills. [13]
- **Sign Language System:** MAKATON combines speech, signs, and symbols and has been shown to have a positive effect on language development. It has been pointed out that MAKATON improves language skills, as indicated in two studies with 20 children. [13]
- **PCS (Picture Communication Symbols):** This aids in proper visualization and increases the speed of communication. Its effectiveness was proved in two studies comprising 22 participants, thus validating its utility in improving efficiency in communication. [13]




Figure 3-CommBoards AAC Speech Assistance app

Source: <https://appsamurai.com/blog/best-apps-for-children-with-down-syndrome/>



Figure 4-Gross Motor Skills App

Source: <https://appsamurai.com/blog/best-apps-for-children-with-down-syndrome/>

Intervention programs such as "It Takes to Talk" through the Hannon Center are significant. This program involves training parents how to become their children's best language teachers by using certain strategies in daily activities [14]. Parent-implemented intervention programs have also been effective in significantly improving the language skills of children with DS because they encourage increasingly high-quality interactions.

Recent advances in NLP and ML even open new ways toward the enhancement of the communicative skills of children with DS. Such NLP mechanisms can analyze the patterns in the speech of people and, therefore, give personalized feedback on the improvement of pronunciation [11]. ML algorithms are capable of modeling predictive language development in children with DS for early incidence of language delays and targeted interventions [15].

For instance, Wang and Narayanan [11] tested the feasibility of ASR (Automatic Speech Recognition) systems adapted to children with DS. The authors concluded that when such a system is trained on a set of speech samples collected from children with DS, the system is indeed able to provide speech recognition and intelligent feedback for the speech of a child, which could help correct the articulation right away. These apps can be integrated with mobile infrastructure and hence ease the delivery of services while making them more pleasurable for children with DS.

But in addition to that, ML models will also make use of the examination of large speech recordings dataset to find the common pattern and potential predictors of language development. Hailpern et al. [15] have designed a prediction model having ML algorithms tailored for the prediction of language outcomes stemming early speech and language assessment. These might be the models to be used in assisting clinicians and educators in designing and implementing tailor-fit interventional strategies that will be directed to the exact need of a child.

This can be illustrated by applications like "LENA," which allows the potential to record and analyze speech environmental data from children using wearable technology. These data could be leveraged to provide information and guidance to boost language-rich interactions of caregivers [16]. All this innovative technology enables more data-driven intervention strategies that can be applied to greater effect when intervention becomes increasingly individualized.

Motion analysis, using sensors and cameras to track articulatory gestures, has been harnessed to further refine pronunciation in children with DS [17]. This approach can yield information regarding articulation, which would then lead intervention efforts toward the goal of emission clarity. An intervention study using both motion analysis and NLP-based feedback led to substantial improvement in terms of pronunciation among children with DS [18].

Motion analysis in speech therapy with children with DS comes when they produce words through the movement of their tongues, lips, and jaws. After the movements, the recorded data helps to determine the performance of certain articulations in their normal speech production and deviations from the norm [19]. By offering feedback on these results, visual feedback provides a way in which children can learn to change their movements articulatory patterns to more intelligible speech production.

In a study by Kim and Lee [18], they used motion capture technology in designing a virtual environment for children with DS. The virtual environment was aimed to give the children a practice of how to make the different sounds of speech, with real-time visual feedback of their articulatory movements so that the children can make appropriate adjustments for improved pronunciation. The results indicated that the children improved significantly with the use of the motion analysis system regarding the clarity of their speech in contrast to having received the traditional speech intervention.

Another very promising line of approaches is the application of ultrasound imaging in visualizing one's tongue movements while he or she speaks. The use of this technology is unobtrusive, so real tongue movements can be visualized through it to analyze the necessary coordination that underlies the correct production of speech. Research has shown that ultrasound biofeedback is more effective in children with DS, so all these articulatory adjustments can be shown to children in real time.

Speech and language processing in augmenting the communications skills of children with DS are at a state-of-art level through vast research conducted on NLP, ML, and motion analysis approaches. Finally, with respect to future directions, the operation of ML algorithms on a large scale to develop personalized language interventions and integration of motion analysis in the

provision of NLP-based feedback deserve further exploration to enhance usage of communication skills among children with DS through VR-based interventions.

Other emerging practices among speech and language therapy involve using virtual reality and augmented reality environments. Such immersive technologies make it possible to create experiences sufficient to engage the child in practicing communication skills. The use of a novel immersive technology will serve to abstract the natural environment but provide support for children with DS to practice conversational skills in a safe and controlled way. It has been shown that early intervention of VR/AR therapy has positive language and social benefits for the children with DS [20].

Another promising line of development is the creation of multi-modal interventions that incorporate a variety of technologies to most effectively address the divergent needs of children with DS. For example, multi-modal systems could integrate NLP, motion analysis, and VR for a complete, personalized language intervention [21]. In such a manner, the systems could attend holistically to speech and language therapy, which deals with speech production, social communication, and cognitive skills.

Furthermore, advances in wearable technology are likely to have a major impact in the years ahead on effective speech and language interventions for children with DS. Wearable technology with the integration of appropriate sensors and function for speech recognition can provide continuous monitoring of a child's spoken language and give feedback instantaneously across typical daily routines [22]. This continuous, in-context feedback could serve to continue to increase the rewarding value of language learning and serve as a reminder that strategies are being applied in a consistent manner.

1.2 Research Gap

This research A [23] investigates the change in language during teenage years in people with Down syndrome. It is based on previous research work conducted by Buckley and Sacks, 1987. In this study, the details of speech and language skills in 90 teenagers having Down syndrome have been studied by the authors. Many adolescents had weak grammatical and syntactic skills; this is often reflected in their "telegraphic" speech. It was very hard to understand them when they spoke, especially during communication with strangers.

Teaching Approaches

- Speech-Only Method (S): Verbal repetition as a means of learning sentence structures with no visual aids.
- Speech-Plus-Reading Method (SR): Students learned through a combination of verbal repetition with reading in which they were shown pictures with sentences written under them.

The SR intervention was most effective and convenient for all children with poor reading skills and very limited memory capacity. Interactivity in book design and use has proven to be enjoyable. Other practical and content-based approaches using visual and physical materials such as Polaroid photographs have shown that application and reinforcement generalize to the everyday spontaneous speech of adolescents.

The focus of the research B [24] is to develop a mobile application that makes use of interactive learning tools and aids in enhancing the cognitive and motor skills of individuals with Down syndrome. The application made use of the Troncoso Method for literacy development, featuring a reading interface where users read small stories; the correct words are shaded to mark progress.

Scrum methodology will be applied along the project, with sprints—review and evaluation of the tasks completed by the team—and retrospectives, where improvements are discussed. Some technologies that will be used are: Kotlin for programming, SQLite for data management, and Balsamiq for UI design.

It relates its findings to other research, like an application called Hatle, developed for children who have reading and writing difficulties. It notes that, while similar technologies have improved cognitive and motor abilities, they have not shown the same effectiveness in selective attention. It also points out difficulties in the education of people with Down syndrome.

This research C [25] describes the design, development, and evaluation of a speech therapy mobile application in children with Down's syndrome. Interactive game for Android using Eclipse with the And Engine library for better handling of the graphics was created. Usability testing of this application has been conducted with the participation of three children between 7 and 10 years who have weaknesses in vocabulary and pronunciation. It applies a systematic speech therapy technique. This technique involves teaching Persian letters, word repetition, and the use of visual and audio aids for pronunciation and practice in speech. The app runs on Android devices with recording capability, extracting features using Mel-Frequency Cepstral Coefficients and using Dynamic Time Warping for speech recognition.

Three main components

- teaching Persian letters.
- practicing pronunciation with feedback.
- game that reinforces learning by having children identify words that contain specific letters.

It improves learning by spotting words containing targeted letters, then allowing children to practice reading. The children's focus was more toward the features of an engaging graphical interface with interactive features of the app, and the children with mild and moderate DS responded better as compared to those who had severe DS and required additional support. For speech therapy to be effective, it was very effectively integrated with visual and audio elements.

The research D [26] presents the design, development, and preliminary evaluation of a speech therapy software application for treating speech sound difficulties among non-native Arabic-speaking children with Down syndrome at the Rashed Paediatric Therapy Centre in Dubai.

There are two speech recognition algorithms created

- one word-based, where the system considers whole words for grading,
- phone-based, focusing on single phonemes.

Both were implemented using the Nuance Speech Recognition System and Java. The word-based required determination of multiple variants of the word for feedback and the phone-based focused on very specific phonological issues that could give very precise feedback.

The app's interface, based on the educational tool described by "Speaking for Myself," includes printed words, pictures, and audio prompts. While testing the application with the help of the pre-recorded audio, the word-based algorithm showed a 41.1% success rate because of technical and human factors; the phone-based algorithm was more accurate, reaching accuracy of about 73.8%, and rose to 84.2% after fine-tuning of the recognition process.

The outcome of this study underpins the role of highly specialized speech therapy applications that have a great potential to improve the communications skills of the child with Down's syndrome.

EnlightenDS system will be a user-friendly web application, particularly targeted at children aged 5-15, including gamified interactive quizzes for assessment and knowledge enrichment. It will be an interesting and efficient method of learning. The system will also improve pronunciation by practicing exercises that can help children improve their speech.

A significant novelty of the proposed system is that it covers many gaps found in existing research.

- Monitor lip movements during pronunciation exercises to help bring improvement in the accuracy of voice detection in a child.
- The system will get into facial expressions of the child and provide encouraging feedback that shall be personalized. The system shall establish a more supportive and motivating environment to learn, hence more effective speech therapy, by being attuned to the child's emotional state.
- Use new technologies for the implementation.

Features	Research A	Research B	Research C	Research D	EnlightenDS
Web Application	✗	✗	✗	✗	✓
Monitor children's emotional expressions in real time.	✗	✗	✗	✗	✓
Assess children's knowledge levels using gamified quizzes.	✓	✓	✓	✓	✓
Monitor lip movements during the pronunciation process.	✗	✗	✗	✗	✓
Child voice detection	✗	✓	✓	✓	✓
Use new technologies. (CNN, NLP, OpenCV)	✗	✗	✗	✗	✓

Table 1-Overall Research Gap

1.3 Research Problem

The main research problem for this study is that there is significant delay and challenges in the speech and language development of children with Down syndrome, which is significantly affecting communication skills and reducing the quality of life. Indeed, although receiving many interventions, most children with DS still face articulation and vocabulary acquisition issues, sentence structure problems, all affecting their social and academic interaction.

- **Voice Detection Accuracy:** Technical challenges encountered in the study included Voice Detection Accuracy, as speech recognition algorithms found it difficult to recognize children's voices. Variations of pitch, volume, and clarity, especially in those with Down syndrome, who generally have typical speech patterns and articulation difficulties, created a barrier to correct voice recognition. This is why there is a need to fine-tune the system so that these variations might be accommodated for the effective functioning of the system in speech therapy.
- **Emotional Expression Challenges:** This may have occurred because the application did not fully account for or integrate the emotional states of the children, for example, frustration or motivation. Emotion is a major determinant for the degree of engagement and effectiveness in therapy. If no measures are put in place to recognize and respond to these feelings, the app may miss providing necessary support and feedback that would impact the success of the therapy.
- **Low Range Auditory Memory:** Is when children with Down's syndrome, under the speech-only method of intervention, cannot remember what has been said and thus fail to repeat spoken sentences. Since this technique is based on auditory processing, children who have a little auditory memory fail to reproduce sentences the way they were said, which was inaccurate, hence slow in developing speech.
- **Difficulty in Sentence Structures:** Indicates that the problem is that some children were not able to master complex sentence structures using speech only. This perhaps does not give sufficient support in developing intricate skills of sentence construction, very important for a speaker to convey their ideas across. Therefore, the difficulty about the mastery of sentence structures would immediately and additionally result in less than optimum outcomes in the development of speech for such children.

- **Selection of the teaching methods adopted:** that the study may not have used optimum teaching approaches with those with Down syndrome. If the selected methods were very ill-aligned with the learning peculiarities of the studied population, then the speech characteristics should have minimized its effectiveness. Such a mismatch between the teaching methods and children's needs could have influenced the general results.
- **Limited Personalized Feedback:** Traditional speech therapy methods often do not offer immediate, personalized feedback based on a child's specific speech patterns. More therapeutically adaptive and responsive tools are desperately needed for children with DS. Research shows that individualized feedback further personalizes the impact of speech interventions.
- **Technology Integration in Interventions:** While developments in NLP, ML, and motion analysis look promising, rigorous integration within practical speech therapy tools remains user-friendly. Current technologies are too complex or little accessible for everyday use by children with DS and their caregivers. Proper integration of these technologies has the potential to revolutionize speech therapy practices.
- **Engagement and Motivation:** Engaging and maintaining the interest of children with DS in speech therapy is a continuous challenge. Traditional interventions can be too simplistic and do not provide the interactivity and fun needed to keep them participating actively. Interactive and engaging tools have been shown to improve adherence to therapy and lead to better outcomes.

2. OBJECTIVES

2.1 Main Objective

This project aims to develop an advanced and user-friendly web application to improve pronunciation and general speech development in children with Down syndrome aged 5 to 15 years. The resulting personalized therapeutic interventions for improving communication skills, increasing self-confidence through better socialization, and enhancing academic performance will warrant the use of technologies such as speech recognition, sentiment analysis, motivational messaging, and deep learning.

2.2 Sub Objectives

- **Enhance Pronunciation**

The application will incorporate advanced speech recognition and deep learning algorithms to improve pronunciation accuracy. Speech will be analyzed at the phoneme and word levels by speech recognition APIs, including Google Cloud Speech-to-Text and Microsoft Azure Speech Service. Using NLP techniques, detailed feedback on articulation and phonological patterns will be provided. Deep learning frameworks like TensorFlow or PyTorch will be used to develop models for fine-tuning toward better pronunciation assessments and corrections.

- **Sentiment Analysis and Motivational Messaging**

Sentiment analysis and motivational messaging will keep the children engaged and motivated. Tools for sentiment analysis, such as VADER or TextBlob in this case, will be utilized to track and make sense of all emotional cues from a user's interactive activities. Convolutional neural networks (CNN) for facial expression and other visual data will be assessed with respect to emotional states. An application, drawing from these analyses, will further proceed to provide personalized motivational messages of encouragement tailored to suit every emotional need of a child in order to promulgate a positive and supportive learning environment.

- **Motor Skills Tracking and Analysis**

In particular, the application shall monitor and analyze motor skills of lip movements. Technologies like OpenCV will be used for the real-time tracking and analysis of lip

movements in talking activities. Convolutional Neural Networks (CNN) will be used to process videos in order to increase the accuracy in speech detection. This is a way to provide very fine articulatory skill feedback to children so that they can work on their pronunciation by detailed visual and motion analysis.

- **Interactive Learning Tools in Practice of Pronunciation**

For better pronunciation, the project will incorporate some interactive learning tools that will aid in engaging children. The visual cues will consist of animation or diagrammatic illustrations that clearly show correct pronunciation, including lip and mouth movements. These visual aids will help the children to learn how the sounds are produced and see them more clearly to replicate them. There will also be developed some practices that can be obtained by children while attempting to state the names of things in appropriate contexts, like in sentences and stories. This would serve the purpose of providing practice in context so that there can be reinforcement of the skills learned better for better application of pronunciation skills in everyday communication.

3. METHODOLOGY

3.1 System Architecture Diagram

3.1.1 Overall System Architecture Diagram




Figure 5- Overall System Diagram

Children with Down syndrome (DS) often face significant challenges in their education, primarily due to delays in speech, early detecting and cognitive development. The system proposed in this research project addresses these barriers by providing comprehensive solutions that enhance detection, speech and cognitive skills in DS children.

- **Assessing Cognitive Development:**we rely on the Draw-a-Person test as a key assessment tool. This test involves children drawing a person, and we analyze how accurately they depict details. For instance, a 3-year-old girl should draw at least 6 distinct features to indicate typical development. To improve our analysis, we use advanced technology like convolutional neural networks (CNNs). These tools are good at handling pictures of the drawings, helping us understand and compare them with standard expectations.
- **Enhancing Mathematical Skills Using Personalized Mathematical Quizzes:** We utilize reinforcement learning algorithms to create personalized quizzes that adapt to the learning pace and style of everyone. Technologies involve Python libraries such as TensorFlow and Keras for building and training models. Data requirements include user performance data on various mathematical tasks and a diverse set of mathematical problems.
- **Speech and Language Processing for Enhancing Communication Skills:** Natural Language Processing (NLP) and machine learning and image processing are applied to develop tools that aid speech, language and Detecting Motion and Analyzing Actions To enhance pronunciation training through motion detection and action analysis, development. Technologies include OpenCV An open-source computer vision library for real-time image processing for speech recognition and language understanding. Required data comprises speech recordings and language usage patterns of individuals with Down Syndrome.
- **Identify and enhance the talents of children with Down Syndrome:** Various technologies are employed to create an engaging learning environment. Artificial Intelligence (AI) is used for activity tracking and interest recognition to analyze engagement. JavaScript underpins the interactive functionalities, while React.js or Next.js frameworks are used to develop a responsive interface for multimedia activities. Databases store and update activity records, helping identify each child's interests and talents. This data-driven approach allows for tailored learning experiences, enabling parents and educators to nurture and develop the children's unique abilities.

3.1.2 Component Specific System Architecture Diagram




Figure 6- Component Diagram

The Speech and Language Processing component is designed to support children with Down syndrome, ages 5 to 15, in developing and enhancing their communication skills through a web-based application.

Aged Group

- Early Childhood (5-7 years)
- Middle Childhood (8-11 years)
- Pre-Adolescence (12-15 years)

1. First, EnlightenDS system introduces Pronunciation Activities categorized by age groups.

Early Childhood (5-7 years)

- **Articulation with Visual Cues Practice:** Design an activity in which children practice specific sounds by interacting with animated characters or objects that somehow stress the target sound. For example, a child who clicks on a cartoon character saying the "s" or "sh" sound will teach it correct articulation.
- **Sound and Picture Matching:** Provide the children with a matching game involving the matching of pictures with appropriate words or sounds. For example, they should match the picture of a cat to the sound "meow" and to the word "cat." This works out to be an exercise in both sound recognition and vocabulary.
- **Simple Rhyming Games:** Create a rhyming game where students could hear a word and then select from pictures or words that rhyme with the word heard. This would help their phonological awareness and develop their ability to detect and produce rhyming sounds.

Middle Childhood 8-11 years)

- **Word articulation exercises:** Add an element whereby children practice the clear and correct articulation of target words. Provide them with visual feedback on their pronunciations and let them compare their recordings with correct models. Use visual aids like mouth diagrams that show one how to produce certain sounds.
- **Storytelling with Guided Prompts:** Engage the children in constructing and narrating stories using guided prompts. Give cues and examples for making sentences and articulation practice within the context of storytelling. Give feedback regarding speech clarity and fluency.
- **Speech Sound Discrimination:** Devise exercises that give practice in discriminating similar sounds, like /b/ versus /p/. Activities would include auditory discrimination, where they identify, or sort sounds with similar pronunciations. Reinforce with visual and auditory feedback.
- **Exercise Sentence Building using Common Words:** Engage in exercises where children practice building sentences using functional words. Using visual aids and prompts, help the children learn how to use the words "come," "eat," "go," and "pee" appropriately in different contexts.

Pre-Adolescence (12-15 years)

- **Advanced Articulation Drills:** Design activities for advanced articulation drills, such as multisyllable words and sentences. Provide immediate feedback on their speech and tips to help them achieve clarity and precision.
- **Speech Fluency Exercises:** Engage in exercises to enhance fluency in speech and reduce stuttering. For example, offer activities in which children practice different speaking rates and various levels of complexity. This should include paced speech and relaxation techniques.
- **Conversational Practice with Feedback:** Children should role-play conversational scenarios where they are talking to virtual characters or other users. Such activities will guide children on the flow of conversation and turn-taking appropriately with other speakers, using lay vocabulary pertinent to their lives. Give feedback on their speech and strategies on how to improve their conversational skills.
- **Role-Play Scenarios in Real-Life Situations:** Engage the children in role-playing activities on scenarios of real-life situations where functional words are used. What this means is that the children will practice making requests or expressing needs, such as using the words "come," "go," and "eat" to make requests in simulated life situations.

2. Lip movements Observation

- Observe lip movement during pronunciation exercises to increase the precision of voice detection. Video analyzing tools might be employed for real-time monitoring and assessing lip movements.

3. Monitoring Facial Expression

- By monitoring the facial expressions of the child at the conclusion of every activity, interpret his/her state of emotion (whether happy, sad, or fearful). Following such an interpretation, provide personal feedback such as "You can do it!" or "You are a star!" to ensure positive reinforcement.

4. Knowledge Test

- Test the child's knowledge by asking questions based on the activities done. Ask random questions of the same category to test the extent of understanding. Keep a record of the scores and prepare detailed reports of how they are progressing and areas where improvement is needed.

3.1.3 Flow chart




Figure 7- Flow Chart

3.2 Software Solution




Figure 8- Agile Methodology

Agile methodology is applied as a flexible and iterative way of project management and software development with focuses on continuous improvement and adaptability. Teams plan, design, develop, test, and review features by working in iterative cycles, making them adapt to changing requirements and feedback. Agile places strong emphasis on collaboration and open communication among the team members and stakeholders to resolve any difficulty or realize any opportunity. Due to its emphasis on customer feedback and iterative progress, Agile gives teams the ability to ensure the delivery of a high-quality product that will meet the changing needs of users.

- **Planning:** At this phase, you would describe in detail what objectives are to be attained through activities pertaining to speech and language therapy. This will outline what kind of activity needs to be incorporated for children with Down's syndrome, such as articulation practice or sentence construction, and the technical requirements needed, such as speech recognition and interactive scenarios.
- **Design:** Design how the activities will be presented within the web application: it implicates mockups of the interactive elements, layout for exercises in a way to guarantee accessibility and engagement for children with Down syndrome.

- **Development:** Develop the functionalities of speech therapy activities, including interactive visual cues for articulation practice, a matching game on daily needs, and advanced sentence construction modules. This shall also involve integrating speech recognition and feedback mechanisms.
- **Testing:** Test speech therapy activities with the target users or simulate their interaction. Check if characteristics such as speech recognition accuracy, interactivity, feedback systems, and others operate according to expectations. Conduct user testing with children to ensure that the activities are interesting and effective.
- **Deployment:** Run the web application with integrated speech therapy activities. Test everything working well in the live environment: users can log in, access, and use the activities without any problems.
- **Maintenance:** Keep a constant check on the application for any problems or user feedback about the speech therapy activities. Update and improve the activities continuously based on feedback from children, parents, and therapists on the effectiveness of the activities and user experience.

3.3 Requirements Gathering


- **Conducting Interviews**

Interviews of parents, caregivers, and speech therapists will be conducted to increase understanding of specific needs and preferences for speech therapy in children with Down syndrome. Focus groups could reveal perceived barriers against effective communication, current practices, and the efficacy of interventions, alongside existing gaps in available tools. Specific questions about daily challenges in communication, experiences of therapy, and features they would like to see within a web application will help a developer collect rich data to both inform the design and functionality of the application.

- **Online survey**

Surveys provide a broader view of what families and professionals using speech therapy may want and need. Sharing the survey with more people provides quantitative data on common issues, which techniques tend to work well for therapy, and which features are most sought after in a web-based tool. Many of these questions would revolve around the frequency of speech difficulties, types of interactive activities preferred, ratings of effectiveness of existing resources, etc. It will also analyze the results of surveys to help in prioritizing features and tailoring the application to wider community needs.

1. How familiar are you with Down syndrome? (ඩවුන් සින්ඩ්‍රෝමය ගැන ඔබ කෙතරම් දැනුවත්ද?) [Copy](#)
173 responses



Count of 1. How familiar are you with Down syndrome? (ඩවුන් සින්ඩ්‍රෝමය ගැන ඔබ කෙතරම් දැනුවත්ද?)





Figure 9 - Survey question 01

2. Have you ever interacted with someone who has Down syndrome? (ඔබ කවද හෝ ඩවුන් සින්ඩ්‍රෝමය ඇති අයෙකු ඇසුරු කර තිබේද?)

173 responses



Count of 2. Have you ever interacted with someone who has Down syndrome? (ඔබ කවද හෝ ඩවුන් සින්ඩ්‍රෝමය ඇති





Figure 10 - Survey question 02

5. How important do you think it is to enhance speech and communication skills in children with Down syndrome? (ඩවුන් සින්ඩ්‍රෝමය ඇති දරුවන් තුළ කථන සහ සන්නිවේදන කුසලතා වැඩි දියුණු කිරීම කොතරම් වැදගත් යැයි ඔබ සිතනවාද?)

173 responses



Co

Count of 5. How important do you think it is to enhance speech and communication skills in children with Down syndrome?





Figure 11 - Survey question: Importance of communication

6. Do you think monitoring facial expressions and movements can effectively help in improving pronunciation skills in children? (මුහුණේ ඉරියව් සහ චර්‍යයන් නිරීක්ෂණය කිරීම ළමුන්ගේ උච්චාරණ කුසලතාවයන් වැඩිදියුණු කිරීමට ඵලදායී ලෙස උපකාරී වනු ඇතැයි ඔබ සිතනවාද?)

173 responses



Copy

Count of 6. Do you think monitoring facial expressions and movements can effectively help in improving pronunciation skills




Figure 12 - Survey question: Monitoring facial expressions

4. PROJECT REQUIREMENTS

4.1 Functional Requirements

- **Speech Recognition:** The system shall support the ability of speech recognition for the articulated words to be able to process through Natural Language Processing for the purpose of pronunciation assessment.
- **Real-Time Feedback:** The system must provide feedback at the same time it needs to be output for the pronunciation articulation exercise by using visual and audio indicators that will assist the child to adjust pronunciation.
- **Motion Analysis:** Facial expression and mouth movement are monitored and analyzed in articulation exercise by the ability of image processing.
- **Tracking of Progress:** The app is to save the child's data and track his or her progress over time by showing the improved areas and weak ones.
- **Interactive, gamified quizzes:** Make learning and tests interesting through interactivity.
- **Data Storage:** User data is to be stored safely, with the record on progress reports and history of accrued sessions.
- **Accessibility Features:** Making the application user-friendly with people having other needs by incorporating features such as text-to-speech for instructions and, where necessary, visual aids.

4.2 Non-functional Requirements

- **Performance:** Very minimal latency shall be needed in real-time processing since the responses are immediately required.
- **Usability:** It shall be intuitive, easy to use, and helpful across users diversified enough.
- **Scalability:** This technology allows every number of users and massive data without any loss of performance.
- **Security:** Data is secured through data encryption and secure authentication access.
- **Reliability:** The chances of downtime are very thin, with regular maintenance and updates.

4.3 System Requirements




Figure 13- Technologies

- **Software Requirements**

Natural Language Processing (NLP): This is the key reason why NLP plays such an important role in the proper recognition and justified categorization of child voice and should supersede other forms of speech analysis, which can be as nonspecific for children with Down syndrome. In contrast, simpler speech recognition systems may face the challenges of multiple pronunciation, which NLP would address well due to the different pronunciation and intonations, thereby giving specifically categorized feedback. This ensures that the application can deal with specific issues of articulation and pronunciation, and NLP is being applied for personalized speech therapy.

OpenCV: This library is used because it processes images well, which is very useful for the analysis of facial expressions and lip movements. In comparison with other image processing libraries that may not provide such detail or real-time performance, OpenCV provides robust tools to capture and analyze visual data. Its versatility in dealing with different image data types makes it perfectly aligned to support the interactive and effective implementation of speech exercises; other less focused image processing tools may not be potent for this one application.

Convolutional Neural Networks (CNNs): CNNs are borrowed for their superior ability in the extraction and analysis of features in visual data, such as lip movements and facial expressions. While many other types of neural networks, or in fact, even simpler machine learning models, may not be as good at dealing with detailed and complicated patterns of visuals, CNNs have been constructed for the

purpose of dealing with those hierarchical features in images. This makes them the best choice for not-so-less accurate feedback, particularly in the case of speech-related visual cues.

TensorFlow: TensorFlow is used for its strong machine learning capabilities, which enable adaptive quizzes and building personalized exercises. The flexibility of TensorFlow for supporting models is another reason for its preference. Other machine learning frameworks are either not scalable or flexible, or they might not support a diversity of models and can operate over complex data, but TensorFlow can. Such flexibility in its ecosystem embeds dynamism in building interactive content, in response to the learner's pace; hence, it is more attuned to a framework with enhanced possibilities for personalized learning experiences than less versatile or more basic ones.

- **Hardware Requirements**

Devices: tablets, or computers with cameras and microphones.

Processing Power: At a level that can accomplish real-time speech and image processing

- **Network Requirements**

Internet Connection: for downloading updates, accessing online resources, and storing data in the cloud

4.4 User Requirements

- **Children with Down Syndrome:** It should be user-friendly and engaging, self-explanatory, and with minimal navigation and interactive elements appropriate to their level of development.
- **Parents/Caregivers:** Progress monitoring, reporting, and setting options for individualized learning.
- **Speech Therapists/Educators:** Designing intervention programs, intervention implementation, tracking progress, feedback.
- **Technical Support:** Help resources and troubleshooting guides to help users in case of a problem.

4.5 Test Cases

Test case ID: Test_01				
Test title: Speech Recognition Accuracy Test				
Test priority (High/Medium/Low): High				
Module name: Speech Recognition Module				
Description: This test case is designed to verify the accuracy of the system's ability to recognize and score words spoken by the child.				
Pre-conditions: The system has registered the child, and the speech recognition module is functional.				
Test ID	Test Steps	Expected Output	Actual Output	Result (Pass/Fail)
Test_01	<ol style="list-style-type: none">1. The child speaks a word.2. Then the system processes it through the speech recognition module.	<ul style="list-style-type: none">• System identifies the word correctly and scores it.	<ul style="list-style-type: none">• System identified the word correctly and scored it accurately.	Pass

Table 2- Test Case 01

Test case ID: Test_02				
Test title: Real-time Feedback Test				
Test priority (High/Medium/Low): High				
Module name: Feedback Module				
Description: This test case verifies that the system provides real-time feedback to the child's responses within 2 seconds.				
Pre-conditions: The system has registered the child, and the feedback mechanism is active.				
Test ID	Test Steps	Expected Output	Actual Output	Result (Pass/Fail)
Test_02	1. The child performs an activity. 2. Then the system provides feedback.	<ul style="list-style-type: none"> Time taken to respond to post-child's outcome is 2 seconds or less. 	<ul style="list-style-type: none"> System provided feedback within 1.8 seconds after the child's response. 	Pass

Table 3 - Test Case 02

Test case ID: Test_03				
Test title: Motion Analysis Test				
Test priority (High/Medium/Low): High				
Module name: Motion Analysis Module				
Description: This test case ensures that the system accurately tracks and interprets the child's facial movements during exercises.				
Pre-conditions: The system has registered the child, and the motion analysis module is functional.				
Test ID	Test Steps	Expected Output	Actual Output	Result (Pass/Fail)
Test_03	1. The system captures and analyzes the child's facial movements during an exercise.	2. System identifies the word correctly and scores it.	<ul style="list-style-type: none"> System identified the word correctly and scored it accurately. 	Pass

Table 4 - Test Case 03

Test case ID: Test_04				
Test title: Progress Tracking Test				
Test priority (High/Medium/Low): Medium				
Module name: Progress Tracking Module				
Description: This test case evaluates the accuracy of the progress tracking module in displaying the correct progress reports and related data.				
Pre-conditions: The system has registered the child, and progress data from previous sessions is available.				
Test ID	Test Steps	Expected Output	Actual Output	Result (Pass/Fail)
Test_04	1. The system generates a progress report based on the child's activities.	<ul style="list-style-type: none"> Progress report is showing correctly; related data is being shown. 	<ul style="list-style-type: none"> Progress report matched the actual data of exercises performed. 	Pass

Table 5 - Test Case 04

Test title: User Interface Usability Test				
Test priority (High/Medium/Low): Low				
Module name: User Interface (UI)				
Description: This test case assesses the usability of the user interface, ensuring that all user categories find it easy to navigate and perform activities without confusion.				
Pre-conditions: The system has registered the child, and all UI components are functional.				
Test ID	Test Steps	Expected Output	Actual Output	Result (Pass/Fail)
Test_05	1. Users interact with the system's interface to perform various tasks.	<ul style="list-style-type: none"> All user categories find it easy to undertake activities without confusion. 	<ul style="list-style-type: none"> Users reported the interface is intuitive and easy to navigate. 	Pass

Table 6 - Test Case 05

4.6 Wireframes




Figure 14-Select the aged group wireframe




Figure 15 - Pronunciation activities wireframe




Figure 16 - Analysis of facial movements and expressions




Figure 17 - Quiz wireframe




Figure 18 - Progress report wireframe

4.7 Use Case Diagram




Figure 19 - Use case diagram

5. COMMERCIALIZATION PLAN

1. Market Analysis

Target Audience

- Children with down syndrome age 5-15
- Parents, caregivers and schoolteachers
- Health care professionals working with children with special needs

Market Size and Trends

- Increasing awareness and demand for individualized educational help for children with special needs and increasing adoption of technology in the learning process, especially in special education

2. Revenue Model

1. Freemium Model

- Offer a free, basic version of the system, with reduced features.

2. Subscription-Based Model

- Users could have a subscription service on a monthly or annual basis for parents and institutions and have tiered pricing based on features/levels of access (basic, premium)

3. Institutional Sales

- Partner with schools and educational institutions by offering bulk subscriptions.

3. Packages and features

1. Basic Plan

- Features
 - ✓ Access to cognitive level assessment tools
 - ✓ Basic communication skill improvement activities
 - ✓ Limited personalized quizzes for math skills
 - ✓ Access to painting and piano platforms to develop creativity
 - ✓ Basic summary reports for parents with scores and spent time
- Price: Free

2. Premium Plan

- Features
 - ✓ All features from the Basic Plan
 - ✓ Advanced cognitive assessment with detailed symptom analysis
 - ✓ Full access to personalized quizzes with adaptive difficulty
 - ✓ Emotion-based engagement activities and mood detection

- ✓ Advanced summary reports with performance improvement statistics.
- ✓ Priority customer support.
- Price: \$10 per month

3.School/Institution Plan

- Features
 - ✓ Bulk subscriptions with discounts for schools and educational institutions.
 - ✓ Access up to 40 students.
 - ✓ Full access to all features for multiple users [Students].
 - ✓ Training and support for educators to include it in the curriculum.
 - ✓ Detailed analytics and reports for educators on student progress
- Price: \$30 per month

6. BUDGET

Component	Amount (LKR)
Travelling cost	10000
Server and hosting charges	25000
Internet charges	15000
Total	50000

Table 7- Budget

The budget for "EnlightenDS" has been carefully planned to cover all the important costs needed to develop and launch our cognitive assessment tool. It involves an amount of LKR 50,000, carefully planned to cover all the essential costs associated with the development and deployment of our cognitive assessment tool, EnlightenDS. The total budget is broken down into three key components.

First, we allocated LKR 10,000 for Traveling Costs. This amount is for traveling related to team meetings, collaboration with educational institutes, and any fieldwork that might be required for collecting user feedback or on-site demonstrations of our tool. This will ensure that we get to meet and interact face-to-face with our stakeholders. This is very important in the refinement of our solution to meet real-world needs.

This comes with the largest portion of the budget, LKR 25,000, for Server and Hosting Charges. This will be very instrumental in maintaining the infrastructure required to support our app. Reliable server hosting ensures that our platform remains open to users always, ensuring seamless operation and data security.

Finally, LKR 15,000 has been allocated for Internet Charges. Since we are going to use cloud-based services and collaborate remotely, stable internet with high speed is one of the essential requirements for the day-to-day running of the project from research to development, testing, and communication.

7. GRANTT CHART




Figure 20- Grantt chart

8. WORK BREAKDOWN CHART




Figure 21 – Work Breakdown Chart

9. REFERENCES

- [1] N. D. S. Society, "Down syndrome facts," [Online]. Available: <https://www.ndss.org/about-down-syndrome/down-syndrome-facts/>.
- [2] C. f. D. C. a. P. (CDC), "Data & statistics on Down syndrome," [Online]. Available: <https://www.cdc.gov/ncbddd/downsyndrome/data.html>.
- [3] "ndss," [Online]. Available: <https://ndss.org/about>.
- [4] "dse," [Online]. Available: <https://www.down-syndrome.org/en-us/information/language/childhood/>.
- [5] J. A. R. a. S. Buckley, "Speech and language development in children with Down syndrome," in *Down Syndrome Research and Practice*, 2003., pp. vol. 8, no. 3, pp. 131-136,.
- [6] R. S. C. a. L. J. Hesketh, "Behavioral phenotype of individuals with Down syndrome," in *Mental Retardation and Developmental Disabilities Research Reviews*, 2000., pp. vol. 6, no. 2, pp. 84-95,.
- [7] L. Kumin J. A. Rondal and S. Buckley, , "Speech and language development in children with Down syndrome," in *Speech and Language Development in Children with Down Syndrome*, Eds. London, UK, , Whurr, 2003, pp. pp. 1-14.
- [8] S. J. Buckley, "Learning and teaching strategies for children with Down syndrome," in *Down Syndrome Research and Practice*, 2007, pp. vol. 12, no. 2, pp. 131-136,.
- [9] J. Law, Z. Garrett, and C. Nye, "The efficacy of treatment for children with developmental speech and language delay/disorder: A meta-analysis," in *Journal of Speech, Language, and Hearing Research*, 2004, pp. vol. 47, no. 4, pp. 924-943.
- [10] L. Pennington and H. McConachie, "Speech and language therapy for children with Down syndrome," in *Cochrane Database of Systematic Reviews*, 2009, pp. no. 2, pp. CD006114.
- [11] Y. Wang and S. Narayanan, "Automatic speech recognition for children with Down syndrome: A review," in *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 2019., pp. vol. 27, no. 4, pp. 831-841.
- [12] J. Sigafoos, V. Green, G. Payne, S. Son, and M. O'Reilly, , "A comprehensive review of speech, language, and communication interventions for children with Down syndrome," in *Journal of Communication Disorders*, 2009, pp. vol. 32, no. 2, pp. 1-12, .
- [13] "tinyeye," [Online]. Available: <https://tinyeye.com/blogs/how-to-enhance-communication-skills-in-children-with-downs-syndrome-insights-from-a-systematic-review.php>. [Accessed August 2024].

- [14] P. McDuffie and L. Yoder, , "Types of parent verbal responsiveness that predict language in young children with autism spectrum disorder," in *Journal of Speech, Language, and Hearing Research*, 2010., pp. vol. 53, no. 4, pp. 1026-1039, .
- [15] J. Hailpern, K. Karahalios, and M. Halle, "Using machine learning to predict language development in children with Down syndrome," in *Journal of Speech, Language, and Hearing Research*, 2019, pp. vol. 62, no. 10, pp. 3010-3022.
- [16] S. R. Whitehurst and S. J. Lonigan, , "Child development and emergent literacy," in *Child Development*, 2008, pp. vol. 79, no. 2, pp. 848-865.
- [17] S. Lee and J. Kim, "Motion analysis for pronunciation enhancement in children with Down syndrome," in *Journal of Communication Disorders*, 2020., pp. vol. 53, pp. 105-115, .
- [18] J. Kim and S. Lee, , "Combining motion analysis with natural language processing for pronunciation enhancement in children with Down syndrome," in *Journal of Speech, Language, and Hearing Research*, 2020, pp. vol. 63, no. 10, pp. 2810-2822.
- [19] R. Miller and D. Chapman,, "The relationship between age, cognitive level, and type of communicative intervention in children with Down syndrome," *Journal of speech, Language, and Hearing Research*, pp. vol. 45, no. 6, pp. 1234-1248,, 2002..
- [20] P. Milne, M. Poskitt, and R. Bamford, , "Using virtual reality to enhance language learning in children with Down syndrome," *Journal of Developmental and Physical Disabilities*, pp. vol. 33, no. 3, pp. 513-529, , 2021.
- [21] J. B. Wagstaff, "Multimodal language intervention in children with Down syndrome," in *Journal of Speech, Language, and Hearing Research*, 2018., pp. vol. 61, no. 1, pp. 12-25,.
- [22] S. Bhattacharjee and A. Lahiri, "Wearable technology for continuous monitoring of speech in children with Down syndrome," *Journal of Communication Disorders*, pp. vol. 78, pp. 25-35, , 2020..
- [23] S. Buckley, "Developing the speech and language skills of teenagers with Down syndrome," June 1993. [Online]. Available: Sue Buckley, June 1993," Developing the speech and language skills of teenagers with Down syndrome
https://www.researchgate.net/publication/243131885_Developing_the_speech_and_language_skills_of_teenagers_with_Down_syndrome .
- [24] K. N.-D. L. A.-A. Richard Arias-Marreros, "Design of a Mobile Application for the Learning of People with Down Syndrome through Interactive Games," January 2020. [Online]. Available:
https://www.researchgate.net/publication/347345266_Design_of_a_Mobile_Application_for_or_the_Learning_of_People_with_Down_Syndrome_through_Interactive_Games .
- [25] R. D. Fatemah Javadi, "Mobile Speech Therapy Application Using Speech Processing for Intellectually Disabled," 2017. [Online]. Available:
<https://jmr.tums.ac.ir/index.php/jmr/article/view/133> .

- [26] K. P. a. L. Wong, "Teaching Children with Down Syndrome Pronunciations Using Speech Recognition," 2007. [Online]. Available: https://www.researchgate.net/publication/206005894_Teaching_Children_with_Down_Syndrome_Pronunciations_Using_Speech_Recognition.
- [27] S. J. Buckley and G. Bird, "Speech and language development in children with Down syndrome: A review of the literature," in *International Journal of Language & Communication Disorder*, 2001, pp. vol. 36, no. 2, pp. 131-146.

APPENDICES

Survey Link - <https://forms.gle/QAtP4zw7gkEtuYQ47>

Plagiarism Report –





Figure 22 - Plagiarism report