# Quotation APIs, screens and user journeys

A product and implementation guide for the garment ERP quotation module.

FROM BUYER REQUEST TO DRAFT SALES ORDER

## Ocean Apparel / TS-100 cotton T-shirts

1,000 PCS | Navy + White | S / M / L | USD 5.50 each | USD 5,500.00

### The primary journey

| 01 | 02 | 03 | 04 | 05 | 06 |
|---|---|---|---|---|---|
| **Draft** | **PendingApproval** | **Approved** | **Issued** | **Accepted** | **Converted** |
| Sales saves | Sales submits | Manager reviews | Sales issues | Staff records buyer | Create Draft order |

### 15 implemented APIs

The existing Express/MySQL backend owns statuses, totals, permissions and concurrency.

### Proposed UI screens

The screen designs in this guide are concepts for frontend implementation; they are not live screenshots.

### One commercial outcome

A quotation family can have multiple revisions, but only one accepted offer and one converted order.

READING MAP

02 API-to-screen matrix / 03-10 Sample screens and dialogs / 11 Journey and permission rules
12 Request contracts / 13 Error-state UX / 14 Postman and implementation checklist

# Every API mapped to a screen


Base URL: http://127.0.0.1:4000/api/v1 | :id always means a quotation revision ID.

| ID | METHOD | ENDPOINT | SCREEN | USER TRIGGER | RESULT |
|---|---|---|---|---|---|
| 01 | GET | /quotations | Quotation list | Open, search, filter, page | 200 summaries + meta |
| 02 | GET | /quotations/:id | Detail / edit / review | Open or refresh a revision | 200 detail + allowedActions |
| 03 | POST | /quotations | Create form | Save a new Draft | 201 new family + revision 1 |
| 04 | PATCH | /quotations/:id | Draft edit form | Save changes | 200 updated Draft + version |
| 05 | DELETE | /quotations/:id | Delete confirmation | Confirm Draft deletion | 204; retain history |
| 06 | POST | /quotations/:id/submit | Draft form / detail | Save & submit / Submit | Draft to PendingApproval |
| 07 | POST | /quotations/:id/approve | Manager review | Approve pricing | PendingApproval to Approved |
| 08 | POST | /quotations/:id/reject | Reject dialog | Give reason + reject | PendingApproval to Draft |
| 09 | POST | /quotations/:id/withdraw | Withdraw dialog | Give reason + withdraw | PendingApproval to Draft |
| 10 | POST | /quotations/:id/issue | Issue confirmation | Issue manually | Approved to Issued |
| 11 | GET | /quotations/:id/pdf | Detail / PDF download | Download quotation PDF | 200 binary; status unchanged |
| 12 | POST | /quotations/:id/buyer-response | Buyer response dialog | Record accept / decline | Issued to Accepted / Declined |
| 13 | POST | /quotations/:id/revisions | Revision dialog / history | Create a replacement | 201 NEW Draft revision |
| 14 | POST | /quotations/:id/void | Void confirmation | Withdraw approved offer | Approved / Issued to Cancelled |
| 15 | POST | /quotations/:id/convert | Conversion confirmation | Create Draft order | 201 new / 200 linked order |

All action POSTs require the current version. Approval, rejection and void require SalesManager/Admin. JSON success uses {data: ...}; list adds meta. PDF and 204 responses are exceptions.

# Screen 01 / Quotations workspace

Journey: Orders sidebar > Quotations > filter or open a revision. Sidebar expansion itself sends no API request.




**API 01 / List**
GET /quotations with filters, page and pageSize.

**API 02 / Open**
Row click loads GET /quotations/:id.

**History behavior**
Latest nondeleted revision by default; opt into history.

# Screen 02 / Create or edit a Draft

Journey: New quotation opens an empty form; Edit first loads the saved detail and current version.

THREAD / ERP

GARMENT OPERATIONS

Overview

Orders v

Quotations

Sales orders

Planned UI

Customers

Styles

Ocean Apparel example

Orders / Quotations

Maya Perera / Sales

## QT-2026-0001 / R1

Draft

BUYER: Ocean Apparel

TEAM / OWNER: Apparel Sales / Maya

CURRENCY: USD

BILLING ADDRESS: 100 Ocean Avenue, New York

SHIPPING ADDRESS: 100 Ocean Avenue, New York

PAYMENT TERMS: 30% advance; 70% before shipment

QUOTATION DATE: 16 Oct 2026

VALID UNTIL: 31 Oct 2026

REQUESTED DELIVERY: 30 Nov 2026

| STYLE | FABRIC / GSM | COLOUR | SIZE | QTY | PRICE USD | TOTAL USD |
|---|---|---|---|---|---|---|
| TS-100 | 100% cotton / 180 | Navy | S | 200 | 5.50 | 1,100.00 |
| TS-100 | 100% cotton / 180 | Navy | M | 200 | 5.50 | 1,100.00 |
| TS-100 | 100% cotton / 180 | Navy | L | 100 | 5.50 | 550.00 |
| TS-100 | 100% cotton / 180 | White | S | 200 | 5.50 | 1,100.00 |
| TS-100 | 100% cotton / 180 | White | M | 200 | 5.50 | 1,100.00 |
| TS-100 | 100% cotton / 180 | White | L | 100 | 5.50 | 550.00 |

Internal notes: Pack by colour and size

**1,000 PCS | Total USD 5,500.00**

Save draft

Save & submit

**APIs 03 + 04 / Save**

POST for a new Draft; PATCH with version for edits.

**API 06 / Save & submit**

Save succeeds first, then submit with the returned version.

**Garment lines**

Server resolves variants and totals. Supplied lines replace all lines.

# Screen 03 / Manager review and approval

Journey: Filter PendingApproval on the list > open detail > review commercial snapshots > approve or reject.

THREAD / ERP

GARMENT OPERATIONS

Overview

Orders v

Quotations

Sales orders

Planned UI

Customers

Styles

Ocean Apparel example

Orders / Quotations

Ravi Silva / Sales Manager

## QT-2026-0001 / R1

PendingApproval

BUYER + COMMERCIAL TERMS

**Ocean Apparel | USD | 1,000 PCS | Total 5,500.00**

30% advance; 70% before shipment | Valid through 31 Oct 2026

| STYLE | COLOUR | SIZE | QTY | TOTAL USD |
|---|---|---|---|---|
| TS-100 | Navy | S | 200 | 1,100.00 |
| TS-100 | Navy | M | 200 | 1,100.00 |
| TS-100 | Navy | L | 100 | 550.00 |
| TS-100 | White | S | 200 | 1,100.00 |
| TS-100 | White | M | 200 | 1,100.00 |
| TS-100 | White | L | 100 | 550.00 |

Customer, addresses and garment terms are frozen after submission.

Download PDF

Reject

Approve

ACTIVITY + REVISION

- **Draft created**
  Maya Perera / Sales
- **Submitted for review**
  Maya Perera / Sales
- **Current revision**
  R1 / Version 2
- **Your role**
  Manager; different submitter

**APIs 02 + 11 / Read**

Load detail, audit and snapshots; PDF is a separate GET.

**APIs 07 + 08 / Decision**

Approve or reject with current version. Reject needs a reason.

**Approval eligibility**

Manager/Admin in scope; nobody can approve their own submission.

# Screen 04 / Issue an approved offer and download PDF

Journey: Open Approved detail > confirm manual issue > status becomes Issued > download the buyer-facing PDF.

THREAD / ERP

GARMENT OPERATIONS

Overview

Orders v

Quotations

Sales orders

Planned UI

Customers

Styles

Ocean Apparel example

Orders / Quotations

Maya Perera / Sales

## QT-2026-0001 / R1

Approved

### Issue quotation

Issue this approved offer for Ocean Apparel?
The document will be marked Issued and become the active offer for this family.

ISSUE CHANNEL

Manual

Valid through 31 Oct 2026.
This action records issue; no email is sent.

Cancel

Issue quotation

GARMENT ERP

QUOTATION

QT-2026-0001 / R1 | Issued

Ocean Apparel

Billing + shipping: 100 Ocean Avenue
New York, 10001, US
TS-100 / 100% cotton / 180 GSM

Navy / S 200 PCS x 5.50
Navy / M 200 PCS x 5.50
Navy / L 100 PCS x 5.50
White / S 200 PCS x 5.50
White / M 200 PCS x 5.50
White / L 100 PCS x 5.50

Total USD 5,500.00

30% advance; 70% before shipment

PDF EXAMPLE AFTER ISSUE


**API 10 / Issue**
POST /:id/issue with version and channel: manual.

**API 11 / Download**
GET /:id/pdf returns binary PDF; it never changes status.

**Document content**
Frozen submitted snapshots; internal notes stay out of the PDF.

# Screen 05 / Record the buyer decision

Journey: Open the active Issued revision > Record buyer response > capture evidence > accept or decline.





**API 12 / Buyer response**
POST /:id/buyer-response with version, decision and reference.

**Accept vs decline**
Decline additionally requires a reason. Server sets the timestamp.

**Eligibility**
Only active, unexpired Issued offers. Acceptance locks competing drafts.

# Screen 06 / Revision history and replacement work

Journey: Open the latest eligible offer > Create revision with a reason > edit a new Draft > submit for approval.





**API 13 / New identity**
POST /:id/revisions returns 201 with a NEW id and version.

**API 10 / Replacement issue**
Issuing R2 atomically changes the previous Issued R1 to Superseded.

**Acceptance race**
If R1 is accepted first, R2 stays visible but its commercial actions lock.

# Screen 07 / Convert an accepted offer to a Draft order

Journey: Open Accepted detail > Convert to sales order > confirm > display the returned linked order identity.




**API 15 / Conversion**
POST /:id/convert with version and Idempotency-Key.

**Retry behavior**
Keep the same key and payload after a timeout. Reuse the linked order.

**Result boundary**
Creates a Draft order only. Order screens and the full order API are outside scope.

# Screen 08 / Supporting dialogs and return journeys

These dialogs sit on quotation detail. Each action returns updated detail, except successful deletion (204).

## Reject submission

PendingApproval

Manager/Admin sends the submitted quotation back to Draft.

REASON *

Please review unit prices

Cancel | Reject to Draft

## Withdraw submission

PendingApproval

Sales/team user withdraws a pending submission for changes.

REASON *

Buyer changed quantities

Cancel | Withdraw to Draft

## Delete Draft

Draft

Confirm soft deletion. Available only for an unlocked Draft.

This Draft will disappear from normal lists.
Its lines, number and audit remain stored.

Cancel | Delete Draft

## Void offer

Issued

Manager/Admin cancels an Approved or Issued offer.

REASON *

Offer withdrawn

Cancel | Cancel offer

**APIs 08 + 09**
Reject / withdraw need trimmed reasons; both clear the current submission cycle.

**API 05 / Delete**
DELETE uses If-Match: "currentVersion". No request body.

**API 14 / Void**
A reason is mandatory. Accepted/Converted families cannot be voided.

# Journey rules that drive the screens

Show actions from allowedActions and recheck on the server. A status is changed through named actions, never a status PATCH.

| Draft | PendingApproval | Approved | Issued | Accepted | Converted |
|---|---|---|---|---|---|
| Save | Submit | Approve | Issue | Accept | Convert |

## Alternative and system journeys

| JOURNEY | STATE / SCREEN TRANSITION | KEY RULE |
|---|---|---|
| Correction cycle | PendingApproval > Reject / Withdraw > Draft > Edit > Submit | Clear current approval/submission metadata; retain audit. |
| Buyer declines | Issued > Declined > New Draft revision | Reference + decline reason are required. |
| Expiry / void | Issued > Expired (job) \| Approved / Issued > Cancelled (void) | Expiry is based on the company-local business date. |
| Replacement offer | Eligible source > New Draft > Approval > Issue replacement | Old offer stays Issued until replacement issue; then Superseded. |

## Who can trigger which actions?

| ACTION | SALES | MANAGER | ADMIN | VIEWER |
|---|---|---|---|---|
| List, detail and PDF | Scoped | Scoped | Global | Scoped |
| Create / edit / delete Draft; submit / withdraw | Yes | Yes | Yes | No |
| Issue / buyer response / revisions / convert | Yes | Yes | Yes | No |
| Approve / reject / void | No | Yes | Yes | No |
| Approve own submission | Never | Never | Never | Never |

Scope uses trusted sales teams; masters and owner membership must be active when required. Acceptance locks competing work. An accepted agreement can still convert after validUntil.

# Request contracts for the UI and Postman

Examples use placeholder master IDs. Use the seeded UUIDs from the Postman environment and the latest returned version.

## Create Draft / POST /quotations

Header fields; combine with the required lines collection below.

```
{
  "customerId": "<customerId>",
  "salesTeamId": "<salesTeamId>",
  "ownerId": "<ownerId>",
  "currency": "USD",
  "quotationDate": "2026-10-16",
  "validUntil": "2026-10-31",
  "requestedDeliveryDate": "2026-11-30",
  "billingAddressId": "<billingAddressId>",
  "shippingAddressId": "<shippingAddressId>",
  "paymentTerms": "30% advance; 70% before shipment"
}
```

**Add lines: each row includes the same styleId (<styleId>).**

| colour | size | qty | unitPrice (string) |
|---|---|---|---|
| Navy | S | 200 | 5.50 |
| Navy | M | 200 | 5.50 |
| Navy | L | 100 | 5.50 |
| White | S | 200 | 5.50 |
| White | M | 200 | 5.50 |
| White | L | 100 | 5.50 |

Totals: **1,000 PCS / USD 5,500.00**; server-calculated.
PATCH requires version; omitted fields are unchanged.
Submit requires active buyer/contact, both addresses, valid dates, payment terms and positive prices.
Draft may omit final fields.

## Named action bodies / POST /quotations/:id/...

| ACTION SUFFIX | BODY EXAMPLE |
|---|---|
| submit | {"version": 2} |
| approve | {"version": 3, "comment": "Pricing reviewed"} |
| reject / withdraw | {"version": 3, "reason": "Buyer changed quantities"} |
| issue | {"version": 4, "channel": "manual"} |
| buyer-response | {"version": 5, "decision": "Accepted", "reference": "Buyer email"} |
| revisions / void | {"version": 5, "reason": "Offer updated"} |
| convert | {"version": 6} + Idempotency-Key header |

**Declined** response also requires reason.
**Delete**: If-Match: "3" for version 3; no body.
**Convert**: keep the same idempotency key AND payload for retries.
**Responses**: use data.id, data.version and data.allowedActions.

# Feedback states / What the user sees after an error

Keep unsaved input on conflicts. Return to editable Draft only through the documented lifecycle actions.

### Correct the highlighted fields

Payment terms are required.

Show the message below the field and keep the form open.

### This quotation has changed

Your unsaved notes are preserved.

Reload the latest version, then review and reapply your edit.

### This family has an accepted offer

This replacement Draft is locked.

Show history and PDF; disable commercial actions.

| HTTP | MACHINE-READABLE SIGNAL | SCREEN BEHAVIOR |
|---|---|---|
| 400 | Invalid query, JSON or header | Correct the request. Delete needs a quoted If-Match. |
| 401 | Missing / invalid principal | Restore the configured identity or real authentication session. |
| 403 | Forbidden / SELF_APPROVAL_FORBIDDEN | Use an authorized, separate manager; do not retry as the same actor. |
| 404 | Missing / out-of-scope revision | Return to the scoped list; do not expose another team's records. |
| 409 | STALE_VERSION | Keep edits; reload detail and review the returned version. |
| 409 | FAMILY_ALREADY_ACCEPTED / QUOTATION_EXPIRED | Refresh status and allowedActions; show locked / expired state. |
| 409 | IDEMPOTENCY_KEY_REUSED | Restore the original key and payload for that conversion attempt. |
| 422 | VALIDATION_ERROR + fields | Bind field errors to the form, including lines[0].qty. |
| 500 | INTERNAL_ERROR | Keep inputs; show requestId. A conversion retry keeps its key. |

A delayed expiry job cannot make an expired offer acceptable. The backend persists expiry and rejects the buyer response.

# Test the journeys and hand off the frontend

Use the Postman collection for runnable examples; use the OpenAPI file for the complete request and response schemas.

LOCAL API / CURRENT BACKEND

**http://127.0.0.1:4000/api/v1**

The base URL itself has no resource handler.
List quotations with the full endpoint:

```
GET /quotations?page=1&pageSize=20
    &sortBy=createdAt&sortOrder=desc
    &includeRevisions=false
```

## Postman run order

01 **Import collection + local environment**
Select Garment ERP - Local development.

02 **Set the two server URLs**
salesBaseUrl: current API (4000 or 4100).
managerBaseUrl: separate manager server (4101).

03 **Run Happy path from top to bottom**
IDs, versions, dates and idempotency key are saved automatically.

04 **Run the alternative workflow folders**
Reject / withdraw; revisions / decline / void; deletion; expected errors.

## Frontend acceptance checklist

- **Navigation**
  Orders expansion has no API; clicking Quotations loads list.
- **Form save**
  New: POST. Existing Draft: PATCH with version. Save before submit.
- **Actions**
  Render allowedActions; server permissions and family eligibility still apply.
- **Revisions**
  Treat each revision ID as distinct. Keep quote number and family context.
- **PDF download**
  Require a successful application/pdf response; show JSON errors.
- **Conversion**
  Preserve key and payload after uncertainty. Use returned salesOrderId.
- **Boundaries**
  These UI designs are proposed. The current frontend has no quotation screens.

SOURCE FILES / RELATIVE TO THE PROJECT

```
backend/docs/quotations.openapi.yaml
backend/docs/quotations.md
backend/docs/postman/quotations.postman_collection.json
backend/docs/postman/README.md
```