

Factor Oracle for Machine Improvisation

Jaime Arias

Université de Bordeaux, LaBRI, UMR 5800
Inria - Bordeaux Sud-Ouest

August 2016



Preliminaries

Preliminaries

Word

A **word** s is a finite sequence $s = s_1 s_2 \dots s_m$ of length $|s| = m$ on a finite alphabet Σ .

$s =$

a	b	b	c	a	b	c	d	a	b	c
---	---	---	---	---	---	---	---	---	---	---

Factor

A word $x \in \Sigma^*$ is a **factor** of s if and only if s can be written $s = uxv$ with $u, v \in \Sigma^*$. Given integers i, j where $1 \leq i \leq j \leq m$, we denote a *factor* of s as $s[i \dots j] = s_i s_{i+1} \dots s_j$.

$s =$


a	b	b	c	a	b	c	d	a	b	c
---	---	---	---	---	---	---	---	---	---	---

$s[3, 5]$

Preliminaries


Prefix

A factor x of s is a **prefix** of s if $s = xu$ with $u \in \Sigma^*$. The i th *prefix* of s , denoted $\text{pref}_s(i)$, is the prefix $s[1 \dots i]$.




Suffix

A factor x of s is a **suffix** of s if $s = ux$ with $u \in \Sigma^*$. The i th *suffix* of s , denoted $\text{suff}_s(i)$, is the suffix $s[i \dots m]$.



Factor Oracle

Factor Oracle



Thank you for your attention! 😊

Factor Oracle for Machine Improvisation

Jaime Arias

Université de Bordeaux, LaBRI, UMR 5800
Inria - Bordeaux Sud-Ouest

August 2016

