Test Execution Report

EXEC-01395 — Status: FAIL

1. Execution Summary

Execution ID	EXEC-01395
Status	FAIL
Build Version	5.2.1
Timestamp	2023-02-26 15:07:24
Duration	55 seconds (55602 ms)
Executed By	eng039@synthetic-qa.dev
Test Run	RUN-006 — Regression Cycle 6 — Build 5.2.1
Release	REL-007 — 5.3.3
Environment	ENV-007 — Staging

2. Test Case Reference

Test Case ID	TC-0639
Title	Ensure that voice command recognition does not exceed the memory ceiling (256MB)...
Test Type	Functional
Priority	Medium
Automation	Semi-Automated
Requirement	REQ-0497 — Performance — Firmware Over-The-Air Update

3. Environment Details

Environment ID	ENV-007
Name	Staging
Device Type	Mobile
OS Version	Android 13
Network Type	LTE
Location	Bangalore Lab
Configuration	4-core CPU, 8GB RAM, 82GB storage

4. Executed Steps

1	Check server logs for event code 'EVT-5878'.	No crash or ANR is observed.	PASS
2	Re-connect the hub and confirm auto-recovery.	The operation completes without error.	PASS
3	Simulate network drop using the network emulator profile 'WiFi-Lo...	The performance counter logs a value below the SLA threshold.	PASS

SYNTHETIC DATA — No real Samsung confidential information

4	Initiate data synchronization by pressing the 'Connect' button.	The UI transitions to the next screen within 3 seconds.	FAIL

5. Failure Details

Failure ID	FAIL-0293
Failure Type	Configuration Error
Severity	Major
Component	Health API
Error Message	ConfigError: missing required key 'DB_PASSWORD' in environment profile 'staging'.
Observed	The system exhibited configuration error when the session token has expired.
Expected	The system should complete playlist shuffle within the defined SLA.
Resolution	In Progress

Error Log Excerpt:

```
com.samsung.health.Authentication.execute(line 523)
```

Linked Defect	BUG-0215 — Configuration Error in Health API: ConfigError: missing requ...
Defect Status	VERIFIED

6. Synthetic Data Notice

This document is entirely synthetic and intended for AI/RAG research only.

SYNTHETIC DATA — No real Samsung confidential information