PRACTICE SHEET-1

1. What type of classification is needed to enumerate the female population of India?
(1) Geographical (2) Chronological
(3) Qualitative (4) Quantitative

2. For less than ogive, the cumulative frequencies are plotted against which of the following?
(a) Upper limits of class intervals
(b) Lower limits of the class intervals
(c) Mid-points of the class intervals
(d) Either (b) or (c)

3. The cumulative frequency curve of a frequency distribution with 6 classes and total frequency 60 is a straight line. Consider the following statements:
I.The first and the last classes have a frequency of 10 each.
II.Both the middle classes have a total frequency of 30.
III.The frequency distribution does not have a mode.
(d)Since population density is a ratio, it cannot be represented by any diagram

7. Which one of the following represents statistical data?
(a)The names of all owners of shops located in a shopping complex
(b)A list giving the names of all states of India
(c)A list of all European countries and their respective capital cities
(d)The volume of a rainfall in certain geographical area, recorded every month for 24 consecutive months

8. Data on percentage distribution of area of land in acres owned by households in two districts of a particular state are as follows:

Land Holding	District A	District B
0.01 - 0.99	5.62	13.53
1.0 - 2.49	18.35	21.84
2.5 - 7.49	47.12	39.32
7.5 - 12.49	19.34	12.15
12.5 - 19.99	7.21	7.43