

PRACTICE SHEET 1

1. The LCM of two numbers is 30 and their HCF is 5. One of the numbers is 10. The other is
 (1) 20 (2) 25
 (3) 15 (4) 5
2. The product of two numbers is 1280 and their H.C.F. is 8. The L.C.M. of the number will be:
 (1) 160 (2) 150
 (3) 120 (4) 140
3. The H.C.F. and L.C.M. of two numbers are 8 and 48 respectively. If one of the numbers is 24, then the other number is
 (1) 48 (2) 36
 (3) 24 (4) 16
4. The H.C.F and L.C.M of two numbers are 12 and 336 respectively. If one of the numbers is 84, the other is
 (1) 36 (2) 48
 (3) 72 (4) 96
5. The product of two numbers is 216. If the HCF is 6, then their LCM is
 (1) 72 (2) 60
 (3) 48 (4) 36
6. The HCF and LCM of two numbers are 18 and 378 respectively. If one of the numbers is 54, then the other number is
 (1) 126 (2) 144
 (3) 198 (4) 238
7. The HCF and product of two numbers are 15 and 6300 respectively. The number of possible pairs of the numbers is
 (1) 4 (2) 3
 (3) 2 (4) 1
8. The HCF of two numbers is 15 and their LCM is 225. If one of the number is 75, then the other number is:
 (1) 105 (2) 90
 (3) 60 (4) 45
9. The LCM of two numbers is 520 and their HCF is 4. If one of the number is 52, then the other number is
 (1) 40 (2) 42
 (3) 50 (4) 52
10. The H.C.F. of two numbers is 96 and their L.C.M. is 1296. If one of the numbers is 864, the other is
 (1) 132 (2) 135
 (3) 140 (4) 144
11. The LCM of two numbers is 4 times their HCF. The sum of LCM and HCF is 125. If one of the number is 100, then the other number is
 (1) 5 (2) 25
 (3) 100 (4) 125
12. Product of two co-prime numbers is 117. Then their L.C.M. is
 (1) 117 (2) 9
 (3) 13 (4) 39
13. The product of two numbers is 2160 and their HCF is 12. Number of such possible pairs is
 (1) 1 (2) 2
 (3) 3 (4) 4
14. LCM of two numbers is 2079 and their HCF is 27. If one of the number is 189, the other number is
 (1) 297 (2) 584
 (3) 189 (4) 216
15. The product of two numbers is 2028 and their HCF is 13. The number of such pairs is
 (1) 1 (2) 2
 (3) 3 (4) 4
16. The LCM and the HCF of the numbers 28 and 42 are in the ratio:
 (1) 6 : 1 (2) 2 : 3
 (3) 3 : 2 (4) 7 : 2
17. If the ratio of two numbers is 2 : 3 and their L.C.M. is 54, then the sum of the two numbers is
 (1) 5 (2) 15
 (3) 45 (4) 270
18. The ratio of two numbers is 4 : 5 and their L.C.M. is 120. The numbers are

- (1) 30, 40 (2) 40, 32
(3) 24, 30 (4) 36, 20

19. Three numbers are in the ratio 2 : 3 : 4 and their H.C.F. is 12. The L.C.M. of the numbers is

- (1) 144 (2) 192
(3) 96 (4) 72

20. Two numbers are in the ratio 3 : 4. If their LCM is 240, the smaller of the two number is

- (1) 100 (2) 80
(3) 60 (4) 50

21. Two numbers are in the ratio 3 : 4. Their L.C.M. is 84. The greater number is

- (1) 21 (2) 24
(3) 28 (4) 84

22. Two numbers are in the ratio 3 : 4. If their HCF is 4, then their LCM is

- (1) 48 (2) 42
(3) 36 (4) 24

23. The ratio of the sum to the LCM of two natural numbers is 7 : 12. If their HCF is 4, then the smaller number is :

- (1) 20 (2) 16
(3) 12 (4) 8

24. Two numbers are in the ratio 3 : 4. The product of their H.C.F. and L.C.M. is 2028. The sum of the numbers is

- (1) 68 (2) 72
(3) 86 (4) 91

25. The LCM of two numbers is 48. The numbers are in the ratio 2 : 3. The sum of the numbers is

- (1) 28 (2) 32
(3) 40 (4) 64

26. The ratio of two numbers is 4 : 5 and their H.C.F. is 8. Then their L.C.M. is

- (1) 130 (2) 140
(3) 150 (4) 160

27. The ratio of two numbers is 3 : 4 and their HCF is 5. Their LCM is :

- (1) 10 (2) 60
(3) 15 (4) 12

28. Three numbers are in the ratio 1 : 2 : 3 and their HCF is 12. The numbers are

- (1) 12, 24, 36 (2) 5, 10, 15
(3) 4, 8, 12 (4) 10, 20, 30

29. If $x : y$ be the ratio of two whole numbers and z be their HCF, then the LCM of those two numbers is

- (1) yz (2) xz/y
(3) xy/z (4) xyz

30. The H.C.F. and L.C.M. of two numbers are 21 and 84 respectively. If the ratio the two numbers is 1 : 4, then the larger of the two numbers is

- (1) 12 (2) 108
(3) 48 (4) 84

ANSWER KEY

1.	(3)	2.	(1)	3.	(4)	4.	(2)	5.	(4)	6.	(1)	7.	(3)	8.	(4)	9.	(1)	10.	(4)
11.	(2)	12.	(1)	13.	(2)	14.	(1)	15.	(2)	16.	(1)	17.	(3)	18.	(3)	19.	(1)	20.	(3)
21.	(3)	22.	(1)	23.	(3)	24.	(4)	25.	(3)	26.	(4)	27.	(2)	28.	(1)	29.	(4)	30.	(4)

PRACTICE SHEET 2

1. The least number which when divided by 4, 6, 8, 12 and 16 leaves a remainder of 2 in each case is:
 (1) 46 (2) 48
 (3) 50 (4) 56
2. The least number, which when divided by 12, 15, 20 or 54 leaves a remainder of 4 in each case, is:
 (1) 450 (2) 454
 (3) 540 (4) 544
3. Find the greatest number of five digits which when divided by 3, 5, 8, 12 have 2 as remainder:
 (1) 99999 (2) 99958
 (3) 99960 (4) 99962
4. The least multiple of 13, which on dividing by 4, 5, 6, 7 and 8 leaves remainder 2 in each case is:
 (1) 2520 (2) 842
 (3) 2522 (4) 840
5. A, B, C start running at the same time and at the same point in the same direction in a circular stadium. A completes a round in 252 seconds, B in 308 seconds and C in 198 seconds. After what time will they meet again at the starting point ?
 (1) 26 minutes 18 seconds
 (2) 42 minutes 36 seconds
 (3) 45 minutes
 (4) 46 minutes 12 seconds
6. Find the largest number of four digits such that on dividing by 15, 18, 21 and 24 the remainders are 11, 14, 17 and 20 respectively.
 (1) 6557 (2) 7556
 (3) 5675 (4) 7664
7. The least perfect square, which is divisible by each of 21, 36 and 66 is
 (1) 214344 (2) 214434
 (3) 213444 (4) 231444
8. The least number, which when divided by 4, 5 and 6 leaves remainder 1, 2 and 3 respectively, is
 (1) 57 (2) 59
 (3) 61 (4) 63
9. Let the least number of six digits which when divided by 4, 6, 10, 15 leaves in each case same remainder 2 be N. The sum of digits in N is :
 (1) 3 (2) 5
 (3) 4 (4) 6
10. Which is the least number which when doubled will be exactly divisible by 12, 18, 21 and 30?
 (1) 2520 (2) 1260
 (3) 630 (4) 196
11. The smallest square number divisible by 10, 16 and 24 is
 (1) 900 (2) 1600
 (3) 2500 (4) 3600
12. If the students of a class can be grouped exactly into 6 or 8 or 10, then the minimum number of students in the class must be
 (1) 60 (2) 120
 (3) 180 (4) 240
13. The least number which when divided by 4, 6, 8 and 9 leave zero remainder in each case and when divided by 13 leaves a remainder of 7 is :
 (1) 144 (2) 72
 (3) 36 (4) 85
14. The smallest number, which when divided by 12 and 16 leaves remainder 5 and 9 respectively, is :
 (1) 55 (2) 41
 (3) 39 (4) 29
15. The greatest number of four digits which when divided by 12, 16 and 24 leave remainders 2, 6 and 14 respectively is
 (1) 9974 (2) 9970
 (3) 9807 (4) 9998
16. When a number is divided by 15, 20 or 35, each time the remainder is 8. Then the smallest number is
 (1) 428 (2) 427
 (3) 328 (4) 338
17. The smallest number, which, when divided by 12 or 10 or 8, leaves remainder 6 in each case, is

- (1) 246 (2) 186
(3) 126 (4) 66
- 18.** The traffic lights at three different road crossings change after 24 seconds, 36 seconds and 54 seconds respectively. If they all change simultaneously at 10 : 15 : 00 AM, then at what time will they again change simultaneously?
(1) 10 : 16 : 54 AM
(2) 10 : 18 : 36 AM
(3) 10 : 17 : 02 AM
(4) 10 : 22 : 12 AM
- 19.** From a point on a circular track 5 km long A, B and C started running in the same direction at the same time with speed of $2\frac{1}{2}$ km per hour, 3 km per hour and 2 km per hour respectively. Then on the starting point all three will meet again after
(1) 30 hours (2) 6 hours
(3) 10 hours (4) 15 hours
- 20.** Four runners started running simultaneously from a point on a circular track. They took 200 seconds, 300 seconds, 360 seconds and 450 seconds to complete one round. After how much time do they meet at the starting point for the first time ?
(1) 1800 seconds (2) 3600 seconds
(3) 2400 seconds (4) 4800 seconds
- 21.** The maximum number of students among whom 1001 pens and 910 pencils can be distributed in such a way that each student gets same number of pens and same number of pencils, is :
(1) 91 (2) 910
(3) 1001 (4) 1911
- 22.** The greatest number, which when divide 989 and 1327 leave remainders 5 and 7 respectively, is :
(1) 8 (2) 16
(3) 24 (4) 32
- 23.** H.C.F of $\frac{2}{3}$, $\frac{4}{5}$, $\frac{6}{7}$ is
(1) $\frac{48}{105}$ (2) $\frac{2}{105}$
(3) $\frac{1}{105}$ (4) $\frac{24}{105}$
- 24.** Let N be the greatest number that will divide 1305, 4665 and 6905 leaving the same remainder in each case. Then, sum of the digits in N is :
(1) 4 (2) 5
(3) 6 (4) 8
- 25.** What is the greatest number that will divide 307 and 330 leaving remainders 3 and 7 respectively?
(1) 19 (2) 16
(3) 17 (4) 23
- 26.** Which greatest number will divide 3026 and 5053 leaving remainders 11 and 13 respectively?
(1) 18 (2) 30
(3) 45 (4) 60
- 27.** A farmer has 945 cows and 2475 sheep. He farms them into flocks, keeping cows and sheep separate and having the same number of animals in each flock. If these flocks are as large as possible, then the maximum number of animals in each flock and total number of flocks required for the purpose are respectively
(1) 15 and 228 (2) 9 and 380
(3) 45 and 76 (4) 46 and 75
- 28.** A milk vendor has 21 litres of cow milk, 42 litres of toned milk and 63 litres of double toned milk. If he wants to pack them in cans so that each can contains same litres of milk and does not want to mix any two kinds of milk in a can, then the least number of cans required is
(1) 3 (2) 6
(3) 9 (4) 12
- 29.** The greatest number that divides 411, 684, 821 and leaves 3, 4 and 5 as remainders, respectively, is
(1) 254 (2) 146
(3) 136 (4) 204
- 30.** Find the greatest number which will exactly divide 200 and 320.
(1) 10 (2) 20
(3) 16 (4) 40

ANSWER KEY

1.	(3)	2.	(4)	3.	(4)	4.	(3)	5.	(4)	6.	(2)	7.	(3)	8.	(1)	9.	(2)	10.	(3)
11.	(4)	12.	(2)	13.	(2)	14.	(2)	15.	(1)	16.	(1)	17.	(3)	18.	(2)	19.	(3)	20.	(1)
21.	(1)	22.	(3)	23.	(2)	24.	(1)	25.	(1)	26.	(3)	27.	(3)	28.	(2)	29.	(3)	30.	(4)

CDS PYQ

- The LCM of two numbers is 2376 while their HCF is 33. If one of the numbers is 297, then the other number is
[CDS 2013(I)]
(a) 216 (b) 264
(c) 642 (d) 792
- The HCF of two numbers is 98 and their LCM is 2352. The sum of the numbers may be
[CDS 2013(II)]
(a) 1372 (b) 1398
(c) 1426 (d) 1484
- If for integers a, b and c, if $HCF(a, b) = 1$ and $HCF(a, c) = 1$, then which one of the following is correct?
[CDS 2013(II)]
(a) $HCF(a, bc) = 1$ (b) $HCF(a, bc) = a$
(c) $HCF(a, bc) = b$ (d) None of these
- In a fire range, 4 shooters are firing at their respective targets. The first, the second, the third and the fourth shooters hit the target once is every 5 s, 6 s, 7s and 8s, respectively. If all the them hit their target at 9:00 am, when will they hit their target together again?
[CDS 2014(I)]
(a) 9:04 am (b) 9:08 am
(c) 9:14 am (d) None of these
- For any integer n, what is $HCF(22n + 7, 33n + 10)$ equal to?
[CDS 2014(I)]
(a) n (b) 1
(c) 11 (d) None of these
- For any integers 'a' and 'b' with $HCF(a, b) = 1$, what is $HCF(a + b, a - b)$ equal to?
[CDS 2014(I)]
(a) It is always 1 (b) It is always 2
(c) Either 1 or 2 (d) None of these
- If a and b be positive integers, then $HCF\left(\frac{a}{HCF(a, b)}, \frac{b}{HCF(a, b)}\right)$ equal to ?
[CDS 2014(I)]
(a) a (b) b
(c) 1 (d) $\frac{a}{HCF(a, b)}$
- What is the number of integral solutions of the equations $HCF(a, b) = 5$ and $a + b = 65$?
[CDS 2014(I)]
(a) None (b) Infinitely many
(c) Less than 65 (d) Exactly one
- The LCM of two integers is 1237. What is their HCF ?
[CDS 2014(II)]
(a) 37 (b) 19
(c) 1 (d) Cannot be determined
- There are 48 cricket balls, 72 hockey balls and 84 tennis balls and they have to be arranged in several rows in such a way that every row contains the same number balls of balls of one type. What is the minimum number of rows required for this to happen?
[CDS 2014(II)]
(a) 12 (b) 16
(c) 17 (d) 19
- The HCF of two natural numbers m and n is 24 and their product is 552. How many sets of values of m and n are possible?
[CDS 2014(II)]
(a) 1
(b) 2

(c) 4

(d) No set of m and n is possible satisfying the given conditions

- 12.** The LCM of two numbers is 90 times their HCF. The sum of LCM and HCF is 1456. If one of the numbers is 160, then what is the other number?

[CDS 2014(II)]

- (a) 120 (b) 136
(c) 144 (d) 184

- 13.** What is the sum of digits of the least multiple of 13, which when divided by 6, 8 and 12 leaves 5, 7 and 11 respectively as the remainders ?

[CDS 2015(II)]

- (a) 5 (b) 6
(c) 7 (d) 8

- 14.** The LCM of two numbers is 12 times their HCF. The sum of HCF and LCM is 403. If one of the numbers is 93, then the other number is

[CDS 2015(II)]

- (a) 124 (b) 128
(c) 134 (d) 138

- 15.** Consider the following in respect of natural numbers a , b and c :

1. $\text{LCM}(ab, ac) = a \text{ LCM}(b, c)$
2. $\text{HCF}(ab, ac) = a \text{ HCF}(b, c)$
3. $\text{HCF}(a, b) < \text{LCM}(a, b)$
4. $\text{HCF}(a, b)$ divides $\text{LCM}(a, b)$

Which of the above are correct?

[CDS 2016(I)]

- (a) 1 only (b) 3 and 4 only
(c) 1, 2 and 4 only (d) 1, 2, 3 and 4

- 16.** There are two numbers p and q such that their HCF is 1. Which of the following statements are correct?

1. Both p and q may be prime.
 2. One number may be prime and the other composite,
 3. Both the numbers may be composite.
- Select the correct answer using the code given below;

[CDS 2016(II)]

- (a) 1 and 2 only (b) 6) 2 and 3 only
(c) 1 and 3 only (d) 1, 2 and 3

- 17.** Consider the following statements:

I. If $a = bc$ with $\text{HCF}(b, c) = 1$, then $\text{HCF}(c, bd) = \text{HCF}(c, d)$.

II. $a = bc$ with $\text{HCF}(b, c) = 1$, then $\text{LCM}(a, d) = \text{LCM}(c, bd)$.

Which of the above statements is/are correct?

[CDS 2017(I)]

- (a) 1 only (b) 2 only
(c) Both 1 and 2 (d) Neither 1 nor 2

- 18.** The HCF of two expressions p and q is 1. What is the reciprocal of their LCM?

[CDS 2017(II)]

- (a) $p + q$ (b) $p - q$
(c) pq (d) $(pq)^{-1}$

- 19.** How many numbers from 1 to 1000 are divisible by 2, 3, 4 and 5?

[CDS 2017(II)]

- (a) 16 (b) 17
(c) 32 (d) None of these

- 20.** There are two numbers which are greater than 21 and their LCM and HCF are 3003 and 21 respectively. What is the sum of these numbers?

[CDS 2018(I)]

- (a) 504 (b) 508
(c) 514 (d) 528

- 21.** Walls (excluding their roofs and floors) of 5 identical rooms having length, breadth and height 6 m, 4 m and 2.5 respectively are to be painted. Paints are available only in cans of 1 L and one litre of paint can be used for painting 20 square metres. What is the number of cans required painting?

[CDS 2018(II)]

- (a) 10 (b) 12
(c) 13 (d) 14

- 22.** The highest four digit number which is divisible by each of the numbers 16, 36, 45, 48 is

[CDS 2018(II)]

- (a) 9180 (b) 9360
(c) 9630 (d) 9840

- 23.** The product of two integers p and q , where $p > 60$ and $q > 60$, is 7168 and their HCF is 16. Then the sum of two integers is

[CDS 2018(II)]

- (a) 256 (b) 184
(c) 176 (d) 164
- 24.** HCF of two numbers is 12. Which one of the following can never be their LCM
[CDS 2019(II)]
(a) 80 (b) 60
(c) 36 (d) 24
- 25.** What is the LCM of $\frac{1}{3}, \frac{5}{6}, \frac{2}{9}, \frac{4}{27}$?
[CDS 2019(II)]
(a) 5/18 (b) 1/27
(c) 10/27 (d) 20/3
- 26.** X, Y and Z start at same point and same time in the same direction to run around a circular stadium. X completes a round in 252 seconds, Y in 308 seconds and Z in 198 seconds. After what time will they meet again at the starting point?
[CDS 2019(II)]
(a) 26 minutes 18 seconds
(b) 42 minutes 36 seconds
(c) 45 minutes
(d) 46 minutes 12 seconds
- 27.** A number divides 12288, 28200 and 44333, so as to leave the same remainder in each case. What is that number?
[CDS 2020(I)]
(a) 272 (b) 232
(c) 221 (d) 120
- 28.** Two unequal pairs of numbers satisfy the following conditions
(i) The product of the two numbers in each pair is 2160
(ii) The HCF of the two numbers in each pair is 12.
If x is the mean of the numbers in the first pair and y is the mean of the numbers in the second pair, then what is the mean of x and y?
[CDS 2020(I)]
(a) 60 (b) 72
(c) 75 (d) 78
- 29.** What is the least perfect square which is divisible by 3, 4, 5, 6 and 7?
[CDS 2020(I)]
(a) 1764 (b) 17640
(c) 44100 (d) 176400
- 30.** The LCM of two numbers is 28 times their HCF. The sum of LCM and HCF is 1740. If one of the number is 240, then the other number is
[CDS 2020(II)]
(a) 420 (b) 640
(c) 820 (d) 1040
- 31.** The Euclidean algorithm is used to calculate the
[CDS 2020(II)]
(a) Square root of an integer
(b) Cube root of an integer
(c) Square of an integer
(d) HCF of two integers
- 32.** The sum of LCM and HCF of two numbers is 536 and the difference between LCM and HCF is 296. If one of the numbers is 104, then what is the other number?
[CDS 2021(II)]
(a) 420 (b) 480
(c) 484 (d) 506
- 33.** The LCM of two prime numbers p and q is 2231, where $p > q$. What is the value of $p - q$?
[CDS 2021(II)]
(a) 67 (b) 70
(c) 74 (d) 81
- 34.** Three runners are running in a circular track, and they complete one round in 20, 30 and 35 minutes respectively. When will they next meet at the starting point?
[CDS 2021(II)]
(a) After 3 hour 30 minutes
(b) After 4 hour 30 minutes
(c) After 3 hours
(d) After 7 hours
- 35.** Suppose p and q are LCM and HCF respectively of two positive numbers. If $p : q = 14 : 1$ and $pq = 1134$, then what is the difference between the two numbers?
[CDS 2022(I)]
(a) 27
(b) 35
(c) 45
(d) cannot be determined due to insufficient data

36. If x is the HCF and y is the LCM of $\frac{3}{5}, \frac{6}{25}, \frac{9}{20}, \frac{27}{50}$, then which one of the following is correct?

[CDS 2022 (II)]

- (a) $y=90x$ (b) $y=180x$
(c) $y=270x$ (d) $y=360x$

37. Consider the question and two statements given below:

LCM of two numbers x and y is 481 where $x - y$.

Question: What is the value of $(3x - 2y)$?

Statement-1: $y > 1$

Statement-2: HCF of x and y is 1.

Which one of the following is correct in respect of the question and the statements?

[CDS 2022 (II)]

- (a) Statement-1 alone is sufficient to answer the question
(b) Statement-2 alone is sufficient to answer the question
(c) Both statement-1 and statement-2 are sufficient to answer the question
(d) Both statement-1 and statement-2 are not sufficient to answer the question

38. What is the HCF of $3^{29} - 9$ and $3^{38} - 9$?

[CDS - 2023 (1)]

- (a) $3^9 - 1$ (b) $3^{11} - 1$
(c) $3^{11} - 3$ (d) $3^{11} - 9$

39. The product of two numbers is 2160 and their HCF is 12. If the sum of the square of the two numbers is 4896, then what is the mean of the two numbers?

[CDS - 2023 (1)]

- (a) 24 (b) 36
(c) 48 (d) 96

40. There are four bells which ring at an interval of 15 minutes, 35 minutes and 45 minutes respectively. If all of them ring at 9 a.m., how many more times will they ring together in the next 72 hours.

[CDS - 2023 (1)]

- (a) 0 (b) 1
(c) 2 (d) 3

41. What is the largest number which divides both $2^{35}-1$ and $2^{91}-1$?

[CDS - 2023 (1)]

- (a) 34 (b) 90
(c) 127 (d) 129

42. What is the largest 5-digit number, which leaves remainder 7, when divided by 18 as well as by 11?

[CDS - 2023 (1)]

- (a) 99981 (b) 99988
(c) 99997 (d) 99999

43. Consider the following for the next one items that follow:

Mark option (a) if the question can be answered by using one of the statements alone, but cannot be answered using the other statement alone

Mark option (b) if the question can be answered by using either statement alone.

Mark option (c) if the question can be answered by using both the statements together, but cannot be answered using either statement alone.

Mark option (d) if the question cannot be answered even by using both the statements together.

[CDS-2023 (2)]

Question: What is the sum of two natural numbers?

Statement I:

LCM of the two numbers is 144.

Statement II:

One of the numbers is 72

44. Let L be the LCM and H be the HCF of two given numbers. L and H are in the ratio 3:2. If the sum of the two numbers is 45, then what is the product of the numbers?

[CDS-2023 (2)]

- (a) 243
(b) 486
(c) 504
(d) cannot be determined due to insufficient data

45. A plank of wood 4.25 m long and 3.4 m wide is to be cut into square pieces of equal size. How many square pieces of largest size can be cut from the plank, if no wastage is allowed?

[CDS-2024 (1)]

- (a) 45 (b) 90
(c) 400 (d) 500

46. If HCF of 768 and x^6y^2 is $32xy$ for natural numbers $x \geq 2$, $y \geq 2$, then what is the value of $(x + y)$?

[CDS-2024 (1)]

- (a) 5 (b) 7
(c) 9 (d) 11

ANSWER KEY

1.	(b)	2.	(a)	3.	(a)	4.	(c)	5.	(b)	6.	(c)	7.	(c)	8.	(c)	9.	(c)	10.	(c)
11.	(d)	12.	(c)	13.	(d)	14.	(a)	15.	(c)	16.	(d)	17.	(c)	18.	(d)	19.	(a)	20.	(a)
21.	(c)	22.	(b)	23.	(c)	24.	(a)	25.	(d)	26.	(d)	27.	(c)	28.	(b)	29.	(c)	30.	(a)
31.	(d)	32.	(b)	33.	(c)	34.	(d)	35.	(d)	36.	(d)	37.	(c)	38.	(d)	39.	(c)	40.	(c)
41.	(c)	42.	(c)	43.	d	44.	d	45.	(c)	46.	(d)								

CAPF PYQ

1. The smallest number which when added to 10000 becomes divisible by 20, 24 and 30 is:

[CAPF 2021]

- (a) 120 (b) 800
(c) 80 (d) 83

2. Which one of the following is the difference of the sum of cubes of first ten natural numbers and the sum of squares of first ten natural numbers?

[CAPF 2022]

- (a) 2400 (b) 2640
(c) 2880 (d) 2000

ANSWER KEY

1.	c	2.	b																
----	---	----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--