	a) ng create project_name
	b) ng new project_name
	c) Both A and B
	d) None
2.	The angular-cli setup for the project created a template file called in the src/app folder.
	a) App.model.ts
	b) app.component.html
	c) app.component.js
	d) app.component.css
3.	Which decorator is used to provide the configuration information through the properties?
	a) @Component
	b) @NgModule
	c) @RootModule
	d) All
4.	The command to build angular application for production is
	a) Ng serve
	b) Ng new
	c) Ng build
	d) Ng create
5.	Which of the following is correct about TypeScript?
	a) Angular is based on TypeScript
	b) This is a superset of JavaScript
	c) TypeScript is maintained by Microsoft
	d) All
6.	Which object-oriented terms not supported by Typescript?
	a) Abstract Class
	b) Classes
	c) Interfaces
	d) Modules
7.	Which file is acts as placeholder for basic angular app?
	a) Main.ts
	b) app.module.ts
	c) index.html
	d) app.template.html
8.	Two-way bindings are used with HTML elements
	a) Table
	b) Form
	c) Div
	d) Heading
9.	Which keyword is used to identify data or types that you want to use elsewhere in the application?
	a) Import
	b) Export
	c) New
	d) Add
10.	Which keyword is used to define types that can be instantiated with the new keyword to create objects that
	have well-defined data and behavior?
	a) Object
	b) Class
	c) Prototype
	d) Static

1. Which command is used to create a new angular app?

11. Which of the following typescript feature is used to reduce the common JavaScript errors?
a) Export
b) Import
c) Both A and B
d) None
12. Which of the following model passes data from component to template?
a) Root model
b) View model
c) Domain model
d) All
13. Angular configuration file name is:
a) Package.json
b) Composer.json
c) Angular.json
d) Config.json
14. In which folder you will add the custom code and content for your application?
a) node_modules
b) e2e
c) src
d) app
15. Which of the following command is correct for installing angular-cli?
a) npm install -g @angular/cli b) npm install -global @angular/cli
c) npm install -g angular/cli
d) npm install -global angular/cli
16. In angular, controllers are called
a) Module
a) Module b) componen <mark>t</mark>
a) Module b) component c) service
a) Module b) component c) service d) model
 a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its
 a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model
 a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties?
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page?
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page? a) Round trip application
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page? a) Round trip application b) Single page application
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page? a) Round trip application b) Single page application c) both
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page? a) Round trip application b) Single page application c) both d) none
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page? a) Round trip application b) Single page application c) both d) none 20. Which of the following is a filter in Angular Js
a) Module b) component c) service d) model 17. The logic and data required to support the template are provided by its a) Model b) Component c) Templates d) Module 18. Which directive can be used to set multiple style properties? a) ngClass b) ngStyle c) Both A and B d) None 19. Angular works on what page? a) Round trip application b) Single page application c) both d) none 20. Which of the following is a filter in Angular Js a) Currency

21.	Each TypeScript file in the project acts as 4€"
	a) Model
	b) Module
	c) Component
	d) Both B and C
22.	ngModel directive used for-
	a) One-way binding
	b) Two-way binding
	c) Refer element in the template
	d) All
23.	which directive used to repeat a region of content for each item in an array
	a) *ngFor
	b) *ngSwitch
	c) *nglf
	d) *ngLoop
24.	Which type of web application requires a lot of bandwidth?
	a) One-page
	b) Single-Page
	c) Multiple-Page
	d) Round-trip
25	TypeScript is a language
23.	a) Open Source
	b) Closed
	c) Free
	d) All of the above
26	
26.	The style of development that Angular supports is derived through the use of pattern
	a) pattern
	b) Model-View-Controller
	c) User-Logic-Modeld) Model-Template-Controller
27	
27.	The decorator provides configuration information through its:
	a) Properties
	b) Object
	c) Class
	d) Method
28.	The GET method is, which means the operations you perform in response to this method should only
	retrieve data and not modify it.
	a) Idempotent
	b) Nullipotent
	c) Both
	d) Neither nullipotent nor idempotent
29.	why creating view data is important in angular?
	a) to simplify templates and their interaction with the component
	b) to create relationship between models and app system.
	c) to generate correct way to connect angular app
	d) to connect angular with database
30.	You can define a function in two ways:
	a) function expression
	b) function component
	c) function declaration
	d) Both a & c

31. '	Which command starts the Angular development tools:
;	a) Ng new
	b) Ng serve
(c) Ng run
(d) Ng start
32. '	Which of the following directive allows us to use form?
;	a) ng-include
1	o) ng-form
(c) ng-bind
(d) ng-attach
33. '	What do you mean by NPM ?
	a) Node Package Manage <mark>r</mark>
	b) Node Packet Manager
(c) Node Project Manager
(d) Node Package Machine
34.	How do you apply command to check node version?
;	a) nodejs -v
ĺ	b) nodejs
	c) node - <mark>v</mark>
(d) node -version
35	lavaScriptare used to manage the dependencies in a web application
	a) modules
	b) functions
(c) files
(d) components
36. '	Which file contains the configuration details of angular development tools?
	a) package.json
	b) package-lock.json
	c) tsconfig.json
	d) angular.json
	What is the main purpose of RESTful web services?
	a) To perform CRUD operation on HTTP Request
	b) To perform CRUD operation without HTTP Request
	c) To perform web request other than CRUD operation
	d) To perform CRUD operation with TCP/IP Request
	In angular, Default root module name is?
	a) module.ts
	b) app.module.ts
	c) module.js
	d) app.module.js
	Which command is used to create angular app?
	a) Angular new appName
	b) Ng create appName
	c) Ng new appName
	d) Ng create new appName
	The logic and data required to support the template are provided by its
	a) Model
	b) Component
	c) Templates
(d) Module

	a)	Authorization
	b)	Data integrity
	c)	Confidentiality
	d)	Authentication
43.	Wŀ	nich keyboard command is used to terminate any angular process?
	a)	Ctrl + c
	b)	Ctrl + p
	c)	Ctrl + z
	d)	Ctrl + d
44.	wh	ich models represent just data passed from the component to the template?
	a)	View models
	b)	Domain models
	c)	Service models None
45.	An	gularJS directives we used in
	a)	Model
	b)	View
	c)	Controller
	d)	Module
46.	Ho	w do you install the npm package?
	a)	npm install PackageName
		pm install PackageName
	c)	pm PackageName
	d)	Ng create new appName
47.	Тур	peScript is superset of JavaScript
		True
	b)	False
48.		nich ng command performs the production build process?
		Ng start
		Ng lint
	-	Ng build
		Ngtest
49.		nat does CSS stand for?
	a)	Cascading Style Sheet
	p)	cascading Sheet of Style
	۲) c)	Cascading Style Sheets
	d)	None

41. Angular applications are built around a design pattern called Model-View-Controller (MVC)

42. Which security mechanism uses the concept of a realm?

a) Trueb) False