



Intended and realised habitat loss

Orange points show treatment means; the dashed line indicates exact agreement




Realised habitat-loss error

Positive values indicate slightly more habitat loss than requested




Terminal population abundance

Values are recorded at tick 3000 or at the first population extinction




Paired differences from the 0% control

Thin lines connect runs using the same seed; coloured lines show medians




Relative change from the matched control

Each treatment is compared with the 0% run using the same seed



Terminal prey and predator abundance


Each point represents one run



Extinction probability

Shading shows 95% Wilson intervals; runs stop at the first population extinction


Population Predators Prey



n = 30 paired runs per treatment.


Probability that both populations persisted to tick 3000

Shading shows 95% Wilson intervals




Time from habitat loss to extinction

Only runs with an observed extinction are included



Persistence after habitat loss


A run remains active until the first population extinction



Population trajectories

Lines show medians and ribbons the 10th...90th percentiles among active runs


Habitat loss 0% 25% 50% 75% 100%



The dashed line marks habitat loss. Runs end when the first population becomes extinct.


Median prey abundance

Medians use runs still active at each recorded tick




Median predator abundance

Medians use runs still active at each recorded tick




Fraction of runs still active

A run stops when the first population becomes extinct



Minimum population after treatment


Minimum observed value between tick 2000 and run termination



Mean hunger through time

Lines show medians and ribbons the 10th...90th percentiles among active runs


Habitat loss 0% 25% 50% 75% 100%



Prey occupying destroyed habitat


Lines show medians and ribbons the 10th...90th percentiles among active runs

Habitat loss 0% 25% 50% 75% 100%




Mean post-treatment prey deaths

Cumulative deaths after tick 2000, averaged across runs



Composition of post-treatment mortality

Shares use deaths pooled across all runs within each treatment



Runs meeting the stability criteria

This is a model diagnostic, not the primary habitat-loss endpoint

