



S.P.M College, Udantpuri

Bachelor Of Computer Application (BCA)

Part -1 (Paper-1)

– Hira Kumar

DOS (Disk Operating System) Internal Command


Genral purpose	File related commands	Directory related commands
1. <u>CLS</u> 2. <u>DIR</u> 3. <u>VER</u> 4. <u>VOL</u> 5. <u>DATE</u> 6. <u>TIME</u>	7. <u>COPY CON</u> 8. <u>TYPE</u> 9. <u>COPY</u> 10. <u>REN</u> 11. <u>DEL</u>	12. <u>MD</u> 13. <u>CD</u> 14. <u>RD</u>

NOTE:- If we need any help for above DOS commands the we put a '/'? symbol after writting the command at DOS prompt .

Example:- C:\> DIR/?

C:\> COPY/?


C:\> color/?



10. MD(Make Directory)

- Work -This command allows to create a new directory.
- Note :- In GUI base interface directory is also called folder.
- Note:- In windows/dos you can't create "aux" OR "Con" name folder.
- Syntax – c:\> MD <Dirname>


HIRA KUMAR



```
C:\Windows\system32\cmd.exe
C:\>e:
E:\>md gdc
E:\>
```

11. CD(Change Directory)


- Work -We can enter or exit from any directory using this command.
- Syntax for enter in directory - c:\> CD <Directory name>
- Syntax for exit to directory– c:\> CD..



```
C:\Windows\system32\cmd.exe
C:\>e:
E:\>md gdc
E:\>cd gdc
E:\gdc>cd..
E:\>
```

12. COPY CON

- **Work** - This command gives the facility to create a new text file.
- **Syntax** - **C:\>COPY CON** <filename> Enter
- After press enter,type message and again press ctrl+Z or press F6 button and press again enter.
- Default file extension of ms dos commands is .txt




```
C:\Windows\system32\cmd.exe
E:\gdc>copy con bca.txt
hello world!
^Z
        1 file(s) copied.

E:\gdc>copy con bba.pdf
hello students
^Z
        1 file(s) copied.

E:\gdc>copy con bsc.doc
hello india^Z
        1 file(s) copied.

E:\gdc>copy con ba.html
ba means bachelor of arts.^Z
        1 file(s) copied.

E:\gdc>
```



Types of most popular file extensions

We will discuss the popular types of file extensions listed below in this article.

Text and word processing files: .doc, .docx, .odt, .txt, .pages

Web-related files: .htm, .html

Page layout files: .pdf

Spreadsheet files: .xls, .xlsx, .ods

Presentation files: .ppt, .pptx, .key

Image files: .bmp, .jpeg, .jpg, .png

Programming files: .py, .java, .js

Compression and archive files: .zip

Executable program files: .exe, .app, .bin

Audio and video files: .mp3, .wav, .mp4

Draw program files: .drw, .dwg

System files: .sys, .tmp, .ini

13. TYPE

- This command is used to display/View for exist/available file in directory/folder.
- Syntax:- C:\> TYPE <Filename>

```
C:\Windows\system32\cmd.exe

E:\gdc>TYPE BCA.TXT
hello world!

E:\gdc>
```

14. Copy


- Copy command is used for copy any file one location to another location or to copy the files one directory to another directory.
- This command may also be used for copying any file to another disk with different file name.
- Syntax -C:\> COPY <Source filename> <Target file name>

```
C:\Windows\system32\cmd.exe

E:\gdc>copy abc.txt bbm
1 file(s) copied.

E:\gdc>copy bbm bca
bbm\abc.txt
1 file(s) copied.

E:\gdc>
```



15. REN(Rename)

- This command is used to change the name of any file or directory.
- Syntax - REN <Source filename> <Target filename>

```
C:\Windows\system32\cmd.exe

E:\gdc>ren xyz.ppt abc.txt

E:\gdc>ren bba bbm

E:\gdc>
```

16. DEL

- This command is used for erasing any file from the disk.
- Syntax - C:\> DEL <Filename>

```
C:\Windows\system32\cmd.exe

E:\gdc>del abc.txt

E:\gdc>
```

17.RD (Remove Directory)

- Work - Remove (or Delete) a Directory.
- Syntax – c:\> RD <Dir name>
- If many file available in directory then remove command not run. But use this syntax – c:\> rd/s <Dir name>, all file delete as well as directory.
- Here rd/s (/s – as work switch)

```
E:\gdc>rd bca
The directory is not empty.

E:\gdc>rd/s bca
bca, Are you sure (Y/N)? y

E:\gdc>
```

Difference b/w DEL command and RD command

- DEL Command ==> Delete only files
- RD Command ==> Delete/remove only directory.(Note – remove only empty directory)

18 Move

- Work – This command is used to move file/directory one location to another location.
- When use move command file/directory move i.e delete current location and send another location.
- Syntax – c:\> move <source file name> <target file name>
C:\> move <source directory> <target directory>

```
Administrator: C:\Windows\system32\cmd.exe

E:\gdc>move bca bba
1 dir(s) moved.

E:\gdc>
```

```
Administrator: C:\Windows\system32\cmd.exe

E:\gdc\bca>move xyz.txt 123.txt
1 file(s) moved.

E:\gdc\bca>ren 123.txt xyz.txt

E:\gdc\bca>move xyz.txt E:\gdc
1 file(s) moved.

E:\gdc\bca>
```

Difference b/w COPY command and MOVE command

- Copy Command → copy files one location to another
- Move Command → Copy any files/directory both → and → copy new location (Here file/folder delete original location)

19. PATH

- This command is used for display or sets directories for executable files.
- Syntax- C:\> PATH
- Example
Path=C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windows\System32\OpenSSH\;C:\Users\hira\AppData\Local\Microsoft\WindowsApps;

20. Exit

- Exit is used to close the command prompt or terminate a batch file.
- Example :- C:\> Exit

=====HIRA KUMAR=====