Web Development

HTML

❖ Table in web page

- Table within web pages serve the purpose of structuring and displaying data in well-organized grid format.
- They are composed of rows and columns, with each intersection forming a cell.
- Table find application in a multitude of scenarios, including showcasing tabular data, constructing grids, arranging information, and establishing page layouts.

Element of a table

- To create table in HTML, you need to use a set of specific HTML elements that define the structure and content of the table. Here are the key element/tag of an HTML table :-

1. <table>

HIRA KUMAR

- The <table> element is used to define the entire table. It acts a container for all the table-related elements, including rows, columns, and cells.
- Syntax → <table>
  Table data
  </table>

Table attributes

a. **Border**→ Used to set border thickness of table.
   Syntax → <table border="1">
b. **Cellpadding** → Used to set space inside the cell (between text and cell border).
   Syntax → <table border="1" cellpadding="10">
c. **Cellspacing** → Used to set space between cells.
   Syntax → <table border="1" cellspacing="5">
d. **Width** → Used to set width of table.
   Syntax → <table border="1" width="500">
e. **Height** → Used to set width of table.
   Syntax - <table border="1" height="100">
f. **Align** → Used to align table (left, center, right).
   Syntax →<table border="1" align="center">
g. **Bgcolor** →Used to set background color of table.
   Syntax →<table border="1" bgcolor="yellow">

Note :- border, align, bgcolor, cellpadding, cellspacing are not recommended in HTML5, uses CSS instead.

```html
<body>
    <table border="1" cellpadding="10" cellspacing="5" width="50%" align="center" bgcolor="yellow">
  <tr>
    <th>Name</th>
    <th>City</th>
  </tr>
  <tr>
    <td>Hira</td>
    <td>Biharsharif</td>
  </tr>
</table>
```

http://127.0.0.1:5500/index.html#con 167%

Name	City
Hira	Biharsharif

2. <tr>

- The <tr> means table row. It is used to define a row within the table. Each row contains one or more cells.
- Syntax → <tr>
  any table data
  </tr>

3. <th>

- The <th> means table header cell. It is used to define header cells within a table row. Header cells typically contain column headings and are rendered in bold by default.
- Syntax → <th> any data </th>

4. <td>

- The <td> means table data cell. It is used to define regular data cells within a table row.Data cells contain the actual content of the table.

5. <caption>

- The <caption> element is used to provide a title or caption for the table, It is typically placed within the <table> element but outside of any rows.

6. <thead>

- Use for grouping of table header section.

7. <tbody>

- The <tbody> element typically encompasses the rows and data cells within the table.

8. <tfoot>

- The <tfoot> element is used to define a footer section for a table.
- It typically appears after the <tbody> (table body) section and before the <table> element is closed.
- It a useful element for providing context or summary data at the bottom of a table.
- Syntax → </tbody>

```
<tfoot>
    Any data
</tfoot>
</table>
```

9. <col>

- <col> is an HTML tag used to define properties for one or more columns in a table.
- It is used inside the <colgroup> tag.

10. <colgroup>

- <colgroup> is an HTML tag used to group columns in a table to apply styles or properties to them.
- It is used inside the <table> tag and work with the <col> tag.
- Syntax → <colgroup>

```
        <col>
    </colgroup>
```

11. colspan

- colspan is an attribute used to make a table cell span(cover) more than one column.
- OR
- Colspan is an attribute in HTML used to merge two or more columns in a table cell.
- It is used with <td> and <th> tags.
- Syntax → <td colspan="2"> any data </td>

Here, cell will take the space of 2 columns or merge 2 column

12. rowspan

- rowspan is an attribute in HTML used to merge two or more row in a table cell.
- It is used with <td> and <th> tags.
- Syntax → <td rowspan="3"> any data </td>

Here, cell will take the space of 3 row or merge 3 row.

Note :- HTML → use only structure (table,paragraph,heading,caption)
CSS → use for Design (border,color, layout,alignment)

If you want border then use CSS or if you should try in html then as it is –

Syntax → <table border="1">
Any data
</table

Q. Create a simple table in html

```
<!DOCTYPE html>
<html>
<body>
<table border="1">
  <caption>Computer device name</caption>
  <colgroup>
  <col style="background-color:yellow;">
  <col>
  <col style="background-color:red;">
```

```
    </colgroup>
  </thead>
    <tr>
      <th>Input Device</th>
      <th>Output Device</th>
      <th>Storage Device</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>Keyboard</td>
      <td>Printer</td>
      <td>HDD/SDD</td>
    </tr>
    <tr>
      <td></td>
      <td>Speaker</td>
      <td>RAM</td>
    </tr>
    <tr>
      <td> Camera </td>
      <td> Plotter</td>
      <td> ROM </td>
    </tr>
    </tbody>
    <tfoot>
      <tr>
        <td colspan="3">Total marks this question = 10</td>

      </tr>
    </tfoot>
  </table>
```

```
</body>
</html>
```



Q. Create a calendar of any month using only HTML and show holidays and festivals with figures.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
```

```
</head>
<body>
  <table border="2px"bgcolor="lightblue" cellpadding="10px"
cellspacing="0">
    <caption> March 2026 </caption>
    <thead>
      <tr bgcolor="yellow">
        <th bgcolor="red"> Sun </th>
        <th> Mon </th>
        <th> Tue </th>
        <th> Wed </th>
        <th> Thu </th>
        <th> Fri </th>
        <th> Sat </th>
      </tr>
      </thead>
      <tfoot>
      <tr>
        <td bgcolor="red"> 1 </td>
        <td> <font color="red">2 </font> </td>
        <td> <font color="red">3 </font> </td>
        <td> <font color="red">4</font> </td>
        <td> 5 </td>
        <td> 6 </td>
        <td> 7 </td>
      </tr>
      <tr>
        <td bgcolor="red"> 8 </td>
        <td> 9 </td>
        <td> 10 </td>
        <td> 11 </td>
        <td> 12 </td>
```

```
      <td> 13 </td>
      <td> 14 </td>
    </tr>
    <tr>
      <td bgcolor="red"> 15 </td>
      <td> 16 </td>
      <td> 17 </td>
      <td> 18 </td>
      <td> 19 </td>
      <td> 20 </td>
      <td> <font color="red">21 </font></td>
    </tr>
    <tr>
      <td bgcolor="red">22 <img src="bihar.jpg" width="20"> </td>
      <td> 23 </td>
      <td> 24 </td>
      <td> 25 </td>
      <td> <font color="red">26 </font> </td>
      <td> <font color="red">27 </font> </td>
      <td> 28 </td>
    </tr>
    <tr>
      <td bgcolor="red"> 29 </td>
      <td> 30 </td>
      <td> <font color="red">31 </font> </td>
      <td colspan="5"> Price = Rs 10   </td>

    </tr>
    </tfoot>
  </table>
</body>
</html>
```

http://127.0.0.1:5500/index.html

March 2026

Sun	Mon	Tue	Wed	Thu	Fri	Sat
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	Price = Rs 10			

HIRA KUMAR