Web Development

HTML

❖ Create client-side form in webpage

Designing a client-side form in a web page entails the utilization of HTML to craft the form's layout and integrating form components like text fields, radio buttons, checkboxes, and a submit button.
HTML introduces the **<form>** element, which serves as the foundation for constructing a structured segment within a web page encompassing interactive form elements. Forms play a pivotal role in web development, facilitating a wide array of applications such as user **registration, search functionality, data submission, and more.** The <form> element acts as a cohesive container, encompassing all the form controls, and also dictates the rules governing the handling of data entered into the form by users. It establishes the framework for collecting and processing user input within the context of web applications and websites.

HIRA KUMAR

BCA Admission Form Session 2025-2026

Full Name name

Father Name

Mother Name

Gender male ◯ Female ◯

Address State Pin code

Contact Information

Mobile Number 56465456456 Email id

-----**Choose any three colleges**-----

Nalanda college ☐

SPM College ☐

Mahila College ☐

Kisan college ☐

A.N college ☐

===== **Enter Payment Method** Debit card

Submit Reset

❖ Starting a Form

1. <form> tag

- All forms start with the <form> tag and end with </form>.All other form objects go between these two tags.
- The form tag has two main properties/attribute: METHOD and ACTION.

Action Attribute → The action attribute specifies the URL or script to which the form data should be sent for processing when the user submits the form. (action यह बताता है कि form submit होने के बाद data किस URL (server page / backend file) पर भेजा जाएगा। data किस server-side program को भेजा जाएगा जो आगे processing और storing करेगा या तो वह backend पर रख सकता हैं या front-end पर भी रख सकता हैं)

✓ Example: <form action="submit_form.php" method="post">

Method Attribute → The method attribute defines the HTTP method used to send the form data to the server. Common methods are "get" and "post."

GET appends form data to the URL and is suitable for simple queries.

POST sends form data in the HTTP request body and is used for more complex or sensitive data (e.g.- password file,..).

- ✓ Example: <form action="submit_form.php" method="post">

2. <input> tag

- Used to create different types of input fields.
- Syntax → <input type="text" name="username">

```
Full Name <input type="text" placeholder="name">
Father Name <input type="text">
Mother Name <input type="text">
```

Full Name name
Father Name
Mother Name

Radio buttom

```
Gender     male <input type="radio" value="male" name="gender" >
         Female <input type="radio" value="female" name="gender">
```

Gender male ○ Female ◉

HTML INPUT TYPES

`<input type="text"/>`	John Doe
`<input type="password"/>`	••••••••••••
`<input type="button"/>`	Click Me
`<input type="checkbox"/>`	User Admin Editor
`<input type="color"/>`	
`<input type="date"/>`	15/05/2024
`<input type="time"/>`	10:30 AM
`<input type="email"/>`	jane.smith@example.com
`<input type="file"/>`	Upload File No file selected
`<input type="url"/>`	https://www.openai.com
`<input type="week"/>`	Week 20, 2024
`<input type="number"/>`	42
`<input type="month"/>`	HTML Javascript
`<input type="range"/>`	75%
`<input type="reset"/>`	Reset
`<input type="search"/>`	Search topics
`<input type="submit"/>`	Submit
`<input type="hidden"`	
`<input type="tel" pattern="[`	123-456-7890
`<input type="datetime-local"`	15/05/2024 10:30 AM

HIRA KUMAR

3. <level> tag

- Defines a label for an input field.

4. <fieldset> Tag & <legend> Tag

- Groups related form elements.
- Defines a caption for <fieldset>.

```
<fieldset>
    <legend>Contact Information</legend>
    Mobile Number <input type="number">    Email id <input type="text">
</fieldset>
```

Contact Information
Mobile Number Email id

- Used for multi-line text input.

```
Address <textarea name="message" rows="4" cols="30"></textarea>
```

Address

Check Box

```
<p><b>-----Choose any three colleges-----</b> <br>
Nalanda college <input type="checkbox" value="Nalanda college" name="college"><br>
SPM College <input type="checkbox" value="Nalanda college" name="college"> <br>
Mahila College <input type="checkbox" value="Nalanda college" name="college"> <br>
Kisan college <input type="checkbox" value="Nalanda college" name="college"> <br>
A.N college <input type="checkbox" value="Nalanda college" name="college">  <br>
```

-----Choose any three colleges-----
Nalanda college ☑
SPM College ☑
Mahila College ☐
Kisan college ☑
A.N college ☐

5. <select> Tag & <option> Tag

- <Select> tag use for creates a drop-down list and
- Defines options inside <select> tag.

```
    <b>===== Enter Payment Method</b>
  <select name="payment">
  <option value="Debit card">Debit card</option>
  <option value="Net banking">Net banking</option>
  <option value="UPI">UPI</option>
  <option value="Cash">Cash</option>
</select>
```

Debit card
Net banking
UPI
Cash

===== Enter Payment Method UPI

6. <datalist> Tag

- Provides predefined options for input.

```
    State <input list="state">
<datalist id="state">
    <option value="Bihar">
    <option value="UP">
</datalist>
```



7. <button> Tag

- Creates a clickable button.

```
<button type="submit">Submit</button>
<button type="reset">Reset</button>
```

Q Create a form in html for BCA admission.

```
<!DOCTYPE html>
<html lang="eng">
<head>
<title> BCA admission</title>
</head>
<body>
<form action="submit.php">
   <pre>
   <p><font size="100", face="calibri"> BCA Admission Form Session
2025-2026 </font></p> </pre>
   <lable for="hira1"> Full Name </lable>
   <input type="text" id="hira1" placeholder="name" name="hira1"
required><br><hr>
   Father Name <input type="text"><br><hr>
   Mother Name <input type="text"><br><hr>
   Gender     male <input type="radio" value="male" name="gender" >
            Female <input type="radio" value="female" name="gender">
<br><hr>
 Date of Birth: <input type="date"><br><hr>
```

```
   Address <textarea name="message" rows="4" cols="30"></textarea>
   State <input list="state">
<datalist id="state">
   <option value="Bihar">
   <option value="UP">
</datalist>
Pin code <input type="number"><br><hr>
   <fieldset>
      <legend>Contact Information</legend>
      Mobile Number <input type="number" maxlength="10">
   Email id <input type="email">
   </fieldset>
   <lable>-----Choose any three colleges-----</lable><br>
   Nalanda college <input type="checkbox" value="Nalanda college"
name="college"><br>
   SPM College <input type="checkbox" value="Nalanda college"
name="college"> <br>
   Mahila College <input type="checkbox" value="Nalanda college"
name="college"> <br>
   Kisan college <input type="checkbox" value="Nalanda college"
name="college"> <br>
   A.N college <input type="checkbox" value="Nalanda college"
name="college">  <br><hr>
      <b>===== Enter Payment Method</b>
   <select name="payment">
       <option value="Debit card">Debit card</option>
      <option value="Net banking">Net banking</option>
      <option value="UPI">UPI</option>
      <option value="Cash">Cash</option>
   </select> <br><hr>
   <lable> Choose favourite color </lable>
   <input type="color"> <br>
```

```
   <lable for="psw"> Create Password </lable>
   <input type="password" id="psw" name="password"><br><br><hr>
   <lable>Upload Photo & Sign</lable> <br>
   <input type="file" name="photo" > <input type="file" name="photo"
>

<button type="submit">Submit</button>
<button type="reset">Reset</button>

   </form>
</body>
</html>
```

Output :-



HIRA KUMAR

HIRA KUMAR