

SHREE BALAJI METAL AND ALLOYS

The Total Industrial Raw Material Solutions

Office no 12 2nd floor Building No 94 Kantilal Building bhandari street mumbai -400004

Tel. No : 022-66393773 | **Mob. :** +91 8828272203 / +91 9511988303

Email : shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com

Website : balajimetalalloys.com

SHREE BALAJI METAL AND ALLOYS



Company Profile

SHREE BALAJI METAL AND ALLOYS is one of the leading stockholder & supplier of all kinds of stainless steel products. We're the most versatile and efficient manufacturers, importers, exporters and stockists of stainless steel, carbon steel, alloy steel in the shape of pipes, tubes, round bars, flat bar, sheets, plates, wires, angles & channels, coils, strips and entire range of pipeline fittings and flanges supplying to various core industries like Refineries & Petrochemicals, Oil & Gas, Chemicals & Fertilisers, Pharma Ceuticals, Cement, Engineering , Construction, Sugar, Nuclear & Thermal, Paper & Pulp.

We have set up our business empire over the last decade serving many core industries all through out most satisfactorily. We have been known for producing our quality products and excellent services. Our quality standards are as per accepted international standards. For more than years now , we have been maintaining an uncompromising attitude towards the quality of our products, state of art, machines, technology, trained manpower coupled with cost effectiveness that will sustain our future growth.

We are also certified and approved by various reputed third party inspection agencies. ISO 900I-2015: Efforts are one full steam to acquire the coveted ISO 900I- 2015 quality assurance certification from reputed agencies.

Quality Assurance

Every manufacturing phase is carried out with modern technique and is under the surveillance of our quality team that ensures all our products meet the national / international standards.

"NO COMPROMISE IN QUALITY" IS OUR MOTTO


Thus, main goal of **SHREE BALAJI METAL AND ALLOYS** is high quality products. We have adopted quality analyst personnel to ensure complete satisfaction to our clients. As there is always a scope of betterment we are continually improving upon quality of products.

We have a stringent parameters set for the quality which are followed by all our employees. They see to it that the products are in accordance with the national / international standards.

From the time of procurement of raw material till the final delivery of the products, at every stage, our products are checked for various chemical and mechanical properties using the equipment certified by the Government and its agencies.

Certificate


आयकर विभाग
INCOME TAX DEPARTMENT
भारत सरकार
GOVT. OF INDIA


Certificate of Registration
This is to Certify That
Quality Management System of
SHREE BALAJI METAL AND ALLOYS
has been assessed and found to conform to the requirements of
ISO 9001:2015
for the following scope :
ISO 9001:2015


QUALITY POLICY


UDYAM REGISTRATION CERTIFICATE

Tel. : No - 022-66393773 | Email id - shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com

SHEETS, PLATES & COILS



Stainless Steel Coils, Sheets & Plates as per ASTM A 240 Gr. TP 304, 304L, 304LN, 309, 309S, 309H, 310S, 310H, 316, 316L, 316H, 316LN, 316TI, 317, 317L, 321, 321H, 347, 347H, 348, 348H, 409, 410, 420, 430 etc.

Alloy Steel Plates as per ASTM A 387 Gr. 2, 5, 9, 11, 12 & 22 in class 1 & 2, ASTM A 204, Gr. A & B, DIN 17175 Gr. 15Mo3 & 16Mo3 with IBR Test Certificate.

Carbon Steel / Boiler Quality Plates as per IS 2062 Gr. A, B & C, IS 2002 Gr. 1& 2, ASTM A516 Gr. 60 & 70 ASTM A515 Gr. 70.

High Nickel Alloy : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Brass, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

Types : Sheet, Plates, Strips, etc.



ROUND BARS

Stainless Steel Bar : ASTM A-479, A 182 F 304/304H/304L, 316/316L/316Ti, 309, 310, 317L, 321, 347, 409, 410, 420, 430, 440 (A, B, C) 446, 904L, etc. **SUPER 13 CR, 420 MOD, TOUGHMET 3AT 110**

Duplex Steel Bar : A 182 F51, F53, F55

Carbon Steel Bar : A 105, LF2, 4140 MOD, 4340 MOD

Alloy Steel Bar : ASTM A -182 F11, F12, F22, FF5, F9, F91

Cu-Ni Bar : C70660 (90:10) C71500 (70:30), C71640

Nickel Bar : UNS N02200, N02201

Monel Bar : UNS N04400, N05500

Inconel Bar : UNS N06600, N06601, N06625, N08800, N08810, UNS N08825, UNSN09925, UNS N07718


Types : Round, Square, Hex (A/F), Rectangle

PIPES & TUBES



Material	:	Stainless Steel / Duplex / Super Duplex / Nickel Alloy / Carbon Steel / Alloy Steel
Standard	:	ASTM / ASME / ANSI / AISI / DIN
Grade	:	304, 304L, 310S, 316, 316L, 321, 904L, 2205, 2507, Monel, Inconel, Hastelloy, Titanium P5, P9, P11, P12, P22, P91, etc.
Types	:	Seamless / Welded / U-Tubes

ANGLE, CHANNEL, FLAT BAR



Size »

Sizes of Angles :
- 20mm to 150mm, in Thk = 3mm to 12mm

Sizes of Channels :
- 20mm to 500mm, in Thk = 3mm to 50mm

Grades

Stainless Steel : 304/304L, 316/316L/316Ti, 321, 310/310S, 317/317L, 347, 17-4Ph, 15-5Ph, 904L, 410, 420, 430, 431, 430F, 416, 440C etc.
Copper, Brass, Aluminium, Hast Alloy, Titanium, Monel, Inconel, Nickel, etc.
Duplex Steel : UNS 31803, UNS32205, UNS 32750, UNS 32760
Alloy Steel : F5, F9, F11, F22, F91. Carbon Steel, Mild Steel, (EN Series)
Specification : ASTM, AISI, ASME, DIN, UNS etc.

Tel. : No - 022-66393773 | Email id - shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com

FLANGES

Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.

Carbon Steel : ASTM A105/ A694 F42/ 46/52/56/60/65/ 70/ A350 LF2/ A350LF3, etc.

Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91 etc.

Others : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.

Types : Weldneck, Slipon, Bind, Socket Weld, Lap Joint, Spectacles, Ring Joint, Oriface, Long Weldneck, Deck Flange, etc.

Size : ½" NB TO 24" NB.

Class : 150#, 300#, 400#, 600#,900#, 1500# & 2500#.



BUTT-WELD FITTINGS



Stainless Steel : ASTM A403 WP 304/ 304L/ 304H/316/ 316L/ 317/ 317L/ 321/ 310/ 347/904L etc.

Carbon Steel : ASTM A234 WPB/A420 WPL3/A420 WPL6/ MSS-SP-75 WPHY 42/46/52 / 56/60/65/70

Alloy Steel : ASTM A234 WP1/ WP5/ WP9/ WP11/ WP22/WP91 etc.

Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

Others : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Types : Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.

Size : 1/4" NB TO 32" NB. (Seamless & Welded)

Wall Thickness : Sch. 5S To Sch. XXS.

CIRCLE / RING

Stainless Steel Circle & Ring as per ASTM A 240 & TP 304, 304L, 304H, 309, 309S, 309H, 310S, 310H, 316, 316L, 316H, 316LN, 316Ti, 317, 317L, 321, 321H, 347, 347H, 348, 348H, 409, 410, 420, 430 etc.
Alloy Steel as per ASTM A 387 Gr. 2, 5, 9, 11, 12 & 22 in class 1 & 2, ASTM A 204, Gr. A, B & C, EN 17175 Gr. 15Mo3 & 16Mo3 with IBR Test Certificate.
Carbon Steel / Boiler Quality as per IS 2062 Gr. A, B & C, IS 2002 Gr. 1 & 2, ASTM A 516 Gr. 60, 65, 70, ASTM A 515 Gr. 70.
High Nickel Alloy : Monel, Nickel, Inconel, Incoloy, Copper, Brass, Bronze, Duplex, Super Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.
Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20Types: Sheet, Plate, Strip, etc.
Thikness : 0.5 MM to 300 MM





FASTENERS

Stainless Steel : AISI 302, 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 410, 420, 904L etc.

Alloy Steel : 4.6, 5.6, 6.6, 8.8, 10.9 & 12.9 / 'R', 'S', 'T' Conditions.

Carbon Steel : Vare Condition, Galvanized, Phosphetised, Cadium Plated, Hot Deep Galvanized, Bloodied, Nickel Chrome Plated etc.

Non Ferrous Metal : Copper, Brass, Aluminium, Titanium, Nichrome, Al. Bronze Phosphorous Bronze, etc.

Types : Bolts, Nuts, Washers, Anchor Fasteners, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket Screw, Fine Fasteners & Spares, Foundation Fasteners, etc.

Tel. : No - 022-66393773 | Email id - shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com

FERULE FITTINGS



Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/310/347/ 904L etc.
Carbon Steel : ASTM A105 / A694 F42/46/ 52/56/ 60/65/70 /A350 LF3/ A350 LF2.
Alloy Steel : ASTM A182 Fl/ F5/ F9/ F11/ F22/F91 etc.
Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20
Other : Stainless Steel, Nickel Alloys, Carbon Steel, Alloy Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bimuth, Aluminium, High Speed Steel, Zinc, Lead, Etc.
Types : Nipples, Adaptors, Crosses, Union Ball Joints, Reducing Bushing, Reducers, Pipe Caps, Couplings, Pipe Plug, Hollow Hex Plug, Elbow, Reducing Union, 90 Deg. Union Elbow, Reducing 90 Deg. Union Elbow Etc. Extender Leg 90 Deg. Union Elbow, 45 Deg. Union Elbow, Union Tee, Female Connector, Male Connector, Manifold Tee, Locator Union, Extended Run Leg Union Tee, Reducing Tee, Tribow, ATW Weld Ring, Tube Socket weld To Pipe Butt Weld, Tube Butt Weld To Tube Socket Weld, Port Connector, Etc.

FORGED FITTINGS



Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/310/ 347/ 904L etc.
Carbon Steel : ASTM A105 /A694 F42/46/ 52/56/ 60/ 65/70 / A350 LF3/ A350 LF2.
Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/ F22/F91 etc.
Others : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.
Types : Elbow, Tee, Union, Cross, Coupling, Cap, Bushing , Plug, Swage Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Sockolet, Thredolet, Nipolet, Letrolet, etc.
Size : 1/4" NB TO 4" NB. (Socketweld &Threaded)
Class : 3000#, 6000#, 9000#.

FORGING



Stainless Steel : ASTM / ASME SA 240 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316H, 316L, 316 TI, 317, 317L, 321, 321H, 347, 347 H, 409, 410, 410S, 430, 904L, etc.
Duplex Steel : ASTM / ASME SA 240 UNS NO. S 31803, S 32205, S 32550, S 32750, S 32760.
Carbon Steel : A234 WPB / A234 WPC / A420 WPL6 / A860 WPHY 42 / A860 WPHY 46 / A860 WPHY 52 / A860 WPHY 56 / A860 WPHY 60 / A860 WPHY 65 / A860 WPHY 70
Alloy Steel : A234 WP1 / A234 WP5 / A234 WP9 / A234 WP11 / A234 WP12 / A234 WP22 / A234 Wp91
Nickel Alloy : ASTM B366 / ASME SB366 / ASTM B16 / ASME SB16 / ASTM B122 / ASME SB122 / ASTM B171 / ASME SB171 / ASTM B462 / ASME SB462 / ASTM B467 / ASME SB467 / ASTM B466 / ASME SB466 / ASTM B75 / ASME SB75 - Nickel 200 / Nickel 201
Copper : Copper C12200 / Cupro Nickel 90/10 / Cupro Nickel 70/30Hastelloy : Hastelloy B2 / Hastelloy B3 / Hastelloy C22 / Hastelloy C276 / Hastelloy C4 / Hastelloy X
Inconel : Inconel 600 / Inconel 601 / Inconel 625 / Inconel 718 / Inconel 800 / Inconel 800H / Inconel 800HT / Inconel 825Monel : Monel 400, Monel k500Titanium : GR1, GR2, GR3, GR4, GR6, GR7, GR9, GR10, GR11, GR12.



MS STRUCTURE

Angle , Channel, Beam, Patta, Patti, Round Bar,SQ Bar Hex Bar Etc.

Bright Round Bar, Square Bar, Hex Bar, Patta, Patti Etc.

Tel. : No - 022-66393773 | Email id - shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com



MS PROFILE

Material : Mild Steel (IS 2062 Gr A/B, ASTM A36, S235JR, etc.)
Thickness Range : 2 mm – 300 mm
Cutting Methods : CNC Plasma Cutting, Oxy-Fuel Cutting, Laser Cutting
Cutting Tolerance : ±1.0 mm (Oxy-fuel), ±0.5 mm (Plasma), ±0.2 mm (Laser)
Surface Finish : Clean edge, dross-free (varies by cutting method)
Max Plate Size : Up to 6000 mm × 2500 mm or larger (customizable)
Hole Diameter : Min. 1.5 × plate thickness for oxy/plasma cutting
Applications : Structural fabrication, construction equipment, heavy engineering, shipbuilding, railways, automotive, general fabrication, industrial equipment.







COPPER / BRASS



Copper	DHP Copper, ETP Copper, DPA Copper OFHC Copper
BRASS	63 / 37 Brass, 70 / 30 Brass, Admirality Brass, Aluminium Brass & other Compositions of Brass.
CUPRONICKEL	95 / 5 alloy, 90 / 10 alloy & 70 / 30 alloy.
BRONZES	Phosphorous Bronze Aluminium Bronze & Gun Metal, Phosphorous Bronze A B1 / A B2 Bush Round.




TUBES	2mm OD to 200mm OD with Wall thickness of 0.10 mm to 15 mm in length upto 10 mtrs straight (in coils upto 25 mtrs) in copper, Brass & Curpronickel.
RODS	In all size upto 160mm diameter in Copper, Brass and Bronzes.
STRIPS / PROFILES	Copper Strips and sections as per clients specific requirements.
WIRES	Copper wires upto 42 swg in bright annealed condition.
S. E. WIRES	Super enamelled copper wires upto 42 swg.

HARDOX / ABREX / ROCKSTAR / ROCKHARD

HARDOX / ABREX / ROCKSTAR / ROCKHARD /NM
Grade : 400 / 450 / 500 / 500 Tuf / 550 / 600 / Extreme / Hi Tuf / HiAce
Thickness : 3-130 | **Hardness :** 400 - 700 | **Typical Yield Strenght :** 1000 - 1300 | **Tensil Strenght :** 1250 - 1600







Tel. : No - 022-66393773 | Email id - shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com


ALUMINIUM

Standards : ASTM B209, ASTM B241, ASTM B210, ASTM B221, ASTM B247, ASTM B361, ASTM B479, EN 573, EN 485, EN 754, EN 755, IS 737, IS 5082
Pipes & Tubes : 6061, 6082, 6063, 5083, 5086, 2024
Sheets : 1100, 3003, 5052, 5083, 6061 **| Plates :** 5052, 5083, 6082, 6061, 7075
Fittings : 6061-T6, 5083-O, 6082 **| Flanges :** 6061, 5083, 6082Bars
(Flat, Round & Hex) : 6061, 6082, 2011, 2024, 7075
Angle / Channel : 6061, 6082, 6063Coils : 1100, 8011, 3003Chequered Plates : 5052, 5754, 6061
Application: Construction, transportation, marine, aerospace, electrical, packaging, industrial machinery, structural fabrication, piping systems, architectural framing, insulation, and consumer goods.




PERFORATED SHEET

S.S. PERFORATED SHEET / COIL



Standards ASTM A 312 ASME SA 312 / ASTM A 358 ASME SA 358
Grades ASTM / ASME SA 240 304. 304L. 304H. 3095. 309H. 3105. 310H. 316. 316L, 316T1. 317. 317L, 321. 321H. 347 347H. 409. 410. 4105.430
Thickness 0.4mm=10mr | **Width** 100mm to 1500mm
Length 2000mm. 2440mm. 3000mm. 5800mm. 6000mm & with Coil Form etc
Types Round Holes Staggered Pitch, Round Holes Square Pitch, Square Perforations, Hexagonal Perforations, Slotted Perforations, Creative Line Edgings
Surface Finish 28, 2D, BA, No.1. No.4. No.8. 8k. Mirror. checkered. Embossed. Hair ine Sand Hot rolled plate (HR), Cold rolled sheet (CR), 28, 20, BA, NO.8, SATIN (Met with Plastic Coated)
Form Coils, Foils, Rolls, Plain Sheet, Shim Sheet, Perforated Sheet, Chequered Plate, Strip, Flats, Blank (Circle), Ring (Flange) etc.

ROUND HOLE PERFORATED SHEET / COIL




Thickness 0 4mm - 10mm | **Width** 100mm to 1500mm
Length 2000mm, 2440mm, 3000mm, 5800mm, 6000mm & with Coil Form etc.
Types Round Holes Stageered Pitch, Round Holes Sauare Pitch. 28
Surface Finish 28. 2D. BA, No.1, No.4, No.8, 8K, Mirror, Checkered, Embossed, Hair Line, Sand Hot rolled plate (HR), Cold rolled sheet (CR), 28, 2D, BA, NO.8, SATIN (Met with Plastic Coated)
Form Coils, Foils, Rolls, Plain Sheet, Perforated Sheet, Chequered Plate, Strip, Flats, Blank (Circle), Ring (flange) etc.


CAPSULE HOLE PERFORATED SHEET / COIL



Thickness 0.4mm - 10mm | **Width** 100mm to 1500mm
Length 2000mm, 2440mm, 3000mm, 5800mm, 6000mm & with Colil Form etc
Type Capsule Holes Staggered Pitch, Capsule Holes Sauare Pitch
Surface Finish 28, 2D, BA, NO.1, NO.4, NO.8, 8K, Mirror, Checkered, Embossed, Hair Line, Sand Hot rolled plate (HR), Cold rolled sheet (CR), 28. 20. BA, NO.8. SATIN [Met with Plastic Coated
Form Coils, Foils, Rolls, Plain Sheet, Shim Sheet, Perforated Sheet, Chequered Plate, Strip, Flats, Blank (Circle), Ring (flange) etc

S. S. WELD MESH





Thickness 0.4mm-10mm S. S. Perforated Disc | **Width** 100mm to 1500mm
Length 2000mm, 2440mm, 3000mm, 5800mm, 6000mm & with Coil Form etc
Max 10 to 100 Max. | **Surface** 28, 2D, BA, NO.1, NO.4.

S. S. PERFORATED PIPE



Thickness 1mm - 5mm
Width 50mm to 1500mm
Length 2000mm, 2440mm, 2000mm, 5800mm, 6000mm & with Coil Etc.
Type Round Holes Staggered Pitch Round Holes Sauare Pitch.
Surface Finish 2B, 2D. BA. NO.1. NO.4, NO.8. 8K. Mirror. Checkered, Embossed. Hair Line, Sand. Hot rolled plate (HR), Cold rolled sheet (CR). 2B. 2D. BA, NO.8. SATIN.

S.S. PERFORATED DISC

Thckness 0.4mm - 10mm
Width 100mm to 1500mm
Length 100mm, 1500mm & with Length form Etc.
Surface Finish 2B, 2D. BA. NO.1. NO.4, NO.8. 8K. Mirror. Checkered, Embossed. Hair Line, Sand. Hot rolled plate (HR), Cold rolled sheet (CR). 2B. 2D. BA, NO.8. SATIN.

Tel. : No - 022-66393773 | Email id - shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com

MSME
सूक्ष्म, लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES
UDYAM-MH-00-0000000



Application Industries

- Oil & Gas Industries
- Pharmacy Industries
- Steel & Power
- Engineering
- Refinery Plants
- Cement Industries
- Sugar Industries
- Chemical Industries
- Fertilizers
- Ship Building
- Water Piping Solution
- Beverage Industries
- Fire Falling Systems
- Automobile Industries



mms EGAC Accredited QMS Certification CAB # 011805 IAF MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT CERTIFIED ISO 9001:2015

D. N. Patel : +91 8828272203
Ramesh Patel : +91 9511988303

SHREE BALAJI METAL AND ALLOYS

The Total Industrial Raw Material Solutions

Office no 12 2nd floor Building No 94 Kantilal Building bhandari street mumbai -400004
Tel. No : 022-66393773 | **Email :** shreebalajimetalandalloys@gmail.com | info@balajimetalalloys.com

Website : balajimetalalloys.com