



SHREE ARBUDA STEEL



We Believe in Quality.
Customers care
If the Quality is fair
Pure Quality, Pure Satisfaction



SHREE ARBUDA STEEL



Quality Policy

QUALITY POLICY

We are committed to continuously upgrade our knowledge and skills to improve the efficiency of our organisation and strive for outstanding quality of our products.

We assure quality of our products by satisfying the customer's requirement and by perfecting our systems and procedures through involvement of our employees.

We promise to deliver : Quality service at the most reasonable price, at the right time, at the right place and with right documents.





SHREE ARBUDA STEEL



Company profile

We are **Stockiest and Suppliers of Stainless Steel Welded (ERW) Pipes in 304, 304L, 316, 316L & other qualities.** Which are required by your Industries, in all aspects of Projects Implementation, Maintenance, Modernizations, Expansion and Shut down Application etc.

Shree Arbuda Steel is a company promoted by Highly experienced Technical personnel who are in the field of stocking & supplying Industrial raw material for more than 18 years.

Shree Arbuda Steel participates in the timely supply of raw-material to clients. We provide remedies in the critical time of troubleshooting so that the wheels of the customers industry keep moving and do not come to grinding halt.

At **Shree Arbuda Steel**, Quality of a product is always maintained, as quality is never an accident; it is outcome of High intention, sincere efforts, Intelligent direction & skillful execution; it represents the wise choice of many alternatives.

We will provide you material at | Most Competitive Prices | Right Time | Right Quality | with **EXCELLENT SERVICE** and most important Market Information and latest trend to facilitate you to take right Purchase decision.

Our company has responded to all & every need of industry as one of Top and the most reputed **Importers/Exporter & Stockiest of Stainless Steel Sheets, Plates, Coils, Strips, Pipes, Tubes and Pipe Fittings.**

Our Competitive Prices and full logical support will insure satisfaction to our customers.





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

MANUFACTURING

BUTT WELD / SOCKET WELD / THREADED FITTINGS / FLANGES & FASTENERS

This is to introduce ourselves as the most reliable outsourcing partners for manufacturing of buttwelding pipe fittings, socket weld, pipe fittings, flanges & tubular components in all kinds of steel. Our panel of experienced manufacturers ensures excellent quality fittings meeting exacting standards of National & International quality.


These Pipe Fitting are manufactured from ferrous metals such as Carbon Steel, Alloy Steel, Low Temperature Carbon Steel & Stainless Steel. Both Seamless and E.R.W. Pipe Fittings are Produced by our special manufacturing process involving either hot or cold forming. We are fully capable of manufacturing Pipe fittings made to customer's specifications in terms of type, dimensions, material & quantity under any third party inspection.

These Pipe Fittings are perfectly round, rugged, leak proof, corrosion resistant (Where ever required), meeting all the requirements to ASA / ASTM / BS / DIN / ISI codes. These quality fittings extend the life of piping systems, facilitate direct pipe welding, permit compact installations & reduce the space necessary for installing a piping network.

FACILITIES



- Hydraulic Press
- Oil Fired Furnace with Temp. Recorder
- Universal Testing Machine
- Hardness Tester
- Chemical laboratory
- Hacksaw cutting Machines
- Lathe Machines
- Plate Rolling Machines
- Grinding Machines
- Drilling Machines
- Motor Generator Welding Sets (Advani)
- AC Welding Sets (Advani)
- DC Rectifier Welding Sets (Advani)
- Computer & Software





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

PRODUCT RANGE

Pipe & Tubes



**Sheets /
Plates & Coils**



Round Bar



**Angle /
Channel / Flat Bar**



Buttweld Fittings



Forged Fittings



**Tube Fitting
& Fasteners**



**S S Instrument /
Ferrule Fittings**



Flanges






Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

PROCESS FLOW CHART

FOR AUTOMATIC WELDING STAINLESS STEEL PIPES & TUBES





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

PIPES & TUBES

Pipes

Stainless Steel & Duplex Steel Pipe

Size	: ½" to 30"
Schedule	: Sch. 5 to Sch. XXS
Stainless Steel	: ASTM A312, A358 - TP 304/304H/304L/316/316H/ 316L/316Ti/309/310/317/317L/321/347/904L
Duplex Steel	: ASTM A790 - UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Pipe

Size	: 1/2" to 36"
Schedule	: Sch. 5 to Sch. XXS
Alloy Steel Pipe	: ASTM A335 Gr. P5, P9, P11, P12, P22 & P91
Carbon Steel	: ASTM A 106 Gr. B ASTM A53
Low Temp. Pipe	: ASTM A 333 Gr. 6
Line Pipe	: API 5L, X 42, 46, 52, 56, 60, 70
Mild Steel &	: IS 1239, IS 3589
Galvanized Pipe	

Copper & Nickel Alloys pipe

Size	: ½" NB to 10" NB
Standard	: 10S/40S/80S
Copper Nickel	: C70600 (90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810, N08825
Hastelloy	: UNS N10276, N06022, N10665, N06455

Tubes

Size	: 6 mm OD to 219.08 mm OD
Thickness	: 0.6mm-10mm-Gauge : 22 SWG/BWG to 10 SWG/BWG
Form	: Round, Square, Rectangle, Coil, 'U' Shap
Length	: Standard Length & Cut Length
Stainless Steel Tube	: ASTM A-213, A-249, A269-TP 304/304H/304L, 316/316H/316L/316Ti, TP 309, 310, 317L, 321, 347, 904 L etc.
Duplex Steel	: ASTM A790 - UNS S31803, S32750, S32760, S32205
Low Alloy Steel Tube	: ASTM A 213 - T-11, T-12, T-22, T-5, T-9 etc.
Carbon Steel Tube	: BS 3059 Gr. 360 / 440, SA 179, SA / ASTM A210 Gr. A1
Copper Nickel Tube	: ASTM B111, C70600 (90.10), C71500 (70:30), C71640
Admiralty Brass Tube	: ASTM B 111 C44300, C44400, C44500, C68700
Copper & Brass Tube	: ASTM B 188 C11000, C12200, C26000, C27000, C28000
Nickel Alloy Tube	: Nickel, Monel, Inconel, Alloy 20 etc.
Specialize	: Capillary Tube, IBR Tubes, Copper Nickel Tube

Type :- Round | Square | Rectangle | Hydraulic

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL SHEETS, PLATES & COILS

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A240 304/304L/316/316L/316Ti/
309/310/317/317L/321/347/409/410/
430/904L/SMO 254 / AL6XN

Duplex & : Standard
Super Duplex ASTM A240 - UNS S31803/S32205 (2205)
Lean
ASTM A240 - UNS S32304 (2304)
Super Duplex
ASTM A240 - UNS S32750 (2507)
ASTM A240 - UNS S32760 (Zeron 100)

Quenched & Tempered

ASTM A537 CL.1 & 2

Boiler Quality

SA 516 Gr. 70

Hardox

Hardox 400 / 500

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B162 N02200, N02201
Inconel : ASTM B 168 N06600, N06601, N06617
ASTM B 670 N07718
ASTM B 443 N06625
Incoloy : ASTM B 409 N08800, N08810
ASTM B 424 N08825
ASTM B 462 N08020
Hastelloy : ASTM B 575 N10276, N06022
ASTM B 333 N10665

Titanium

Commercially : ASTM B 265
Pure Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 265
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI), Gr.12 R 53400

Alloy Steel, Carbon Steel / Mild Steel

Alloy Steel Pipe : ASTM A387 Gr. 11, 12, 22, 5, 91 (CL 1/2)
Carbon Steel : ASTM A 36
S275 JR
IS 2062 Gr. A/B

Aluminium

ASTM B 928
5083 (A95083), 5086 (A95086),
5052 (A95052) T6061 (A96061)

Spring Steel Coils

CR C55, C80, C62, C45

Cupro Nickel

ASTM B171 C70600 (90:10), C71500 (70:30)

Monel

ASTM B127 N04400, DIN N05500

Size

Sheets : 0.8mm to 4mm thk. in 1000 upto 2000 mm Width
& 2000 upto 6000 Length

Plates : 5mm to 100 mm thk. In 1000 upto 2000 mm Width
& 2000 upto 8000 Length

Coils : 0.1 mm thk. to 12mm thk. in 10mm upto 1500 Width

Foils : 0.01 mm thk. to 0.3 mm thk. in any width

Strips : 1mm thk. to 100 mm thk. in 10 mm upto 900 mm Width
& 1000 upto 6000 Length

Finish

HR No.1, 2B, BA, Matt, Matt+1 side PVC, BA + 1side PVC,
Chequered

Specializing in:

Stainless Steel Series, Hardox 400/500

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

ROUND BAR, HEX, SQUARE, WELDING FILLER WIRE

Size :

Bright Bars	: from 5mm Dia upto 350mm Dia
Black Bars	: from 16mm Dia upto 350mm Dia
Square Bars	: from 5mm Dia upto 250mm Dia
Hex Bars	: from 5mm Dia upto 150mm Dia
Wires	: 0.1mm Dia to 5mm Dia

Welding Filler Wire :

Nickel Alloys	: 201/200
Monel Alloy	: 400/K-500
Inconel	: 600, 601, 625, 825, 800 / 800H/ 800HT
Hastalloy	: C22, C276, B-2000
Titanium	: Gr. 1, 2, 5, 7, Tantalum SMO 254, Alloy - 904L, Alloy 20, Alloy 330, etc.
Types	: Elbow, Tee, Reducer, Cap, Return Bends, Stub-Ends, Collar, Cross, Insert etc.
Size	: 1/4" NB to 4" NB.
Class	: 3000#, 6000#, 9000#.

Specification :

Condition	: Rolled, Forged, Annealed, Picked, Hot Rolled, Cold Roll
-----------	--

Grades :

Stainless Steel	: 304/304, 316/316L/316Ti, 321, 310/310S, 317/317L, 347, 17-4 Ph. 15-5Ph, 904L, 410, 420, 430, 431, 430F, 416, 440C etc. Copper, Brass, Aluminium, Hastalloy, Titanium, Monel, Inconel, Nickel, etc.
Duplex Steel	: UNS 31803, UNS 32205, UNS 32760
Alloy Steel	: F5, F9, F11, F22, F91 Carbon Steel, Mild Steel, Boiler Quality Plates
Specification	: ASTM, AISI, ASME, DIN, UNS etc.

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL STRUCTURAL STEEL

We Can Offer You Wide Variety Of Structural Steel For Your Regular Needs For Maintenance, Construction As Well As Development Of New Projects. With Tie Ups With Majority Of Manufactures We Can Offer Steel From Prime Manufacturers Like Sail / Vizag / Jindal / Tisco As Well As From Secondary Rolling & Re Rolling Manufacturers. We Offer Following Product In Our Range Of Structural Steel: mild Steel Structural.

SS / MS Angles

Grade:- IS 2062

Product Range:- The following are the sizes available.

25 x 25 x 3/5, 35 x 35 x 5, 40 x 40 x 5/6, 45 x 45 x 4/5/6,
50 x 50 x 5/6, 60 x 60 x 6/8, 65 x 65 x 6/8/10, 75 x 75 x 6/8/10,
80 x 80 x 6/8, 90 x 90 x 6/8/10, 100 x 100 x 6/8/10/12,
110 x 110 x 8/10/12, 130 x 130 x 10/12, 150 x 150 x 10/12,
150 x 150 x 16/20 200 x 200 x 16/20

All the above mentioned sizes are in mm.

SS / MS Beam

Light, Medium, Standard

Grade:- IS 2062

Product Range:- The following are the sizes available.

100 x 50, 125 x 70, 150 x 75, 175 x 85, 200 x 100, 250 x 125,
300 x 140, 350 x 140, 400 x 150, 450 x 150, 500 x 180, 600 x 210.

All the above mentioned sizes are in mm

TMT Bars

We have a wide range of TMT Re Bars which are available in various types & from Various Primary & Secondary Manufacturers.

Above Material can be offered in Grades Like FE 415 / FE 500

With Manufacturing Test certificate.

SS / MS Channel

Grade :- IS 2062

Product Range:- The following are the sizes available.

75 x 40, 100 x 50, 125 x 75, 150 x 75, 175 x 75, 200 x 75,
250 x 80, 300 x 90, 350 x 100, 400 x 100.

All the above mentioned sizes are in mm

SS / MS Rounds Bars

Product Name:- Wire Rods

Grade:- Low Carbon - 5WR-14 / IS:2062 Gr. A

Product Range :- Diameters available (unit mm),
5mm to 250mm

All the above mentioned sizes are in mm

These are available in straight lengths (as mutually agreed).

SS / MS Flats

Available in size : 21 x 6 mm to 300 x 16 mm

SS / MS Square Bars

Available in size : 10 x 10 mm to 63 x 63 mm





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL BUTTWELD FITTINGS

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 403 WP - 304/304H/304L/316/316H
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & : Standard
Super Duplex : ASTM A815 - UNS S31803, S32205 (2205)
Lean
ASTM A815, 790 - UNS S32304 (2304)
Super Duplex
ASTM A815, 790 - UNS S32750 (2507)
UNS S32760 (Zeron 100)

Hi-Nickel & Titanium

Hi-Nickel

Cupro Nickel : ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Nickel : ASTM B 366 N02200, N02201

Monel : ASTM B 366 N04400, DIN N05500

Inconel : ASTM B 366 N06600, N06601, N06617
ASTM B 366 N07718
ASTM B 366 N06625

Incoloy : ASTM B 366 N08800, N08810
ASTM B 366 N08825
ASTM B 366 N08020

Hastelloy : ASTM B 366 N10276, N06022
ASTM B 366 N10665
ASTM B 366 N06455

Types

Stubend - (Long & Short)	Elbow (45 DEG, 90 DEG, 180 DEG)
U Bend	Tee - (Barred, Equal, Reducing)
End Cap	Reducer - (Concentric & Eccentric)
Laterals	Nipple - (Swage & Barrel)

Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,
WP12, WP91

Carbon Steel : ASTM A 234 WPB, IS 1239 PART II

Low Temp. CS : ASTM A-420 WPL6

Other Service : Hot Dip Galvanizing, Sand Blasting

Cupro Nickel

ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Titanium

Commercially : ASTM B 363

Pure : Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 363
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI)
Gr.12 R 53400

Monel

ASTM B 366 N04400
DIN N05500

Size

Pipes : ½" to 30"
Schedule : Sch. 5 to Sch. XXS

Specializing in:

Hi-Nickel & Stainless Steel Series

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

FORGED FITTINGS

Size

Size : 15NB To 100NB (Socket Weld & Threaded)
Class : 3000#, 6000#, 9000#, In ANSI B 16.11

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H
316/316Ti, 309, 310, 317L, 321, 347, 904L
Duplex & : ASTM A 182 - F51, F53, F55
Super Duplex

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B 564 N02200, N02201
Inconel : ASTM B 564 N06600, N06601, N06617
ASTM B 564 N07718
ASTM B 564 N06625
Incoloy : ASTM B 564 N08800, N08810
ASTM B 564 N08825
ASTM B 564 N08020
Hastelloy : ASTM B 564 N10276, N06022
ASTM B 564 N10665
ASTM B 564 N06455

Types

Elbow (45 & 90 Deg)	Coupling
Tee	Cap
Union	Plug
Cross	Bushing
Swage Nipple	Boss

Titanium

Commercially : ASTM B 381
Titanium Pure : Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250
Titanium Alloys : ASTM B 381
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI)
Gr.12 R 53400

Cupro Nickel

ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Monel

ASTM B 564 N04400
DIN N05500

Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,
WP12, WP91
Carbon Steel : ASTM A 234 WPB, IS 1239 PART II
Low Temp. CS : ASTM A-420 WPL6
Other Service : Hot Dip Galvanizing, Sand Blasting

Specializing in: **Hi-Nickel & Stainless Steel Series**

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

FASTENERS



Into the induction heater



After heating, the blank is removed



Bolt fastener port is placed in press



Heading press is engaged and punches down & forms Head



The headed component is now ready for the next process



Inconel Alloys : Inconel Alloy 600, Inconel Alloy 601, Inconel Alloy 625, Inconel Alloy 718, Inconel Alloy 725, Inconel Alloy X750

Monel Alloys : Monel 400, Monel R405, Monel K500.

Incoloy Alloys : Incoloy Alloy 20, Incoloy Alloy 800, Incoloy Alloy 800H/800HT, Incoloy Alloy 825, Incoloy Alloy 925, Incoloy Alloy A286

Hastelloy Alloy : Hastelloy C4, Hastelloy B2, Hastelloy G30, Hastelloy B3, Hastelloy C276, Hastelloy X, Hastelloy C22

Duplex & : UNS S31803, UNS S32750, UNS S32760, UNS S32550.

Super Duplex

Stainless Steels : 347, 310, 303, 304/304H, 316/316L, 317/317L, 17/4PH, 410, 431, Nitronic 50, Nitronic 60, Nimonic 80A

TYPES

ANCHOR FASTENERS

HEX HEAD BOLTS

SOCKET CAPS SCREW

HEX NUTS

EYE BOLTS

STUD BOLTS

THREADED RODS

COUNTERSUNK BOLTS

FLAT / SPRING / LOCK WASHERS

FOUNDATION BOLTS





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

Welding Filler Wires & Electrodes

■ NICKEL BASE ALLOYS

Nickel, Inconel® 600 & 625, Hastelloy®
C276 & C22, Monel® 400.
Ni-1, NiCrFe-2, NiCrFe-3, NiCr-3,
NiCrMo-3, NiCrMo-4, NiCrMo-10,
NiCrCoMo-1, NiCu7, CuNi etc,

■ DUPLEX AND SUPER DUPLEX®

2209, 2594

■ STELLITE COBALT BASE RODS

Grade 1, Grade 6, Grade 12, Grade 21,
Grade 25 etc

■ TITANIUM BASE

Grade 1, Grade 2, Grade 5, Grade 7,
Grade 12 etc

■ COPPER, ALUMINIUM BRONZE & SILICON WIRE

ERCu, ERCuAl-A1, ERCuAl-A2,
ERCuSi-A, ERCuSn-A, ERCuNiAl

■ ALUMINIUM WIRE

Er4047, ER5183, ER4043, ER5356

■ STAINLESS STEEL

309MoL, 385 (904L), 310, 312,
317L, 318, 347, 410, 430,
410NiMo, etc

■ STAINLESS STEEL FLUX CORED WIRES

E308LT-I, E316LT-I, E309LT-I,
E347LT-I, E317LT-1, E309LMOT-1,
E2209LT-1

■ MILD AND LOW ALLOY STEEL WIRE

ER70S2, ER80SB2, ER80SB6,
ER80SB8, ER80SD2, ER80SNi-1,
ER80SNi-2, ER90SB3, ER90SB9 etc





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

SS INSTRUMENTAL

FERRULE FITTINGS



Union Elbow



Male Elbow



Female Elbow



Union Tee



Male Run Tee



Male Branch Tee



Female Run Tee



Female Branch Tee



Union Cross



45 Deg. Elbow



Tube end Closure



Bulk Head Elbow



Positionable Male Elbow



Nut Ferrule



Union



Reducing Union



Bulkhead Union



Male Connector



Female Connector



Male Adaptor

Syphon Tubes



- Type : Stainless Steel 304 & 316 Gr. in U type, Trumpet Type (Pigtail & Coil Type)
- Application : Connected between the pressure gauge & process in applications where high temperature above 65 Deg C for e.g., steam. These Syphon Tubes act as a cooling coil and protect the gauge from high temperature vapors.



MANIFOLD VALVE



CONDENSATE POT



S.S. FORGED BLIND
HEX TEE



S.S. FORGED BLIND
HEX ELBOW



S.S. ELBOW 45°



S.S. CROSS

S. S. Tee / Elbow Ferrule Fittings

- S.S. Union Tee
- S.S. Male Branch Tee
- S.S. Female Branch Tee
- S.S. Male Elbow
- S.S. Cross
- S.S. Valve Body
- S.S. Union

S. S. Forged Tee / Elbow / Cross





Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL FLANGES

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & : ASTM A 182 - F51, F53, F55
Super Duplex

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B 564 N02200, N02201
Inconel : ASTM B 564 N06600, N06601, N06617
ASTM B 564 N07718
ASTM B 564 N06625
Incoloy : ASTM B 564 N08800, N08810
ASTM B 564 N08825
ASTM B 564 N08020
Hastelloy : ASTM B 564 N10276, N06022
ASTM B 564 N10665
ASTM B 564 N06455

Titanium

Commercially Pure : ASTM B 381 Gr.1 R 56250 (CP4)
Gr.2 R 50400 (CP3) Gr.3 R 50550 (CP2)
Gr.4 R 50700 (CP1) Gr.7 R 52400
Gr.11 R 52250
Alloys : ASTM B 381 Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI)
Gr12 R 53400

Alloy Steel, Carbon Steel & LTCS Pipe

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,
WP12, WP91

Carbon Steel : ASTM A 234 WPB, IS 1239 PART II

Low Temp. CS : ASTM A-420 WPL6

Other Service : Hot Dip Galvanizing, Sand Blasting

Cupro Nickel & Monel

Copper Nickel : ASTM B171 C70600 (90:10),
ASTM B171 C71500 (70:30)

Monel : ASTM B127 N04400
DIN N05500


Size : 1/2"NB to 48"NB, ANSI B 16.5

Class : 150#, 300#, 600#, 900#, 1500#, 2500#,
in ASA 150 & ASA 300


Types

Weldneck	Screwed / Threaded
Socketweld	Long Weldneck
Slip on	Lapped Joint
Blind	Spectacle Blind


Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
are Registered Trade Marks of their Respective Owners.




SCHEMATIC DETAILS OF PRODUCTION PROCESS FOR FLANGES



SCHEMATIC DETAILS OF MANUFACTURING PROCEDURE OF BW PIPE FITTINGS



SOCKETED MANUFACTURING FLOW CHART



NOTE : 1) STAGE WISE & ONLINE INSPECTION AT EVERY STAGE AND PROCESS BY 100%

2) UNIQUE IDENTIFICATION NO. MAINTAINED AT EACH & EVERY STAGE OF PROCESS FOR TRACEABILITY BACK TO THE STARING RAW MATERIAL.



SHREE ARBUDA STEEL

SS PIPE CHART

CHEMICAL REQUIREMENTS OF STAINLESS STEEL PIPES AS PER ASTM A312.

Grade	UNS Designation ^A	Composition, % ^B									
		Carbon	Manganese	Phosphorus	Sulfur	Silicon	Chromium	Nickel	Molybdenum	Nitrogen ^C	Other Elements
TP304	S30400	0.08	2.00	0.045	0.030	1.00	18.0-20.0	8.0-11.0	...	...	...
TP304L	S30403	0.035 ^D	2.00	0.045	0.030	1.00	18.0-20.0	8.0-13.0	...	...	...
TP304H	S30409	0.04-0.10	2.00	0.045	0.030	1.00	18.0-20.0	8.0-11.0	...	...	...
TP304LN	S30453	0.035	2.00	0.045	0.030	1.00	18.0-20.0	8.0-12.0	...	0.10-0.16	...
TP309S	S30908	0.08	2.00	0.045	0.030	1.00	22.0-24.0	12.0-15.0	0.75	...	...
TP309H	S30909	0.04-0.10	2.00	0.045	0.030	1.00	22.0-24.0	12.0-15.0	...	...	...
TP310S	S31008	0.08	2.00	0.045	0.030	1.00	24.0-26.0	19.0-22.0	0.75	...	...
TP310H	S31009	0.04-0.10	2.00	0.045	0.030	1.00	24.0-26.0	19.0-22.0	...	...	...
TP316	S31600	0.08	2.00	0.045	0.030	1.00	16.0-18.0	11.0-14.0 ^E	2.00-3.00	...	...
TP316L	S31603	0.035 ^D	2.00	0.045	0.030	1.00	16.0-18.0	10.0-14.0	2.00-3.00	...	...
TP316H	S31609	0.04-0.10	2.00	0.045	0.030	1.00	16.0-18.0	11.0-14.0 ^E	2.00-3.00	...	...
TP316LN	S31653	0.035	2.00	0.045	0.030	1.00	16.0-18.0	11.0-14.0 ^E	2.00-3.00	0.10-0.16	...
TP317	S31700	0.08	2.00	0.045	0.030	1.00	18.0-20.0	11.0-14.0	3.0-4.0	...	...
TP317L	S31703	0.035	2.00	0.045	0.030	1.00	18.0-20.0	11.0-15.0	3.0-4.0	...	...
TP321	S32100	0.08	2.00	0.045	0.030	1.00	17.0-19.0	9.0-12.0	...	0.10	Ti (5 X C)-0.70
TP321H	S32109	0.04-0.10	2.00	0.045	0.030	1.00	17.0-19.0	9.0-12.0	...	...	Ti (4 X C) -0.60
TP347	S34700	0.08	2.00	0.045	0.030	1.00	17.0-19.0	9.0-13.0	...	...	Cb (10 X C)-1.00
TP347H	S34709	0.04-0.10	2.00	0.045	0.030	1.00	17.0-19.0	9.0-13.0	...	...	Cb (8 x C)-1.00

^a Maximum, unless otherwise indicated.

^b New designation established in accordance with Practice E 527 and SAE J 1086.

^c The method of analysis for nitrogen shall be a matter of agreement between the purchaser and manufacturer.

^d For small diameter or thin walls or both, where many drawing passes are required, a carbon maximum of 0.040 % is necessary in grades TP304L and TP316L. Small outside diameter tubes are defined as those less than 0.500 in. [12.7 mm] in outside diameter and light wall tubes as those less than 0.049 in. [1.20 mm] in average wall thickness (0.044 in. [1.10 mm] in minimum wall thickness).

^e For welded TP316, TP316LN, and TP316H pipe, the nickel range shall be 10.0-14.0 %.

* Although every care has been taken during the production of this brochure, we regret that we cannot accept any liability in respect of any incorrect information it may contain or any damages which may arise through the misinterpretation of its contents



Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

EXTRA SERVICES & FORMULA

THE FOLLOWING EXTRA SERVICES ARE AVAILABLE ON REQUEST

Extra Services

Standard Packing

In bundles with protective foil wrapping in wooden crates / cases. For smaller tubes on shelf fittings in carton boxes

Cutting to lengths

Cutting from 3.00 mm O.D. up to 406 mm. high volume tube cutting.

Polishing

We polish over a range of sizes from 6.00 mm O.D. up to 406 mm O.D. although sizes bigger than 168 mm are hand polished, not mechanical. Polishing standards are grit 180, 240, 320, 400 and mirror

On the inside we polish from 6.00 mm up to 168 mm. Other facilities are honing and electro polishing, which we can supply till 0.2 m μ smoothness.

Cleaning

For normal degrease standard and also for the much higher standard of "Oxygen clean" treatment, where air, gas, powder or other substances of high purity require non-contaminated surface finish. Reannealing from 6.00 mm upto 323 mm. Special cleaning will be applied by customers request!

Extra testing

All chemical and mechanical testing. Hardness according to : Rockwell, Brinell, Vickers and NACE MR 01-75. X-ray, Magnetic Permeability and ultrasonic testing. Witnessing by independent authorities as Lloyds Register of shipping, Det Norske Veritas, TUV, Bureau Veritas, ABS, Germanischer Lloyd and EIL or any other certifying authority.



FORMULA OF CALCULATING WEIGHT

● WEIGHT OF STAINLESS STEEL / CARBON STEEL PIPES & TUBES

OD (mm) - W.T. (mm) X W.T. (mm) X 0.02466 = KG. / MTR.

● WEIGHT OF STAINLESS STEEL SHEETS

Length (mm) x Width (mm) x Thk. (mm) x 0.000008 = KG. / SHEET

● WEIGHT OF CARBON STEEL SHEETS

Length (mm) x Width (mm) x Thk. (mm) x 0.000008 = KG. / SHEET

● WEIGHT OF STAINLESS STEEL CIRCLE & BLANKS

O.D. (mm) x O.D. (mm) x Thk. (mm) x 0.0000063 = KG./PCS.

● WEIGHT OF STAINLESS STEEL ROUNDS

Dia. (mm) x Dia. (mm) x 0.00623 = KG. / MTR.

● WEIGHT OF STAINLESS STEEL HEXAGONAL RODS

Dia.(mm) x Dia. (mm) x 0.00679 = KG. / MTR.

● WEIGHT OF STAINLESS STEEL SQUARE RODS

Dia. (mm) x Dia. (mm) x 0.00787 = KG. / MTR.

● WEIGHT OF COPPER PIPES

O.D. (mm) - W.T. (mm) x W.T. (mm) x 0.0285 = KG. / MTR.

● WEIGHT OF ALUMINUM PIPES

O.D. (mm) - W.T. (mm) x W.T. (mm) x 0.0282 = KG. / MTR.

● WEIGHT OF ALUMINUM SHEETS

Length (mtr.) x Width (mtr.) x Thk. (mm) x 2.66 = KG. / SHEET

● WEIGHT OF LEAD SHEETS

Length (mtr.) x Width (mtr.) x Thk. (mm) x 11.2 = KG. / MTR.

● SHEET WIDTH REQD. FOR ROLLED & WELDED PIPES

O.D. (mm) - Thk. (mm) x 3.14 = SHEET WIDTH (mm)

● WEIGHT FOR SQUARE / RECTANGLE PIPES

Length from 4 Angle (OD) / 3.14 - Thk. (mm) x Thk. (mm) x 0.00756 = KG. / PER FEET

● WEIGHT FOR CONVERSION OF MTR. TO FEET

Weight of 1 Mtr. ÷ 3.2808 = Feet

● FORMULA FOR HEALTHY BUSINESS

Honesty + Quality of Goods + Quick Service
+ Reasonable rate = Good Health of Business



Mahesh Prajapati
Mob- +91-8108105140 / 8850182889
Email - export@shreearbudasteel.com
shreearbudasteel@gmail.com

SHREE ARBUDA STEEL

PACKING & DISPATCH



THIRD PARTY INSPECTION

We also accept third party inspection by reputed agencies like:



DET NORSKE VERITAS



BUREAU
VERITAS



Engineering For A Safer World



I.B.R



Nuclear Power Corp. of India Ltd.



Electromech Engg.

SGS

WHEN YOU NEED TO BE SURE

* Although every care has been taken during the production of this brochure, we regret that we cannot accept any liability in respect of any incorrect information it may contain or any damages which may arise through the misinterpretation of its contents



MSME
सूक्ष्म, लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES



JAS-ANZ
Acc. No.: M2111204N
www.jas-anz.org/registration



Mahesh Prajapati
+91 8108105140
+91 8850182889

SHREE ARBUDA STEEL

Importers, Exporters, Stockists & Suppliers of : Stainless Steel Industrial Raw Material
Manufacturer Of : Stainless Steel Pipe Fittings, Flanges & Fasteners

Office : Shop No.9, Ground Floor, 91/95, Mukund Bhuvan, 3rd Kumbharwada, Dr. M.G. Mahimtura Marg, Mumbai - 400 004.

Godown : Ground Floor, shop no 9, A Wing, Parshuram Pupala Marg, Anjuman High School, Mumbai Central , Mumbai -400008

Factory : Industrial Gala No.17, Aakash Industrial Estate, Gate No - 123, Plot No 20, Village Padghe, Taluka Palghar, Dist-Palghar.

Email - export@shreearbudasteel.com / shreearbudasteel@gmail.com / Website : www.shreearbudasteel.com