

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



ASIRI
LABORATORIES
LIVE MORE
A Softlogic Group Company

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

CLINICAL CHEMISTRY

** OPD/KOTTE/ALS **

Page 1 of 8

UHID : 120064409
REFERENCE No. : 82 0012 08/12/25 /
SAMPLE DATE & TIME : 08/12/2025 07:38 AGE : 48 Y/M 03/11/1977
REPORT DATE & TIME : 08/12/2025 10:56 AHH2011409 / AHH2012143
PATIENT : MR. DHANUKA DE SILVA
REFERRED BY : PRO ARJUNA DE SILVA

TEST/PROFILE : PROFILE LIVER

TEST	RESULT	FLAG	REFERENCE VALUE
SERUM TOTAL PROTEIN	75.6 g/L		60.0 - 83.0
SERUM ALBUMIN	46.9 g/L		35.0 - 50.0
SERUM GLOBULIN	28.7 g/L		25.0 - 35.0
A/G RATIO	1.6		0.8 - 2.3
SERUM BILIRUBIN - TOTAL	0.76 mg/dL		0.1 - 1.2
SERUM ALK. PHOSPHATASE	148.4 U/L		80.00 - 306.00
SERUM ALT (S.G.P.T.)	42.3 U/L	H	0.1 - 40.0
SERUM AST (S.G.O.T.)	23.1 U/L		0.1 - 40.0
SERUM GAMMA-GT	50.3 U/L		11.00 - 61.00

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



ASIRI
LABORATORIES
LIVE MORE
A Softlogic Group Company

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

Chemiluminescence Immunoassay

** OPD/KOTTE/ALS **

Page 2 of 8

UHID : 120064409
REFERENCE No. : 82 0012 08/12/25 /
SAMPLE DATE & TIME : 08/12/2025 07:38 AGE : 48 Y/M 03/11/1977
REPORT DATE & TIME : 08/12/2025 11:34 AHH2000952 / AHH2012143
PATIENT : MR. DHANUKA DE SILVA
REFERRED BY : PRO ARJUNA DE SILVA

TEST	RESULT	FLAG	REFERENCE VALUE
(3rd Generation) T.S.H.	3.532	microIu/mL	0.55 - 4.78

Comment :-

Test done by using a FDA - USA approved kit.

Analytical sensitivity : 0.004 microIu/mL.

Chemiluminescent EIA method specific reference ranges given.

[Signature]

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



ASIRI
LABORATORIES
LIVE MORE
A Softlogic Group Company

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

"Competitive Immunoassay"

** OPD/KOTTE/ALS **

Page 3 of 8

UHID : 120064409
REFERENCE No. : 82 0012 08/12/25 /
SAMPLE DATE & TIME : 08/12/2025 07:38 AGE : 48 Y/M 03/11/1977
REPORT DATE & TIME : 10/12/2025 16:36 AHH2005804 / AHH2012143
PATIENT : MR. DHANUKA DE SILVA
REFERRED BY : PRO ARJUNA DE SILVA

TEST	RESULT	FLAG	REFERENCE VALUE
VITAMIN D (25 HYDROXY)	12.26	ng/mL	

Comment :-

Vitamin D deficiency can result from inadequate exposure to the sun, inadequate alimentary intake, decreased absorption, abnormal metabolism or Vit D resistance.

Reference ranges :

Deficiency = < 20.0
Insufficiency = 20.0 - < 30.0
Sufficiency = 30.0 - 100.0
Toxicity = > 100.0

Fully Automated Competitive Immunoassay.

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



ASIRI
LABORATORIES
LIVE MORE
A Softlogic Group Company

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

WESTERNGREN METHOD

** OPD/KOTTE/ALS **

Page 4 of 8

UHID : 120064409
REFERENCE No. : 82 0012 08/12/25
SAMPLE DATE & TIME : 08/12/2025 07:38
REPORT DATE & TIME : 08/12/2025 14:53 AGE : 48 Y/M 03/11/1977
PATIENT : MR. DHANUKA DE SILVA
REFERRED BY : PRO ARJUNA DE SILVA

TEST	RESULT	FLAG	REFERENCE VALUE
ERYTHROCYTE SEDIMENTATION RATE 1st HOUR	09 mm		< 11

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



ASIRI
LABORATORIES
LIVE MORE
A Softlogic Group Company

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

Glycaemic Control

** OPD/KOTTE/ALS **

Page 5 of 8

UHID : 120064409
REFERENCE No. : 82 0012 08/12/25 /
SAMPLE DATE & TIME : 08/12/2025 07:38 AGE : 48 Y/M 03/11/1977
REPORT DATE & TIME : 08/12/2025 11:50 AHH2005966 / AHH2012143
PATIENT : MR. DHANUKA DE SILVA
REFERRED BY : PRO ARJUNA DE SILVA

TEST	RESULT
HAEMOGLOBIN A1C (%HBA1C)	5.8 % (40 mmol/mol)

Comment :-

Method :

ION Exchange High Performance Liquid Chromatography (HPLC)

Interpretation of Results.

NGSP%	IFCC mmol/mol	Diagnosis
> or = 6.5	> or = 48	Diabetic
5.7 - 6.4	39 - 47	Pre-Diabetic
<5.7	<39	Non-Diabetic

This HbA1c Program has been certified by the NGSP(National Glycohemoglobin Standardization Program) - USA as having documented traceability to the Diabetes Control and Complications Trial Reference Method.

Prasinda
MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

CLINICAL CHEMISTRY

** OPD/KOTTE/ALS **

Page 6 of 8

UHID : 120064409
 REFERENCE No. : 82 0012 08/12/25 /
 SAMPLE DATE & TIME : 08/12/2025 07:38 AGE : 48 Y/M 03/11/1977
 REPORT DATE & TIME : 08/12/2025 12:13 AHH2011409 / AHH2012143
 PATIENT : MR. DHANUKA DE SILVA
 REFERRED BY : PRO ARJUNA DE SILVA
 SAMPLE TYPE : Serum

TEST/PROFILE : SERUM LIPID PROFILE

TEST	RESULT	FLAG	REFERENCE VALUE
SERUM CHOLESTEROL - TOTAL	405.7 mg/dL	H	140.0 - 239.0
SERUM TRIGLYCERIDES	308.0 mg/dL	H	10.0 - 200.0
CHOLESTEROL-H.D.L.	52.3 mg/dL		35.0 - 85.0
CHOLESTEROL - NON - H.D.L	353.4 mg/dL	H	55.0 - 189.0
CHOLESTEROL L.D.L	291.8 mg/dL	H	40.0 - 159.0
CHOLESTEROL - VLDL	61.6 mg/dL	H	10.0 - 41.0
CHOL/HDL	7.7	H	2.0 - 5.0
LDL / HDL	5.57	H	0.01 - 3.30

*** Repeated & confirmed***

Comment :-

Cholesterol - Total :

<200 (<5.2 mmol/L) : Desirable.
 200-239 (5.2-6.2 mmol/L) : Borderline.
 > 240 (> 6.2 mmol/L) : High.

Cholesterol - HDL :

50-59 (1.3-1.5 mmol/L) : Better.
 > 60 (> 1.5 mmol/L) : Best.

Cholesterol - Non HDL

Cholesterol - LDL :

< 130 (< 3.4 mmol/L) : Desirable.
 130-159 (3.4-4.1 mmol/L) : Borderline.
 > 160 (4.1 mmol/L) : High.

Triglycerides :

< 150 (< 1.7 mmol/L) : Desirable.
 150-199 (1.7-2.2 mmol/L) : Borderline.
 200-499 (2.3-5.6 mmol/L) : High.
 > 500 (> 5.6 mmol/L) : Very high.

<130:Optimal 130-159:Near Optimal 160-189: Borderline High >190: High.

** Apo Lipoprotein B is available in Asiri Main Laboratory (Test Code: B204)

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.

**ASIRI**
LABORATORIES
LIVE MORE
A Softlogic Group CompanyAsiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

CLINICAL CHEMISTRY

** OPD/KOTTE/ALS **

Page 7 of 8

UHID : 120064409
 REFERENCE No. : 82 0012 08/12/25
 SAMPLE DATE & TIME : 08/12/2025 07:38
 REPORT DATE & TIME : 08/12/2025 10:56 AGE : 48 Y/M 03/11/1977
 PATIENT : MR. DHANUKA DE SILVA
 REFERRED BY : PRO ARJUNA DE SILVA

TEST	RESULT	FLAG	REFERENCE VALUE
CK (C.P.K.)	119.7	U/L	38.00 - 174.00

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



ASIRI
LABORATORIES
LIVE MORE
A Softlogic Group Company

Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

Renal Function

** OPD/KOTTE/ALS **

Page 8 of 8

UHID : 120064409
REFERENCE No. : 82 0012 08/12/25 /
SAMPLE DATE & TIME : 08/12/2025 07:38 AGE : 48 Y/M 03/11/1977
REPORT DATE & TIME : 08/12/2025 10:56 AHH2011409 / AHH2012143
PATIENT : MR. DHANUKA DE SILVA
REFERRED BY : PRO ARJUNA DE SILVA

TEST	RESULT	FLAG	REFERENCE VALUE
------	--------	------	-----------------

CREATININE AND eGFR..

SERUM CREATININE (ENZYMATIC)	0.96	mg/dL	0.7 - 1.2
eGFR (CKD-EPI 2021)	>90	ml/min/1.73 m ²	

Comment :-

eGFR Average estimated GFR

Age	Male		Female	
	Mean	Range	Mean	Range
20 - 29	128	77 - 179	118	71 - 165
30 - 39	116	70 - 162	107	64 - 149
40 - 49	105	63 - 147	97	58 - 135
50 - 59	93	56 - 130	86	51 - 120
60 - 69	81	49 - 113	75	45 - 104
70 - 79	70	42 - 98	64	39 - 90
80 - 89	58	35 - 81	53	32 - 75

e.GFR estimates between 60 and 89 do not indicate CKD unless there are other existing laboratory/clinical evidence of disease-NHS Guidelines (UK).

Notes:

*** Serum creatinine method has been calibrated to be traceable to GC-IDMS.
*** 1 mg/dL = 88.4 umol/L 1 umol/L = 0.0113 mg/dL
*** CYSTATIN c assay is now available at Asiri Laboratory.

MLT