TVS

PRODUCT PERFORMANCE FEEDBACK REPORT



IFAD MOTORS LTD **Head Office**

DMS 108 NO 2017

IFAD TOWER ,07 Tejgaon I/A, Dhako-1208. Ref.No: Habiganj/Nov/331 F.R SI NO# Date: 29.11.2020 Zone Name: Habiganj Zone Md. Abdullah Al Zabed

Engineer Name:

Approved by: Prabir Biswas (Head of Service & Spare Parts)

| Customar Name: | Sajol de | ajol deb | | | Mobile No: | 01738316229 | | |
|---------------------|----------|--------------------------|-------------------|--------------|------------------|---------------|------------------------------|--|
| Address: | Dolotpu | ır,Moulvibazar | | Dealer Name: | : Kaderia Motors | | | |
| Customar Complain:- | | CH NO Full # | MD6M14CL7K4NA0085 | | | Present Kms # | 3845 | |
| Starting problem | | EN NO Full# | 0L4NK49A0085 | | | Model # | TVS king Duramax (3W) CNG | |
| | | Sale Date # | 28.09.2020 | | | | | |
| | | Date of Comp# | 28.11.2020 | | | 1St PS Date | 1st PS Kms | |
| | | Date of Repair # | 28.11.2020 | | | | | |
| | | Free service information | | | | | | |
| | | | 1St Free Service | | 2nd Free Service | | 3rd Free Service | |
| | | Date | KMs | Date | KMs | Date | KMs | |
| | | 15 10 2020 | 975 | 28 11 2020 | 2015 | | 1 | |

Obserbation:- We checked & found that key primary drive gear has broken.

Action Taken:- One new Key Primary Driven Gear has been replaced.

| Failure Particular | | | | | | | | | |
|--------------------|---------------------------------------|-------------------------|----------------|-------------|----------------|----------|--|--|--|
| SL | Part NO | Part Name | Qty | Vendor code | Approved | Rejected | | | |
| 1 | 3044070 | Key Primary Driven Gear | (1) | | and the second | | | | |
| 2 | | | D | | Kadena | | | | |
| 3 | | | | | Tuskii y | | | | |
| 4 | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| 5 | | | ************** | | 1 | | | | |
| 6 | | | | | | | | | |

Failure Parts Photo



For Head Office Use

Cate 11.51

29/11/2020 Mohammad Abdullah Al Zahed Senior Service Engineer IFAD MOTORS LTD. Cell: 01701-227974

14.12.2000.