**Date: 11 / 10 / 2022**

Lab Practical #08:

Implement the various network protocols - DHCP

Practical Assignment #08:

Implement the application protocol - DHCP using packet tracer.

Date: 11 / 10 / 2022

DHCP Configuration

Date: 11 / 10 / 2022

Automatic IP, subnet mask & Default Getway Assign

Automatic IP, subnet mask & Default Getway Assign

Date: 11 / 10 / 2022

Automatic IP, subnet mask & Default Getway Assign

Automatic IP, subnet mask & Default Getway Assign

Date: 11 / 10 / 2022

```
192.168.0.4

Physical    Config    Desktop    Programming    Attributes

Command Prompt                                              X

Packet Tracer PC Command Line 1.0
C:\>ping 192.168.0.5

Pinging 192.168.0.5 with 32 bytes of data:

Reply from 192.168.0.5: bytes=32 time=4ms TTL=128
Reply from 192.168.0.5: bytes=32 time=4ms TTL=128
Reply from 192.168.0.5: bytes=32 time=4ms TTL=128
Reply from 192.168.0.5: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.0.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 4ms, Maximum = 4ms, Average = 4ms

C:\>
```

Ping from 192.168.0.4 to 192.168.0.5