



**TP
01**

**THERMAL
INKJET
PRINTER**





TP - 01

Dimensions (L x W x H)	: Controller (195 x 37.70x125 mm) 0.5 inch printhead (30 x 87x114.93mm)
Weight	: Controller (0.90 kg), Print Head (0.65Kg)
Max Line	: 5 Line
Display	: Touch screen, 7 inches
Power Supply Voltage	: AC 100V–240V, 50/60Hz, DC 24V 2.5A,
Operating condition	: Temperature 5 - 45°C and 90% air humidity, non-condensing
Resolutions	: Max 300 x 600dpi
Print speed	: Max 29m/min @ 300x300dpi - 40m/min @ 300x200dpi
Density	: Up to 3 levels of optical density
Throw Distance	: Max 3mm to 5mm

FEATURES

Printability	: Text, Counter, Barcode, QR Code, Date, time, Logo,
Database	: TXT,BMP
External connection	: Build in sensor, Encoder
Memory	: Store up to 8GB template on the printer's memory
Languages	: English (default), Chinese,
Printable characters	: Windows TTF Fonts
Ink Solutions	: Solvent ink for porous and non porous material
Supports ink colour	: Black, Blue, Green, Red, Yellow
Operating condition	: Temperature 5 - 50°C and 90% air humidity, non-condensing



Applicable Product

Paper	Metal
Box	Plastic
Film	Lather
Glass	

RADHE

ENTERPRISE

📍 Plot No. 36, Sr.No. 277/1, Opp. Kaneriya oil Mill,
Rani Ind. Area, Shapar (Veraval), Dist. Rajkot.

☎ +91 99099 81123, +91 99136 31412

✉ info@rejettech.com

🌐 www.rejettech.com



Like us on :

