



Co2 Laser





Co2 Laser



Petmark 9330 / 1630

Laser Power : 30W

Marking Speed : 7000 mm/s
Marking Area : 100mm X 100mm

Speed Of Machine: 150 to 450 m/min (Depend on Application)

Petmark 9360 / 1660

Laser Power : 60W Marking Speed : 8000 mm/s Marking Area : 200mm X 200mm

Speed Of Machine: 250 to 700 m/min (Depend on Application)

Laser Type : CO2

Electrical Requirement : 100 - 230 ACV, 5A, 50/60Hz,1PH Environment : Temperature 40 - 105° F (10 - 40°C)

Humidity 10% - 90%, Non Condensing

Wavelengths : 9.3um, 10.6um

Laser Source : Synred, Coherent, Davi

Depth Of Engraving : 0.3mm

Marking Formats : Graphics, Logo, Text, Bar code, QR Code, TTF Font,

Automatic Date & Time, Real time Clock,

Sequential and Batch Numbering.

Language Ability : English, Arabic, German, Chinese.

Gross Power : 300W

Gross Weight : 70Kg, 154.3lbs



Applicable Product

PET and Other Plastics - Wood - Acrylic Rubber - Clothes - Ceramic - Leather Bamboo - Cardboard

Features :-

- This metal tube CO2 laser system offers superior Marking for even the most demanding production line.
- High Efficiency and good beam Quality
- Low Power requirement
- Compact and low Maintenance











- Plot No. 36, Sr.No. 277/1, Opp. Kaneriya oil Mill, Rani Ind. Area, Shapar (Veraval), Dist. Rajkot.
- **\(+91 99099 81123, +91 99136 31412**
- www.rejettech.com













