REPORT1:

UNF:

CATALOGUE(catal_ddcno,catal_titile,(author_id,author_firstname,author_l astname),(subject_id,subject_desc),catal_descrip,publisher_id,publisher_n ame,published_date,catal_edition,catal_page_count,catal_language,catal_note,(isbn_no,isbn_booktype))

1NF:

CATALOGUE(<u>catal_ddcno</u>,catal_titile,catal_descrip,publisher_id,publisher_name,published_date,catal_edition,catal_page_count,catal_language,catal_note)

CK:

1. catal_ddcno

CATALAUTHOR(<u>author_id</u>,<u>catal_ddcno</u>,author_firstname,author_lastname) CK:

1. author_id, catal_ddcno

CATALSUBJECT(<u>catal_ddcno,subject_id</u>,subject_desc) CK:

1. subject_id,catal_ddcno

ISBN(<u>isbn_no</u>,isbn_booktype,catal_ddcno)

CK:

1. Isbn_no

Partial Dependencies:

- 1. author_id -> author_firstname,author_lastname
- 2. subject_id ->subject_desc

2NF:

CATALOGUE(<u>catal_ddcno</u>,catal_titile,catal_descrip,publisher_id,publisher_name,published_date,catal_edition,catal_page_count,catal_language,catal_note)

CATALAUTHOR(author id,catal ddcno)

AUTHOR(<u>author_id.</u>author_firstname,author_lastname)

CATALSUBJECT(<u>catal_ddcno,subject_id</u>,subject_desc)

SUBJECT(<u>subject_id</u>,subject_desc)

ISBN(<u>isbn_no</u>,isbn_type,catal_ddcno)

Transitive Dependencies:

1. publisher id -> publisher name

3NF:

CATALOGUE(<u>catal_ddcno</u>,catal_titile,catal_descrip,publisher_id,published_date,catal_edition,catal_page_count,catal_language,catal_note)

PUBLISHER(<u>publisher_id</u>,publisher_name)

CATALAUTHOR(<u>author_id,catal_ddcno</u>)

AUTHOR(<u>author_id.</u>author_firstname,author_lastname)

CATALSUBJECT(catal ddcno,subject id)

SUBJECT(<u>subject_id</u>,subject_desc)

ISBN(<u>isbn_no</u>,isbn_type,catal_ddcno)

Full Dependencies:

- 1. catal_ddcno->catal_titile,catal_descrip,publisher_id,published_date,c atal_edition,catal_page_count,catal_language,catal_note
- 2. publisher_id ->publisher_name
- 3. author_id -> author_firstname,author_lastname
- 4. subject_id ->subject_desc
- 5. isbn_no -> isbn_type,catal_ddcno