

Step 1

List of local folder to check file size.

Local folders to scan for file sizes

C:\application\logs
C:\application\temp
C:\Windows

File size report in **GB** format, to 3 decimal points.

Submit Quit Reset

Step 2

File size format to view.

File size report in **GB** format, to 3 decimal points.

Submit Quit Reset

Step 3

Choose decimal point value.

Submit Quit Reset ☒ recurse to subfolders

Step 4


Run recursive check to all subfolders.

Step 5 →
Click submit to run script.

Result file will be located at same folder as script run file.

	A	B	C	D
1	File Name	Folder Name	File Size	Unit Size
2	.DS_Store	E:\Hackintosh-h97m-e-Sierra	10.00391	KB
3	._DS_Store	E:\Hackintosh-h97m-e-Sierra	4	KB
4	.FakeSMC.kext	E:\Hackintosh-h97m-e-Sierra	4	KB
5	._MultiBeast - Sierra Edition	E:\Hackintosh-h97m-e-Sierra	4	KB
6	.RealtekRTL8111.kext	E:\Hackintosh-h97m-e-Sierra	4	KB
7	unetbootin-mac-625.dmg	E:\Hackintosh-h97m-e-Sierra	9796.38672	KB
8	._unetbootin-mac-625.dmg	E:\Hackintosh-h97m-e-Sierra	4	KB
9	._UniBeast.app	E:\Hackintosh-h97m-e-Sierra	4	KB
10	._Contents	E:\Hackintosh-h97m-e-Sierra\FakeSMC.kext	4	KB
11	Info.plist	E:\Hackintosh-h97m-e-Sierra\FakeSMC.kext\Contents	5.44629	KB
12	._Info.plist	E:\Hackintosh-h97m-e-Sierra\FakeSMC.kext\Contents	4	KB
13	._MacOS	E:\Hackintosh-h97m-e-Sierra\FakeSMC.kext\Contents	4	KB
14	FakeSMC	E:\Hackintosh-h97m-e-Sierra\FakeSMC.kext\Contents\MacOS	145.46875	KB
15	._FakeSMC	E:\Hackintosh-h97m-e-Sierra\FakeSMC.kext\Contents\MacOS	4	KB

CSV file layout example.



Step 6

Since this is running over Internet Browser. Long running script will have time-out values. Click no to continue with the script.

Steps below shows how to adjust the time-out values if so desired.

To change this time-out value in Internet Explorer versions 4.0 through 8, follow these steps:

1. Using a Registry Editor such as Regedt32.exe, open this key:

HKEY_CURRENT_USER\Software\Microsoft\Internet Explorer\Styles

Note If the Styles key is not present, create a new key that is called Styles.

2. Create a new DWORD value called "MaxScriptStatements" under this key, and set the value to the desired number of script statements. If you are not sure about which value you need to set this to, you can set it to a DWORD value of 0xFFFFFFFF to avoid the dialog box.

By default, the key does not exist. If the key has not been added, the default threshold limit for the time-out dialog box is 5,000,000 statements for Internet Explorer 4 and later versions.

Because the Internet Explorer versions 4.0 through 8 time-out is based on the number of script statements that are executed, the time-out dialog box does not display during ActiveX control or database-access delays. Endless loops in script will still be detected.