

bfsvc.exe

bootstat.dat

cdplayer.ini

Ckconfig.exe

Ckrfresh.exe

10 Core.xml

11 Crypkey.ini

12 diagerr.xml

13 diagwrn.xml

14 explorer.exe

Ready 25

60

66

162

11.5

0.02441

32.71289


0.05273

29.76855

29.76855 4563.77344

H → → H FileSizeChecker_20161225_163743 (**)

CSV file layout example.



Since this is running over Internet Browser. Long running script will have time-out values. Click no to continue with the script.

Steps below shows how to adjust the timeout values if so desired.

To change this time-out value in Internet Explorer versions 4.0 through 8, follow these steps:

1. Using a Registry Editor such as Regedt32.exe, open this key:

HKEY_CURRENT_USER\Software\Microsoft\Internet Explorer\Styles

Note If the Styles key is not present, create a new key that is called Styles.

Create a new DWORD value called "MaxScriptStatements" under this key, and set the value to the desired number of script statements. If you are not aure about which value you need to set this to, you can set it to a DWORD value of 0xFFFFFFFF to avoid the dialog box.

By default, the key does not exist. If the key has not been added, the default threshold limit for the time-out dialog box is 5,000,000 statements for Internet Explorer 4 and later versions.

Because the Internet Explorer versions 4.0 through 8 time-out is based on the number of script statements that are executed, the time-out dialog box does not display during ActiveX control or database-access delays. Endless loops in script will still be detected.