

PREMIUM DISPLAYS & VISUAL TECHNOLOGY SOLUTIONS

# Product Catalog 2026



PRESENTED BY

Shenzhen Xingyicheng Technology Co., Ltd.

# About Our Company

Shenzhen Xingyicheng Technology Co., Ltd.



Shenzhen Xingyicheng provides advanced display and electronics solutions, delivering precision-engineered technology to enterprises, retailers, and institutions worldwide. Our mission is to illuminate the future through innovation, quality, and design excellence.

Shenzhen Xingyicheng is an electronics company with its own industrial and factory area. Currently, the company is expanding its business and plans to build a new factory area in Zhongshan.

**Since 2008**



DISPLAY MANUFACTURING

**50–100**



EMPLOYEES

**RMB 1 million**



REGISTERED CAPITAL

**40,000 m<sup>2</sup>**



OWN FACTORY AREA,  
SHENZHEN AND DONGGUAN

**80+**



COUNTRIES EXPORTED TO

**3**



MANUFACTURING CITIES

# Design, Manufacturing & Export

We specialize in the design and manufacturing of high performance interactive displays, commercial digital signage, and smart visual solutions.

## PRODUCT LINE

Interactive whiteboards, LCD video walls, tablets, laptops and AIOT products based on Android and Windows operating systems, with features such as Wi-Fi and 4G LTE connectivity.

## DESIGN & ENGINEERING

With over 15 years of experience in production and export business, we provide comprehensive services such as:

- PCBA design
- ID design
- Hardware and software design

## GLOBAL EXPORT

We export our products to more than 80 countries, including South Korea, Japan, Europe, the United States and Australia.

**Backed by strict quality control  
and comprehensive OEM/ODM support.**

## COMPANY CERTIFICATIONS

The company has obtained certifications such as:

ISO 9001

ISO 14001

ISO 45001

CCC

Also recognized as a national and Shenzhen high-tech enterprise.

## PRODUCT CERTIFICATIONS

Our products have obtained certifications such as:

KC

TELEC

CE

RoHS

FCC

CB



# Product Portfolio

Four product lines for education, enterprise, retail and advertising environments.



## 01 Interactive Displays

4K AI Smartboards, 65" to 110"

Infrared touch · Android + Windows

Also: smart nano blackboard, touch screens, OPS PC module

PAGE 05–11



## 02 Digital Signage

4K Android advertising displays

Wall-mounted and floor-standing · 32" to 65"

No touch, infrared or capacitive touch

Also: kiosk styles, bar type and OLED displays

PAGE 12–14



## 03 Outdoor Weatherproof Displays

Ultra bright: 2000–2500 cd/m<sup>2</sup> · IP55 / IP65

Sizes: 32", 43", 49", 55", 65", 75", 86", 98"

PAGE 15–16



## 04 Portable Smart Android TV

Sizes: 23.8", 27", 32"

Six series, 17 models

MTK8788 or MTK8781 platform

PAGE 17–19

# 4K AI Smartboards

Interactive Flat Panel Display (IFPD) · E5 series



## AVAILABLE SIZES

65"

75"

85"

86"

98"

100"

110"

**4K UHD**



3840 × 2160

**40 points**



Infrared multi-touch

**≤ 5 ms**



Touch response

**178°**



Viewing angle

## KEY FEATURES

- Zero bonding: near-zero gap between glass and panel, less reflection
- 4 mm Mohs 7 anti-glare, explosion-proof tempered glass
- Write and annotate over any input source
- Cast from a PC, iPad or phone: up to 4 screens at once
- Three-finger touch turns the screen off
- Light sensor and one-touch eye protection

## USE CASES

### Lecture halls

Universities and auditoriums

### Training centres

Corporate and vocational courses

### Online teaching

Live and recorded remote lessons

### Boardrooms

Presentations and reviews

### Video conferencing

Hybrid meetings with remote teams

### Workshops

Brainstorming and project planning

# Configurations

E5 series · 12 configurations, each available in every size



| Platform | Android | RAM + storage            | Mainboard          |
|----------|---------|--------------------------|--------------------|
| MT9679   | 14      | 4 + 32 GB · 8 + 128 GB   | Simplified         |
| V100     | 13      | 8 + 128 GB               | Simplified or full |
| RK3576   | 16      | 8 + 128 GB · 16 + 256 GB | Simplified or full |
| RK3588   | 15      | 8 + 128 GB · 16 + 256 GB | Simplified or full |

## MAINBOARD OPTIONS

### Simplified board


The essential ports, for rooms with one main source.

- 1 × HDMI in, 1 × HDMI out
- 1 × LAN, USB, Type-C
- Audio in and out, RS232

### Full board

Extra inputs, for rooms that connect several sources.

- RK3576: 2 × HDMI in, DP, VGA, 65 W USB-C
- RK3588: 3 × HDMI in, DP, VGA, USB-C in
- 2 × LAN, more USB 3.0 ports



Team training on a mobile stand

## HIGHLIGHTS

Optional camera + 8-array mic  
**13 or 48 MP, 8–12 m pickup**

Speakers  
**15 W × 2 + 5 W × 2 + 20 W**

Wireless  
**Wi-Fi 6 and Bluetooth**

OPS slot  
**Windows PC on MT9679 and RK3576**


# Mainboard Options

E5 series · RK3576 and RK3588, each with a simplified or a full mainboard

## Simplified board

Best for rooms with one main source.

### RK3576




- ① 1 × HDMI in
- ② 1 × HDMI out
- ③ 1 × LAN
- ④ USB
- ⑤ USB-C
- ⑥ Audio in / out
- ⑦ RS232

## Full board


Best for rooms that connect several sources.

### RK3576




- ① 2 × HDMI in
- ② 1 × HDMI out
- ③ 2 × LAN
- ④ USB
- ⑤ USB-C, 65 W
- ⑥ Audio in / out
- ⑦ RS232
- ⑧ DP in
- ⑨ VGA in

### RK3588



- ① 1 × HDMI in
- ② 1 × HDMI out
- ③ 1 × LAN
- ④ USB
- ⑤ USB-C
- ⑥ Audio in / out
- ⑦ RS232

### RK3588



- ① 3 × HDMI in
- ② 1 × HDMI out
- ③ 2 × LAN
- ④ USB
- ⑤ USB-C in
- ⑥ Audio in / out
- ⑦ RS232
- ⑧ DP in
- ⑨ VGA in

# Applications

## FOR MEETING ROOM




Turn it into

## FOR CLASSROOM



Side boards opened



Side boards closed


Side boards: whiteboard or greenboard surface, sized to match the main display.

# Smart Nano Blackboard

4K touch screen set in a seamless, chalk-writable black board



WALL-MOUNTED IN A CLASSROOM



ON A MOBILE STAND

## AVAILABLE SIZES

75"

86"

98"

### DISPLAY

4K UHD · 3840 × 2160

### TOUCH

Infrared or capacitive,  
up to 40 points

### OPERATING SYSTEM

Android + Windows

### SIDE BOARDS

Nano surface,  
magnetic, chalk trough

## KEY FEATURES

- Screen and side boards form one flat, seamless surface
- Write with finger, chalk or marker
- Replaces a blackboard, projector and computer
- Save board notes as PPT, Word, PDF or image files

# Touch Screens


Infrared touch frames and capacitive touch panels

## INFRARED TOUCH SCREEN



|                       |                              |
|-----------------------|------------------------------|
| Size range            | 15" – 65"                    |
| Touch points          | 10 simultaneous (55" model)  |
| Operating systems     | Windows, Linux, Mac OS       |
| Response time         | 8 ms                         |
| Light transmission    | More than 90%                |
| Durability            | More than 50 million touches |
| Interface             | USB, RS232, RS485            |
| Power                 | DC 5 V                       |
| Operating temperature | –20 °C to +70 °C             |

## CAPACITIVE TOUCH SCREEN



|                   |                                    |
|-------------------|------------------------------------|
| Size range        | 15" – 65"                          |
| Resolution        | 1920 × 1080 (16:9)                 |
| Touch             | Multi-touch, up to 10 points       |
| Operating systems | Windows 10 / 8 / 7, Android, Linux |
| Customization     | Size and driver IC, OEM/ODM        |
| Certification     | CE, FCC, RoHS                      |


# OPS PC Module

Plug-in computer for OPS-slot interactive displays

Plugs into the 80-pin OPS slot of an interactive display and adds a full Windows PC.



SINGLE-SLOT MODULE



INSIDE THE MODULE

**Core i5 / i7 / i9**



Intel, 8th to 14th generation

**8 / 16 / 32 GB**



Memory, DDR4 or DDR5

**128 GB – 1 TB**



Storage, SSD or HDD

|                       |                                                                         |
|-----------------------|-------------------------------------------------------------------------|
| Graphics              | Intel Iris Xe (on eligible processors)                                  |
| Video output          | HDMI 2.0 (4K at 60 Hz) and the 80-pin connector; dual or triple display |
| Ports                 | 2 × HDMI out, 5 × USB 3.0, 1 × USB 2.0, Type-C, RJ45, audio             |
| Network               | Gigabit Ethernet, Wi-Fi 5                                               |
| Operating system      | Windows 10, Windows 11, Linux                                           |
| Power                 | 12 V 6.3 A or 19 V 4.7 A (70–80 W)                                      |
| Operating environment | 0 °C to 45 °C, 10% to 95% humidity                                      |
| Size and weight       | 190 × 190 × 42 mm, 1.2 kg                                               |
| Fits                  | OPS-slot smartboards and interactive flat panels                        |

# 4K Android Advertising Displays

Wall-mounted and floor-standing · with online cloud content management



WALL-MOUNTED · LANDSCAPE OR PORTRAIT



FLOOR-STANDING

## AVAILABLE SIZES

32"

43"

49"

55"

65"

Available in no-touch, infrared or capacitive touch.

Touch points: infrared 10-point, capacitive 10/20-point.

Floor-standing with infrared touch: 43"–65" only (not 32").

## BRIGHTNESS

350–700 cd/m<sup>2</sup>

## RAM

2 / 4 / 8 GB

## STORAGE

32 / 64 / 128 GB

## OPERATING SYSTEM

Android 9–14

## KEY FEATURES

- Built-in CMS for remote publishing: split-screen playback, scheduled power on/off, ad insertion, remote power on/off
- Optional self-service terminal modules: facial recognition, NFC card swiping, thermal printing, cameras
- All-steel, vandal-resistant and anti-theft body
- Modular design for easy maintenance
- 24/7 operation, plug and play
- Custom boot screen and shell logo for OEM orders

# Kiosk Styles

Rotating mobile kiosk · K-shaped kiosk stand



## ROTATING MOBILE KIOSK

The screen rotates between landscape and portrait, and the cabinet base rolls on casters, so the display moves to where the foot traffic is. Plug and play.

### SIZES

32" to 65"

### TOUCH

No touch, infrared or capacitive

### CONTENT

Cloud CMS, remote publishing

### IDEAL FOR


Exhibitions

Pop-up stores


Events

## K-SHAPED KIOSK STAND

An angled pedestal that turns a display into a stand-alone kiosk, in three sizes.



SMALL · 15.6" TO 27"



MEDIUM · 32"



LARGE · 43" TO 65"

| Stand  | Fits screens | Weight |
|--------|--------------|--------|
| Small  | 15.6" to 27" | 11 kg  |
| Medium | 32"          | 13 kg  |
| Large  | 43" to 65"   | 19 kg  |

Colours: black, white or silver.

# Bar Type and OLED Displays

Stretched bar LCD · transparent OLED

BAR TYPE DIGITAL SIGNAGE · 32" – 65"



|                  |                                |
|------------------|--------------------------------|
| Resolution       | 3840 × 2160                    |
| Brightness       | 350–500 cd/m <sup>2</sup>      |
| Operating system | Android / Windows              |
| Installation     | Wall-mounted or floor-standing |

## OLED TRANSPARENT DISPLAY



- Transparent, flexible OLED screen
- Ultra-thin construction
- Full-colour display
- Customizable size, colour gamut, pixel pitch and interface

## APPLICATIONS

Augmented reality

Interactive displays

High-tech retail fixtures

PRODUCT LINE 03 · OUTDOOR DISPLAYS

# Ultra Durable Outdoor Weatherproof Advertising Displays



BRIGHTNESS  
2000–2500 cd/m<sup>2</sup>

PROTECTION  
IP55 or IP65

OPERATING TEMPERATURE  
–30 °C to +50 °C

FRONT GLASS  
6 mm tempered

AVAILABLE SIZES · WALL-MOUNTED OR FLOOR-STANDING

32"

43"

49"

55"

65"

75"

86"

98"

Brightness: 2000 cd/m<sup>2</sup> on 32"–65", 2500 cd/m<sup>2</sup> on 75"–98".

COOLING OPTIONS

## Air-cooled · IP55



Intelligent temperature control with axial fans

## Air conditioner · IP65



Built-in air conditioner for stronger protection


KEY FEATURES

- Clear in direct sunlight, no reflection issues
- Works in rain, dust and strong wind
- Built for 24/7 continuous operation
- Accessible interior for quick repairs

# Construction & Dimensions

Ultra durable outdoor weatherproof advertising displays

DIMENSIONAL DRAWING · 55" FLOOR-STANDING MODEL, MM



Overall 790 × 2000 × 140 mm (W × H × D); screen area 1209.6 × 680.4 mm.

## BUILD, PROTECTION AND SERVICE

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Front glass       | 6 mm tempered, 3–5× stronger than ordinary glass                 |
| Housing           | Galvanized steel, zinc-rich primer, outdoor powder coating       |
| Electrical safety | Air switch, lightning protector, leakage protection              |
| Scheduled power   | Time-control switch, several on/off periods per day              |
| Testing           | Water spray, high and low temperature, simulated solar radiation |
| Warranty          | 1 year                                                           |
| Packaging         | Wooden frame; export wooden box optional                         |

# Portable Smart Android TV



## AVAILABLE SIZES

23.8"

27"

32"

HK series: 27" and 32" only.

## CONFIGURATIONS (ALL MODELS)

4GB + 64GB

6GB + 128GB

8GB + 128GB

## KEY FEATURES

- Built-in or clip-on camera, by series
- 10-point capacitive touch screen
- MTK8788 (Android 13) or MTK8781 (Android 15)
- Mobile stand with smooth movement (all except HL)

## PERFECT FOR



### Home Entertainment

Enjoy movies, streaming and family entertainment anywhere.



### Online Learning

Interactive learning, online classes and remote education.



### Business Meetings

Perfect for presentations, collaboration and video meetings.

# Six Series, 17 Models

One Android TV family, six finishes and stands




## HY Series

Plastic-texture finish

23.8"

27"

32"




## HK Series

Half-fabric cover

27"

32"



## HS Series

Full-fabric cover

23.8"

27"

32"



## HP Series

Leather-texture finish

23.8"

27"

32"



## HL Series · Desktop display

Display only, no floor stand

23.8"

27"

32"



## HS 2-in-1 Series · Detachable display

Base with 5 silent casters

23.8"

27"

32"

### HY, HK, HS, HP AND HS 2-IN-1

- Fully laminated screen on HY
- Full HD display
- Adjustable height, tilt and rotation
- Rechargeable lithium battery: 10,000 mAh

### HL SERIES

- Fully laminated screen
- Whiteboard software, screen mirroring software and remote control included
- Supports custom mold development
- Rechargeable lithium battery: 5,000 mAh (23.8"), 10,000 mAh (27", 32")

# Platform & Specifications

What differs by series

## PLATFORM

### MTK8788 · Android 13

Standard platform

HY

HK

HS

HP

HS 2-in-1

### MTK8781 · Android 15

Newer platform

HY

HK

HS

HP

HL

## CAMERA

### 5 MP clip-on

Magnetic mount, with microphone

HY

HK

### 13 MP built-in

Integrated in the frame

HS

HP

HL

HS 2-in-1

## STAND MOVEMENT · HY, HK, HS, HP, HS 2-IN-1

### ±25°

Tilt, forward and back

### ±90°

Rotation, portrait to landscape

## CONNECTIVITY

Wi-Fi · Bluetooth

## PORTS

HDMI in · Type-C · 3.5 mm audio

## CARRY BAG

Optional for HS; custom logo on bulk orders

## PACKAGING

PE bag, rigid carton, high-density foam

## BULK ORDERS

Shipped in full cartons or pallets

## HS 2-IN-1 SHIPPING

Detachable, flat-packed design: smaller cartons, lower freight, more units per container

# Factory & Production

Our own industrial and factory area in Shenzhen and Dongguan covers 40,000 square meters. The company is expanding its business and plans to build a new factory area in Zhongshan.



# Contact Information

We are here to assist you. Reach out to our team for product inquiries, partnership opportunities, or support. Our dedicated team is ready to provide the premium service you deserve.

---

## ADDRESS

Room 203, Building B, No. 115 Guangqiao  
North Road, Xinqiang Community, Xihu  
Street, Guangming District, Shenzhen

---

## PHONE

+86 188 2465 6358  
+86 136 3150 4323  
+86 199 2644 2018

---

## EMAIL

[Admin@xyc-ltd.com](mailto:Admin@xyc-ltd.com)  
[lzz@xyc-ltd.com](mailto:lzz@xyc-ltd.com)  
[Antony@xyc-ltd.com](mailto:Antony@xyc-ltd.com)

---

## WEBSITE

<https://www.interactiveswhiteboard.com/>

Xingyicheng shenzhen  
WhatsApp business account



SCAN FOR WHATSAPP