

PREMIUM DISPLAYS & VISUAL TECHNOLOGY SOLUTIONS

Product Catalog 2026



PRESENTED BY

Shenzhen Xingyicheng Technology Co., Ltd.

About Our Company

Shenzhen Xingyicheng Technology Co., Ltd.



Shenzhen Xingyicheng provides advanced display and electronics solutions, delivering precision-engineered technology to enterprises, retailers, and institutions worldwide. Our mission is to illuminate the future through innovation, quality, and design excellence.

Shenzhen Xingyicheng is an electronics company with its own industrial and factory area. Currently, the company is expanding its business and plans to build a new factory area in Zhongshan.

Since 2008



DISPLAY MANUFACTURING

50–100



EMPLOYEES

RMB 1 million



REGISTERED CAPITAL

40,000 m²



OWN FACTORY AREA,
SHENZHEN AND DONGGUAN

80+



COUNTRIES EXPORTED TO

3



MANUFACTURING CITIES

Design, Manufacturing & Export

We specialize in the design and manufacturing of high performance interactive displays, commercial digital signage, and smart visual solutions.

PRODUCT LINE

Interactive whiteboards, LCD video walls, tablets, laptops and AIOT products based on Android and Windows operating systems, with features such as Wi-Fi and 4G LTE connectivity.

DESIGN & ENGINEERING

With over 15 years of experience in production and export business, we provide comprehensive services such as:

- PCBA design
- ID design
- Hardware and software design

GLOBAL EXPORT

We export our products to more than 80 countries, including South Korea, Japan, Europe, the United States and Australia.

Backed by strict quality control and comprehensive OEM/ODM support.

COMPANY CERTIFICATIONS

The company has obtained certifications such as:

ISO 9001

ISO 14001

ISO 45001

CCC

Also recognized as a national and Shenzhen high-tech enterprise.

PRODUCT CERTIFICATIONS

Our products have obtained certifications such as:

KC

TELEC

CE

RoHS

FCC

CB



Product Portfolio

Four product lines for education, enterprise, retail and advertising environments.



01 Interactive Displays

4K AI Smartboards, 65" to 110"
Infrared touch · Android + Windows
Also: smart nano blackboard, touch screens, OPS
PC module

PAGE 05–12



02 Digital Signage

4K Android advertising displays
Wall-mounted and floor-standing · 32" to 65"
No touch, infrared or capacitive touch
Also: kiosk styles, bar type and OLED displays

PAGE 13–16



05 Smart Retail & AI Devices

10.1" self-service price checker
1D / 2D barcode scanning · Android 10
Dual-screen AI translator · 35+ languages

PAGE 24–30



04 Portable Smart Android TV

Sizes: 23.8", 27", 32"
Six series, 17 models
MTK8788 or MTK8781 platform

PAGE 20–23

01

PRODUCT LINE 01

Interactive Displays



IN THIS SECTION

06 4K AI Smartboards

07 Configurations

08 Mainboard Options

09 Applications

10 Smart Nano Blackboard

11 Touch Screens

12 OPS PC Module

Request a quote or an OEM/ODM version

Admin@xyc-ltd.com · +86 199 2644 2018

PRODUCT LINE 01 · INTERACTIVE DISPLAYS

4K AI Smartboards

Interactive Flat Panel Display (IFPD) · E5 series



AVAILABLE SIZES

65"

75"

85"

86"

98"

100"

110"

4K UHD



3840 × 2160

40 points



Infrared multi-touch

≤ 5 ms



Touch response

178°



Viewing angle

KEY FEATURES

- Zero bonding: near-zero gap between glass and panel, less reflection
- 4 mm Mohs 7 anti-glare, explosion-proof tempered glass
- Write and annotate over any input source
- Cast from a PC, iPad or phone: up to 4 screens at once
- Three-finger touch turns the screen off
- Light sensor and one-touch eye protection

USE CASES

Lecture halls

Universities and auditoriums

Training centres

Corporate and vocational courses

Online teaching

Live and recorded remote lessons

Boardrooms

Presentations and reviews

Video conferencing

Hybrid meetings with remote teams

Workshops

Brainstorming and project planning

Configurations

E5 series · 12 configurations, each available in every size



Platform	Android	RAM + storage	Mainboard
MT9679	14	4 + 32 GB · 8 + 128 GB	Simplified
V100	13	8 + 128 GB	Simplified or full
RK3576	16	8 + 128 GB · 16 + 256 GB	Simplified or full
RK3588	15	8 + 128 GB · 16 + 256 GB	Simplified or full

MAINBOARD OPTIONS · BOARD PHOTOS ON PAGE 08

Simplified board

The essential ports, for rooms with one main source.

- 1 × HDMI in, 1 × HDMI out
- 1 × LAN, USB, USB-C
- Audio in and out, RS232

Full board

Extra inputs, for rooms that connect several sources.

- RK3576: 2 × HDMI in, DP, VGA, 65 W USB-C
- RK3588: 3 × HDMI in, DP, VGA, USB-C in
- 2 × LAN, more USB 3.0 ports



Team training on a mobile stand

HIGHLIGHTS

Optional camera + 8-array mic
13 or 48 MP, 8–12 m pickup

Speakers
15 W × 2 + 5 W × 2 + 20 W

Wireless
Wi-Fi 6 and Bluetooth

OPS slot
Windows PC on MT9679 and RK3576


Mainboard Options

E5 series · RK3576 and RK3588, each with a simplified or a full mainboard

Simplified board

Best for rooms with one main source.

RK3576



- | | |
|----------------|------------------|
| ① 1 × HDMI in | ⑤ USB-C |
| ② 1 × HDMI out | ⑥ Audio in / out |
| ③ 1 × LAN | ⑦ RS232 |
| ④ USB | |

Full board

Best for rooms that connect several sources.

RK3576



- | | |
|----------------|------------------|
| ① 2 × HDMI in | ⑥ Audio in / out |
| ② 1 × HDMI out | ⑦ RS232 |
| ③ 2 × LAN | ⑧ DP in |
| ④ USB | ⑨ VGA in |
| ⑤ USB-C, 65 W | |

RK3588



- | | |
|----------------|------------------|
| ① 1 × HDMI in | ⑤ USB-C |
| ② 1 × HDMI out | ⑥ Audio in / out |
| ③ 1 × LAN | ⑦ RS232 |
| ④ USB | |

RK3588



- | | |
|----------------|------------------|
| ① 3 × HDMI in | ⑥ Audio in / out |
| ② 1 × HDMI out | ⑦ RS232 |
| ③ 2 × LAN | ⑧ DP in |
| ④ USB | ⑨ VGA in |
| ⑤ USB-C in | |

Applications

FOR MEETING ROOM




Turn it into

FOR CLASSROOM



Side boards opened



Side boards closed


Side boards: whiteboard or greenboard surface, sized to match the main display.

Smart Nano Blackboard

4K touch screen set in a seamless, chalk-writable black board



WALL-MOUNTED GREEN BOARD



ON A MOBILE STAND

AVAILABLE SIZES

75"

86"

98"

DISPLAY

4K UHD · 3840 × 2160

TOUCH

Infrared or capacitive,
up to 40 points

OPERATING SYSTEM

Android + Windows

SIDE BOARDS

Nano surface,
magnetic, chalk trough

KEY FEATURES

- Screen and side boards form one flat, seamless surface
- Write with finger, chalk or marker
- Replaces a blackboard, projector and computer
- Save board notes as PPT, Word, PDF or image files

Touch Screens


Infrared touch frames and capacitive touch panels

INFRARED TOUCH SCREEN



Size range	15" – 65"
Touch points	10 simultaneous (55" model)
Operating systems	Windows, Linux, Mac OS
Response time	8 ms
Light transmission	More than 90%
Durability	More than 50 million touches
Interface	USB, RS232, RS485
Power	DC 5 V
Operating temperature	–20 °C to +70 °C

CAPACITIVE TOUCH SCREEN



Size range	15" – 65"
Resolution	1920 × 1080 (16:9)
Touch	Multi-touch, up to 10 points
Operating systems	Windows 10 / 8 / 7, Android, Linux
Customization	Size and driver IC, OEM/ODM
Certification	CE, FCC, RoHS


OPS PC Module

Plug-in computer for OPS-slot interactive displays

Plugs into the 80-pin OPS slot of an interactive display and adds a full Windows PC.



SINGLE-SLOT MODULE



INSIDE THE MODULE

Core i5 / i7 / i9



Intel, 8th to 14th generation

8 / 16 / 32 GB



Memory, DDR4 or DDR5

128 GB – 1 TB



Storage, SSD or HDD

Graphics	Intel Iris Xe (on eligible processors)
Video output	HDMI 2.0 (4K at 60 Hz) and the 80-pin connector; dual or triple display
Ports	2 × HDMI out, 5 × USB 3.0, 1 × USB 2.0, USB-C, RJ45, audio
Network	Gigabit Ethernet, Wi-Fi 5
Operating system	Windows 10, Windows 11, Linux
Power	12 V 6.3 A or 19 V 4.7 A (70–80 W)
Operating environment	0 °C to 45 °C, 10% to 95% humidity
Size and weight	190 × 190 × 42 mm, 1.2 kg
Fits	OPS-slot smartboards and interactive flat panels

02

PRODUCT LINE 02

Digital Signage



IN THIS SECTION

14 4K Android Advertising Displays

15 Kiosk Styles

16 Bar Type and OLED Displays

Request a quote or an OEM/ODM version

Admin@xyc-ltd.com · +86 199 2644 2018

4K Android Advertising Displays

Wall-mounted and floor-standing · with online cloud content management



WALL-MOUNTED · LANDSCAPE OR PORTRAIT



FLOOR-STANDING

AVAILABLE SIZES

32"

43"

49"

55"

65"

Available in no-touch, infrared or capacitive touch.

Touch points: infrared 10-point, capacitive 10/20-point.

Floor-standing with infrared touch: 43"–65" only (not 32").

BRIGHTNESS

350–700 cd/m²

RAM

2 / 4 / 8 GB

STORAGE

32 / 64 / 128 GB

OPERATING SYSTEM

Android 9–14

KEY FEATURES

- Built-in CMS for remote publishing: split-screen playback, scheduled power on/off, ad insertion, remote power on/off
- Optional self-service terminal modules: facial recognition, NFC card swiping, thermal printing, cameras
- All-steel, vandal-resistant and anti-theft body
- Modular design for easy maintenance
- 24/7 operation, plug and play
- Custom boot screen and shell logo for OEM orders

Kiosk Styles

Rotating mobile kiosk · K-shaped kiosk stand



ROTATING MOBILE KIOSK

The screen rotates between landscape and portrait, and the cabinet base rolls on casters, so the display moves to where the foot traffic is. Plug and play.

SIZES

32" to 65"

TOUCH

No touch, infrared or capacitive

CONTENT

Cloud CMS, remote publishing

IDEAL FOR

Exhibitions

Pop-up stores


Events

K-SHAPED KIOSK STAND


An angled pedestal that turns a display into a stand-alone kiosk, in three sizes.



SMALL · 15.6" TO 27"



MEDIUM · 32"



LARGE · 43" TO 65"

Stand	Fits screens	Weight
Small	15.6" to 27"	11 kg
Medium	32"	13 kg
Large	43" to 65"	19 kg

Colours: black, white or silver.

Bar Type and OLED Displays


Stretched bar LCD · transparent OLED

BAR TYPE DIGITAL SIGNAGE · 32" – 65"



Resolution	3840 × 2160
Brightness	350–500 cd/m ²
Operating system	Android / Windows
Installation	Wall-mounted or floor-standing

OLED TRANSPARENT DISPLAY



- Transparent, flexible OLED screen
- Ultra-thin construction
- Full-colour display
- Customizable size, colour gamut, pixel pitch and interface

APPLICATIONS

Augmented reality

Interactive displays

High-tech retail fixtures

03

PRODUCT LINE 03

Outdoor Displays



IN THIS SECTION

18 Ultra Durable Outdoor Weatherproof Advertising Displays

19 Construction & Dimensions

Request a quote or an OEM/ODM version

Admin@xyc-ltd.com · +86 199 2644 2018

PRODUCT LINE 03 · OUTDOOR DISPLAYS

Ultra Durable Outdoor Weatherproof Advertising Displays



BRIGHTNESS
2000–2500 cd/m²

PROTECTION
IP55 or IP65

OPERATING TEMPERATURE
–30 °C to +50 °C

FRONT GLASS
6 mm tempered

AVAILABLE SIZES · WALL-MOUNTED OR FLOOR-STANDING

32"

43"

49"

55"

65"

75"

86"

98"

Brightness: 2000 cd/m² on 32"–65", 2500 cd/m² on 75"–98".

COOLING OPTIONS

Air-cooled · IP55



Intelligent temperature control with axial fans

Air conditioner · IP65



Built-in air conditioner for stronger protection


KEY FEATURES

- Clear in direct sunlight, no reflection issues
- Works in rain, dust and strong wind
- Built for 24/7 continuous operation
- Accessible interior for quick repairs

Construction & Dimensions

Ultra durable outdoor weatherproof advertising displays

DIMENSIONAL DRAWING · 55" FLOOR-STANDING MODEL, MM



Overall 790 × 2000 × 140 mm (W × H × D); screen area 1209.6 × 680.4 mm.

BUILD, PROTECTION AND SERVICE

Front glass	6 mm tempered, 3–5× stronger than ordinary glass
Housing	Galvanized steel, zinc-rich primer, outdoor powder coating
Electrical safety	Air switch, lightning protector, leakage protection
Scheduled power	Time-control switch, several on/off periods per day
Testing	Water spray, high and low temperature, simulated solar radiation
Warranty	1 year
Packaging	Wooden frame; export wooden box optional

04

PRODUCT LINE 04

Portable Smart TV



IN THIS SECTION

21 Portable Smart Android TV


22 Six Series, 17 Models

23 Platform & Specifications

Request a quote or an OEM/ODM version

Admin@xyc-ltd.com · +86 199 2644 2018

Portable Smart Android TV



AVAILABLE SIZES

23.8"

27"

32"

HK series: 27" and 32" only.

CONFIGURATIONS (ALL MODELS)

4GB + 64GB

6GB + 128GB

8GB + 128GB

KEY FEATURES

- Built-in or clip-on camera, by series
- 10-point capacitive touch screen
- MTK8788 (Android 13) or MTK8781 (Android 15)
- Mobile stand with smooth movement (all except HL)

PERFECT FOR



Home Entertainment

Enjoy movies, streaming and family entertainment anywhere.



Online Learning

Interactive learning, online classes and remote education.



Business Meetings

Perfect for presentations, collaboration and video meetings.

Six Series, 17 Models

One Android TV family, six finishes and stands



HY Series

Plastic-texture finish

23.8"

27"

32"



HK Series

Half-fabric cover

27"

32"



HS Series

Full-fabric cover

23.8"

27"

32"



HP Series

Leather-texture finish

23.8"

27"

32"




HL Series · Desktop display

Display only, no floor stand

23.8"

27"

32"



HS 2-in-1 Series · Detachable display

Base with 5 silent casters

23.8"

27"

32"

HY, HK, HS, HP AND HS 2-IN-1

- Fully laminated screen on HY
- Full HD display
- Adjustable height, tilt and rotation
- Rechargeable lithium battery: 10,000 mAh

HL SERIES

- Fully laminated screen
- Whiteboard software, screen mirroring software and remote control included
- Supports custom mold development
- Rechargeable lithium battery: 5,000 mAh (23.8"), 10,000 mAh (27", 32")

Platform & Specifications

What differs by series

PLATFORM

MTK8788 · Android 13



Standard platform

HY

HK

HS

HP

HS 2-in-1

MTK8781 · Android 15



Newer platform

HY

HK

HS

HP

HL

CAMERA

5 MP clip-on



Magnetic mount, with microphone

HY

HK

13 MP built-in



Integrated in the frame

HS

HP

HL

HS 2-in-1

STAND MOVEMENT · HY, HK, HS, HP, HS 2-IN-1

±25°

Tilt, forward and back

±90°

Rotation, portrait to landscape

CONNECTIVITY

Wi-Fi · Bluetooth

PORTS

HDMI in · USB-C · 3.5 mm audio

CARRY BAG

Optional for HS; custom logo on bulk orders

PACKAGING

PE bag, rigid carton, high-density foam

BULK ORDERS

Shipped in full cartons or pallets

HS 2-IN-1 SHIPPING

Detachable, flat-packed design: smaller cartons, lower freight, more units per container

05

PRODUCT LINE 05

Smart Retail & AI Devices



IN THIS SECTION

- 25 10.1" Self-service Price Checker
- 26 In the Store
- 27 Specifications & Options

- 28 Dual-Screen AI Translator
- 29 Where It Works
- 30 Design & Specifications

Request a quote or an OEM/ODM version

Admin@xyc-ltd.com · +86 199 2644 2018

10.1" Self-service Price Checker

Barcode price checker for retail · Model XYZ-CJ-D5



FRONT VIEW · SCANNER WINDOW

SCREEN

10.1" IPS · 1280 × 800

SCANNING

1D and 2D barcodes

PLATFORM

Android 10 · quad-core

PROTECTION

IP54 dust and splash

BUILT FOR

Supermarkets

Shopping malls

Convenience stores

Warehouses

WHY CUSTOMERS USE IT

No missing price tags



Scan any product to see its name, price, promotion and original price.

Same price at checkout



Linked to the store ERP / POS, so shelf and till always match.

Easy for everyone



Touch or scan; voice price announcement for visually impaired shoppers.

For every shopper



Multi-language display; multi-currency on some models.

360°

Reads barcodes at any rotation

25–110 mm

EAN-13 reading distance

In the Store

From the shelf to the back office

HOW IT WORKS

1 Scan

Hold the barcode under the scanner window. 1D and 2D codes are read.

2 See

Name, price, promotion and original price appear in real time.

3 Decide

Member price, points and coupons after a QR member login.

ON THE SHOP FLOOR



Next to the shelves

Promotions and details where shoppers decide.



Wall-mounted

Fixed with the included wall bracket.



Self-service checks

Less waiting, more shopping time.

FOR THE STORE TEAM

Promotions



Buy-two-get-one and spend-and-save rules, member prices, points and coupons.

Product details



Ingredients, usage and origin: ideal for electronics, cosmetics and baby products.

Search statistics



Top 10 searched products and peak search times, to plan tags and promotions.

Remote maintenance



Reports scanner or network faults automatically for remote repair.

Specifications & Options

Model XYC-CJ-D5 · 10.1" price checker

SPECIFICATIONS

Display	10.1" IPS LCD, 1280 × 800, 250–300 cd/m ² , 60 Hz
Touch	10-point touch, 2 mm tempered glass
Platform	A133 quad-core Cortex-A53, 1.5 GHz · Android 10
Memory	2 GB RAM, 32 GB storage
Scanner	640 × 480 CMOS, white LED, buzzer prompt
Barcodes	QR Code, EAN-13/8, UPC-A/E, Code 128, Code 39 and more
Connectivity	Wi-Fi 2.4 GHz, Bluetooth 5.0, RJ45 LAN, USB 2.0 + 3.0
Power	DC 12 V adapter, max. 15 W, standby < 0.5 W
Environment	Operating 0–40 °C, storage –20–60 °C

WALL MOUNTING




PLATE 185 × 240 MM

OPTIONS ON REQUEST

Camera



720P by default; 1080P available

NFC / RFID



Card reading on request

PoE power



Power over Ethernet instead of the adapter

Configuration



Other chip, memory and storage

SIZE · NET 1.2 KG

267 × 272 × 89 mm

CARTON · GROSS 1.5 KG

325 × 325 × 135 mm

IN THE BOX

Adapter, wall bracket

Warranty card included. Options add cost; please confirm the configuration with our sales team before ordering.

PRODUCT LINE 05 · SMART RETAIL & AI DEVICES

Dual-Screen AI Translator

Two screens, one conversation · Model T10 Max



WHITE · GRAY

SCREENS

2 × 10" touch

CAMERAS

2 × 1080P HD

MICROPHONES

Dual-mic array

NETWORK

Wi-Fi

COLOURS

White

Black

Gray

WHY IT WORKS

Face to face

One screen for each person, so both sides read and speak naturally.



AI large model

Real-time voice translation and speech output, in 35+ languages.



Hears clearly

Dual-microphone array for reliable voice recognition, even in noisy places.



Keeps improving

Online server updates keep raising translation quality.



35+

Languages

180+

Countries and regions

Free

Lifetime translation

Where It Works

Wherever two languages meet



HOTEL FRONT DESK



AIRPORT COUNTERS



HOSPITALS AND CLINICS



SHOPPING MALLS



BUSINESS MEETINGS



RESTAURANTS

SMART FEATURES

Your brand on screen



Custom wallpaper: upload your company logo in one click.

Translation history



Export records, share with the team in one tap, secure cloud backup.

Wakes by itself



Motion sensor wakes the device when a visitor walks up.

Memo mode



Several memo templates; key translated content summarised automatically.

Design & Specifications

Model T10 Max



35+ LANGUAGES


- English
- Chinese
- Cantonese
- Japanese
- Korean
- Spanish
- Portuguese
- French
- German
- Italian
- Dutch
- Swedish
- Greek
- Czech
- Polish
- Romanian
- Bulgarian
- Russian
- Ukrainian
- Kazakh
- Uzbek
- Mongolian
- Turkish
- Arabic
- Persian
- Urdu
- Hindi
- Bengali
- Tamil
- Thai
- Vietnamese
- Malay
- Indonesian
- Filipino
- Swahili
- Hausa
- Traditional Chinese

SPECIFICATIONS

CPU	Dual-core CPU × 2
Screens	Dual 10" IPS HD touch screens
Cameras	2 × 1920 × 1080 HD
Audio	Dual-microphone array, 1 speaker
Network	Wi-Fi 2.4 GHz
Power	DC 12 V / 1.5 A, plug-in use
Size	273.6 × 96.5 × 213.5 mm
Environment	−10–50 °C, 30–80% RH
Certifications	GB 4943-2022, RoHS, CE, FCC, SRRC
In the box	Translator, power supply, manual, gift box

Factory & Production

Our own industrial and factory area in Shenzhen and Dongguan covers 40,000 square meters. The company is expanding its business and plans to build a new factory area in Zhongshan.



Production by Product Line

Photos from our factory floor.



INTERACTIVE SMARTBOARDS



ADVERTISING DISPLAYS



PORTABLE SMART TV



Contact Information

We are here to assist you. Reach out to our team for product inquiries, partnership opportunities, or support. Our dedicated team is ready to provide the premium service you deserve.

ADDRESS

Room 203, Building B, No. 115 Guangqiao
North Road, Xinqiang Community, Xihu
Street, Guangming District, Shenzhen

PHONE

+86 188 2465 6358

+86 136 3150 4323

+86 199 2644 2018

EMAIL

Admin@xyc-ltd.com

lzz@xyc-ltd.com

Antony@xyc-ltd.com

WEBSITE

<https://www.interactiveswhiteboard.com/>

Xingyicheng shenzhen
WhatsApp business account



SCAN FOR WHATSAPP