

Jambro Beamer Template

Ambrogio Cesa-Bianchi

May 24, 2026

*The Usual Disclaimer Applies

Table of Contents

Jambro Beamer Theme

- ▶ Jambro is a Beamer theme with a strong focus on clarity and readability:
 - * Clean, minimalist layout
 - * Subtle color palette
 - * Modern typography
 - * Spacious design ideal for academic or policy presentations
- ▶ Getting started:
 - * After the usual `\documentclass{beamer}`, load the theme with `\usetheme{jambro}`
 - * The file `beamerthemejambro.sty` must be in the same folder as your Beamer presentation

Handwriting & Arrows

Arrows and handwritten notes

- ▶ The theme embeds a way to introduce handwritten notes using arrows
- ▶ Imagine you want to clarify something about x

Arrows and handwritten notes

- ▶ The theme embeds a way to introduce handwritten notes using arrows
- ▶ Imagine you want to clarify something about x
- ▶ The theme allows to add arrows and handwritten notes using `\hand` command and Tikz
 - * Use command `\marker{mylabel}{text}` to anchor the arrow
 - * Then use standard Tikz syntax

```
\begin{tikzpicture}[tpstyle]  
  \draw[arrow,->] ([yshift=2pt]node1.north east) to[bend left] +(0.7,+0.3) %  
    node[anchor=west] {\hand A comment from the north};  
\end{tikzpicture}
```

Arrows and handwritten notes

- ▶ The theme embeds a way to introduce handwritten notes using arrows
- ▶ Imagine you want to clarify something about `x`
- ▶ The theme allows to add arrows and handwritten notes using `\handwrite` and `Tikz`
 - * Arrows can start from different cardinal points

A comment from the north

A comment from the south


Arrows and handwritten notes

- ▶ The theme embeds a way to introduce handwritten notes using arrows
- ▶ Imagine you want to clarify something about x
- ▶ The theme allows to add arrows and handwritten notes using `\hand` command and Tikz
 - * Arrows can start from different cardinal points...
 - * ...have different colors and opacity...



Arrows and handwritten notes

- ▶ The theme embeds a way to introduce handwritten notes using arrows
- ▶ Imagine you want to clarify something about `x`
- ▶ The theme allows to add arrows and handwritten notes using `\hand` command and Tikz
 - * Arrows can start from different cardinal points...
 - * ...have different colors and opacity...
 - * ...have wiggles....



Arrows and handwritten notes

- ▶ The theme embeds a way to introduce handwritten notes using arrows
- ▶ Imagine you want to clarify something about x
- ▶ The theme allows to add arrows and handwritten notes using `\hand` command and Tikz
 - * Arrows can start from different cardinal points...
 - * ...have different colors and opacity...
 - * ...have wiggles...
 - * ...be bidirectional or adirectional



A comment from the north



A comment from the south


Arrows and handwritten notes: Shortcuts

The `\lapisnote` command

- Add arrows and annotations using the `\lapisnote[options]{node}{text}` command


- Options:

- * Automatic settings
- * Control `x` and `y` position of annotation
- * Control `from` positions of arrow (automatic to position)
- * Control `to` position of arrow and its bend
- * Control `width` of box for annotation



Handwritten notes to figures


- Add notes to figures using the `tikzpicture` environment



NOTE. Global average of investment grade corporate bond spreads (option-adjusted) weighted by bonds face value, together with 5th and 95th percentile of the full distribution. Source: ICE BoA ML.

Handwritten notes to figures

- Add shaded areas on top of figures with the `tikzpicture` environment



NOTE. Global average of investment grade corporate bond spreads (option-adjusted) weighted by bonds face value, together with 5th and 95th percentile of the full distribution. Source: ICE BoA ML.

Highlighting, Underlying & Boxing

Highlighting

- ▶ Highlight text with the `\stabilo{text}` command
 - * Can also highlight with a custom color too using `\stabilo[mycolor]{text}`
- ▶ Or underline text using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[mycolor]{text}`
- ▶ You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil (see TEX file for code)

Boxing text or variables in equations

- ▶ Highlight text with a pencil-like box effect using the `\lapisbox{text}` command

Boxing text or variables in equations

- ▶ Highlight text with a pencil-like box effect using the `\lapisbox{text}` command
- ▶ `\lapisboxeq{symbol}` can highlight objects in equations, as well as set colors and labels with option `[color=mycolor,label=mylabel]{text}`

$$y_t = \alpha + \boxed{\beta x_t} + u_t$$

Boxing text or variables in equations

- ▶ Highlight text with a **pencil-like box effect** using the `\lapisbox{text}` command
- ▶ `\lapisboxeq{symbol}` can highlight objects in equations, as well as set colors and labels with option `[color=mycolor,label=mylabel]{text}`

$$y_t = \alpha + \boxed{\beta x_t} + u_t$$

- ▶ Labels allow to add arrows and comments as before

 A comment from south east

Boxing numbers in a table

- `lapisbox` can be used to highlight numbers in tables, too

Dep. Variable: spread (Δcs_{ij})	(1)
Baseline Specification	
Coeff. (β_1)	21.15*** (7.35)
Double clustering	Yes
Time-sector FE	No
R-squared	0.034
Observations	285,794

NOTE. Standard errors (reported in parentheses) are clustered two-way, at the firm level and time level. The asterisks denote statistical significance (***) for $p < 0.01$, ** for $p < 0.05$, * for $p < 0.1$.

→ This is a large estimate!

Theme's Options

Theme's options

- ▶ The theme comes with a few options to be specified in the `\documentclass[option]{beamer}` command
 - * `light`: uses Fira Sans Light instead of the default Fira Sans Book
 - * `roboto`: changes the default font to Roboto
 - * `cabin`: changes the default font to Cabin
 - * `night`: switches to night mode colors
 - * `red`: switches the main color of the theme from blue to red (overridden by `night`)
 - * `3to2`: switches the aspect ratio from 16:9 to 3:2
 - * `shownotes`: show notes to the slides
 - * `handout2x1`: make 2x1 handouts (portrait). Useful in combination with `shownotes`
 - * `onsec`: visualize only one section at the time in footline (default is all of them)
 - * `itemsep`: use generous spacing between itemize items (default is standard Beamer spacing)
 - * `wiggle=<n>`: set the amplitude of the pencil/sketch effect globally
 - * `hidememo`: suppress all `\memo{...}` annotations

Theme's options

- Set `light` option for `fira` font (baseline) in `light` format

Highlighting

- Highlight text with the `\stabilo{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- Or highlight text using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil

Theme's options

- ▶ Set `roboto` option for roboto font

Highlighting

- ▶ Highlight text with the `\stabilo{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- ▶ Or highlight text using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- ▶ You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil

Theme's options

- Set `cabin` option for cabin font

Highlighting

- Highlight text with the `\stabilo{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- Or highlight text using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil

Theme's options

- Set `night` option for dark scheme

Highlighting

- Highlight text with the `\stabilo{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- Or highlight text using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil

Theme's options

- Set `red` option for red fonts

Highlighting

- Highlight text with the `\stabilo{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- Or highlight text using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil

Theme's options

- ▶ Set `3to2` option for 3 x 2 format

Highlighting

- ▶ **Highlight text** with the `\stabilo{text}` command
 - * Can also highlight with a **custom color** too using `\stabilo[color]{text}`
- ▶ Or **highlight text** using the pencil-like `\lapis{text}` command
 - * Can also highlight with a **custom color** too using `\stabilo[color]{text}`
- ▶ You have more control using Tikz directly, for example
 - * **Highlight text with a thinner pencil**

Theme's options

- Set `shownotes` to show notes and `handout2x1` produce 2x1 handouts

Highlighting

- Highlight text with the `\stable{text}` command
 - Can also highlight with a `custom color` too using `\stable{color}{text}`
- Or highlight text using the pencil-like `\lapis{text}` command
 - Can also highlight with a `custom color` too using `\stable{color}{text}`
- You have more control using Tikz directly, for example
 - Highlight text with a thinner pencil

Introduction

Theme & Customizing

Highlighting, Underlining & Drawing

Tables

Tables & Figures

Overviews

21

Notes

These are some speaking notes
And some more speaking notes

Introduction

Theme & Customizing

Highlighting, Underlining & Drawing

Tables

Tables & Figures

Overviews

21

Theme's options

- ▶ Set `onsec` to show only one section at the time in footline

Highlighting

- ▶ **Highlight text** with the `\stabilo{text}` command
 - * Can also highlight with a **custom color** too using `\stabilo[color]{text}`
- ▶ Or **highlight text** using the pencil-like `\lapis{text}` command
 - * Can also highlight with a custom color too using `\stabilo[color]{text}`
- ▶ You have more control using Tikz directly, for example
 - * Highlight text with a thinner pencil

Tables & Figures

Tables

- This is a table using the `minipage` and `tabularx` commands

Dep. Variable: spread (Δcs_{ij})	(1)
Baseline Specification	
Coeff. (β_1)	21.15*** (7.35)
Double clustering	Yes
Time-sector FE	No
R-squared	0.034
Observations	285,794

NOTE. Standard errors (reported in parentheses) are clustered two-way, at the firm level and time level. The asterisks denote statistical significance (***) for $p < 0.01$, ** for $p < 0.05$, * for $p < 0.1$.

Tables

- Control opacity of columns specifying alignment s within the `tabularx` command

Dep. Variable: spread (Δcs_{ij})	(1)
Baseline Specification	
Coeff. (β_1)	21.15*** (7.35)
Double clustering	Yes
Time-sector FE	No
R-squared	0.034
Observations	285,794

NOTE. Standard errors (reported in parentheses) are clustered two-way, at the firm level and time level. The asterisks denote statistical significance (***) for $p < 0.01$, ** for $p < 0.05$, * for $p < 0.1$.

Tables


- ▶ Control the width of the table with the `minipage` command
- ▶ If the table is not wide enough, the text (from column 2 onward) is automatically spread on multiple lines

Dep. Variable: spread (Δcs_{ij})	(1)
	Baseline Specification
Coeff. (β_1)	21.15*** (7.35)
Double clustering	Yes
Time-sector FE	No
R-squared	0.034
Observations	285,794

NOTE. Standard errors (reported in parentheses) are clustered two-way, at the firm level and time level. The asterisks denote statistical significance (***) for $p < 0.01$, ** for $p < 0.05$, * for $p < 0.1$.

Figures


- This is a figure using the `minipage` and `includegraphics` commands





NOTE. Global average of investment grade corporate bond spreads (option-adjusted) weighted by bonds face value, together with 5th and 95th percentile of the full distribution. Source: ICE BoA ML.

Sketches & Bubbles

Sketch of a model



Sketch of demand and supply



Bubbles

- ▶ The theme allows to create bubbles with the `\NB` command in combination with the `minipage` environment

This is a small bubble

This is a large bubble.
With two lines

This is a larger bubble with bullets:

- ▶ Uno
- ▶ Dos
- ▶ Tres

Miscellaneous

Verbatim & Code

- ▶ The command `\jverb{...}` allows to write inline `verbatim` text
- ▶ And the command `\begin{jVerb}` can be used for a verbatim box

```
>> disp(VAR_sigma)
0.2891      0.0782
0.0782      0.1473
```

- ▶ `Code` can be added with the command `\jcode{...}` (does not support verbatim)
- ▶ Code boxes can be added with the command `\jCode{...}`

```
% Compute HD
[HD, VAR] = VARhd(VAR,VARopt);
```

- ▶ All commands in this page require `\begin{frame}[fragile]`

Change Margins

- ▶ This is a tight margin:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

- ▶ This is a wide margin:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Handwriting and personal notes

- ▶ Handwriting font is available with the `\hand` command
- ▶ Bold handwriting: **Bold handwritten text** with `\handbold{...}`
 - * Stroke weight is adjustable: **light (0.3)** **medium (0.6)** **heavy (1.0)**
 - * Pass weight as optional argument `\handbold[weight]{...}` (default: 0.6)
- ▶ Comment text using `\memo{...}` → ACB: This is a memo note
 - * Set the default username once in the preamble: `\renewcommand{\memouser}{ACB}`
 - * Suppressed entirely with `hidememo` in `\documentclass[hidememo]{beamer}`
 - * Per-note overrides: `\memo[user=JB,color=cobalt]{Check this slide.}` → JB: Check this slide.

Symbols and utilities

- ▶ Check and cross marks with `\cmark` and `\xmark`: ✓ correct ✗ incorrect
- ▶ Math shorthand `\EE` for $\mathbb{E}$: write $\mathbb{E}[x_t \mid \mathcal{F}_{t-1}]$ instead of `$\mathbb{E}$` ; `math.sty` adds the parens-aware $\mathbb{E}_{t-1}(x_t)$
- ▶ Significance stars in tables with `\sym{***}`: renders as *** but marks stars as machine-readable
- ▶ Font sizes for dense layouts:
 - * `\tablesize` — used for table content (7.25pt)
 - * `\miniscule` — used for very small labels (4pt)

Pencil wiggle amplitude

- ▶ The `wiggle=` option sets the amplitude of the pencil sketch effect
 - * Set once in `\documentclass[wiggle=n]{beamer}` (default: 0.8)
 - * Larger values → more expressive; smaller → more subtle

- ▶ The effect on underlines, boxes, and arrows:

straight (0)	
default (0.4)	
expressive (2)	

Inline pencil arrows

- ▶ Four inline arrows with `\jarrowu`, `\jarrowd`, `\jarrowr`, `\jarrowl`:

- * GDP growth  rose; unemployment  fell; exports  shifted right

- ▶ Options [`color=`, `len=`, `lw=`, `pad=`]:

- * Default:    

- * Custom color:   

- * Longer / heavier:  

- ▶ Full names also work: `\jarrowup`, `\jarrowdown`, `\jarrowright`, `\jarrowleft`

Temporary page!

$\text{\LaTeX}$ was unable to guess the total number of pages correctly. As there was some unprintable material that should have been added to the final page this extra page has been added to receive it. If you rerun the document (without altering it) this surplus page will go away, because $\text{\LaTeX}$ now knows how many pages to expect for this document.