








cov_global_full: SG trajectory and derived motion




cov_global_full: acceleration residual objective


specific acceleration [m/s^2]angular acceleration [rad/s^2]

cov_global_full: gimbal measurement audit (objective=measured_sg)


gimbal 1: RMSE=0.006345, max=0.01494 rad




gimbal 2: RMSE=0.008835, max=0.04462 rad



gimbal 3: RMSE=0.007019, max=0.01611 rad




gimbal 4: RMSE=0.006321, max=0.03642 rad








cov_global_full: IMU comparison (diagnostic only)


gyro [rad/s]





specific force [m/s^2]



cov_global_full: smooth-to-strict continuation



cov_global_full: exact strict-ZOH lag cells



selected (0.221230268, 0.221242905] s; final smooth 0.221237759 s; data boundary=False

cov_global_full: parameter estimate





```
Case: cov_global_full
status: completed (all stages completed)

mass [kg]: nominal 2.35159759; estimated 2.83752884
inertia [kg m^2]:
[[ 2.26728990e+00 -1.97303464e+01 -9.29413527e-01]
 [-1.97303464e+01  1.73878923e+02 -1.16991396e-01]
 [-9.29413527e-01 -1.16991396e-01  1.76116259e+02]]
CoG body [m]: [-0.15574415 -0.21343473  0.0219953 ]
force effectiveness: [1.67170471 2.08404954 0.21123815 0.05544975]


scale-free J/m [m^2]:
[[ 7.99036780e-01 -6.95335536e+00 -3.27543289e-01]
 [-6.95335536e+00  6.12782930e+01 -4.12300290e-02]
 [-3.27543289e-01 -4.12300290e-02  6.20667732e+01]]
scale-free f/m: [0.58914105 0.73445934 0.07444441 0.01954156]

rotor lag cell: (0.221230268, 0.221242905] s
representative: 0.221236587 s
```

cov_global_full: ridge spectrum (rank 13, nullity 1, ||jv||=4.07e-09)



cov_global_full: optimization vs reference covariance



cov_global_full: wrench / closure (force max $8.22\text{e-}15$, torque max $2.84\text{e-}14$)

