








lag_pow2_depth_6: SG trajectory and derived motion




lag_pow2_depth_6: acceleration residual objective


specific acceleration [m/s²]angular acceleration [rad/s²]

lag_pow2_depth_6: gimbal measurement audit (objective=measured_sg)


gimbal 1: RMSE=0.006345, max=0.01494 rad




gimbal 2: RMSE=0.008835, max=0.04462 rad



gimbal 3: RMSE=0.007019, max=0.01611 rad




gimbal 4: RMSE=0.006321, max=0.03642 rad








lag_pow2_depth_6: IMU comparison (diagnostic only)


gyro [rad/s]





specific force [m/s^2]



lag_pow2_depth_6: smooth-to-strict continuation



lag_pow2_depth_6: exact strict-ZOH lag cells



selected (0.175582647, 0.175611973] s; final smooth 0.175583949 s; data boundary=False

lag_pow2_depth_6: parameter estimate

Case: lag_pow2_depth_6

status: completed (all stages completed)

mass [kg]: nominal 2.35159759; estimated 5.95395077

inertia [kg m²]:

```
[[ 1.38088922 -0.03064693  0.1074512 ]
 [-0.03064693  0.65296996 -0.0182148 ]
 [ 0.1074512  -0.0182148   0.76743359]]
```

CoG body [m]: [-0.01982263 -0.05513055 -0.00503064]

force effectiveness: [2.64671283 2.58999673 1.36647126 1.65924694]

scale-free J/m [m²]:





```
[[ 0.23192822 -0.00514733  0.01804704]
 [-0.00514733  0.10967003 -0.00305928]
 [ 0.01804704 -0.00305928  0.12889485]]
```

scale-free f/m: [0.44453052 0.43500473 0.22950664 0.27867999]


rotor lag cell: (0.175582647, 0.175611973] s

representative: 0.17559731 s

lag_pow2_depth_6: ridge spectrum (rank 13, nullity 1, ||jv||=7.85e-14)



lag_pow2_depth_6: optimization vs reference covariance



lag_pow2_depth_6: wrench / closure (force max $1.58\text{e-}14$, torque max $1.11\text{e-}16$)

