






failure1: command and fitted first-order thrust, tau=0.25231 s




failure1: first-order-model residual wrench




failure1: residual-wrench Lomb-Scargle spectrum


peak 0.5848 Hz




peak 0.7036 Hz




peak 0.7515 Hz




peak 1.248 Hz




peak 0.4412 Hz



peak 0.6029 Hz



failure1: acceleration objective



failure1: first-order-lag estimate summary

case: failure1
outcome metadata: crashed

first-order thrust time constant [s]: 0.25230976471
pure delay [s]: 0
initial tau [s]: [0.004997730255126953, 0.019990921020507812, 0.07996368408203125, 0.319854736328125]
controller command median period [s]: 0.00499534606934

data objective: 301.262495574
residual RMS: 0.41013302548
nfev: 116

mass [kg]: nominal 2.35159759081; estimated 4.27088412772
CoG body [m]: [0.02601154 -0.00826581 -0.05026545]
force effectiveness: [1.40540479 1.93271114 1.65447244 1.2484216]
J/m [m²]:
[[0.08828028 -0.00103162 -0.01248366]
[-0.00103162 0.07000081 0.00280326]
[-0.01248366 0.00280326 0.15346006]]

residual-wrench peak frequencies [Hz]:
[0.584778 0.703618 0.751484 1.248299 0.44118 0.602934]