











success: command and fitted first-order thrust, tau=0.240612 s




success: first-order-model residual wrench




success: residual-wrench Lomb-Scargle spectrum


peak 0.4148 Hz




peak 0.1358 Hz




peak 0.2613 Hz




peak 0.253 Hz




peak 1.557 Hz



peak 0.3421 Hz



success: acceleration objective



success: first-order-lag estimate summary

case: success
outcome metadata: successful

first-order thrust time constant [s]: 0.24061176286
pure delay [s]: 0
initial tau [s]: [0.010000109672546387, 0.04000043869018555, 0.1600017547607422, 0.6400070190429688]
controller command median period [s]: 0.0099983215332

data objective: 32.4537847928
residual RMS: 0.100222261191
nfev: 76

mass [kg]: nominal 2.35159759081; estimated 3.51639254106
CoG body [m]: [-0.0198257 -0.0562222 -0.00414749]
force effectiveness: [1.56237487 1.5423606 0.79369111 0.98117601]
J/m [m²]:
[[0.22169669 -0.01017052 0.0166878]
 [-0.01017052 0.083096 -0.01961056]
 [0.0166878 -0.01961056 0.14871525]]

residual-wrench peak frequencies [Hz]:
[0.414772 0.135829 0.26127 0.253018 1.556952 0.342147]