



0.5 Hz / assumed sigma 2 deg/s: Body angular-rate mean and +/-2sigma
x omega [deg/s]
y omega [deg/s]
z omega [deg/s]
Time [s]
Synthetic truth
Linear angular dynamics
Nonlinear Euler
Acquired gyro
Current acquisition step replaces rate by a fresh Gaussian; it is not Bayesian conditioning.
Both saved limits are retained at the same timestamp; no interpolation across acquisitions.


0.5 Hz / assumed sigma 2 deg/s: Actual uncertainty width before/after acquisitions
x axis
y axis
z axis
2sigma half-width [deg/s]
Linear angular dynamics
Nonlinear Euler
Before acquisition
After acquisition
Time [s]
Current acquisition step replaces rate by a fresh Gaussian; it is not Bayesian conditioning.
Both saved limits are retained at the same timestamp; no interpolation across acquisitions.


0.5 Hz / assumed sigma 2 deg/s: Body angular-rate error and +/-2sigma
Zero error
Linear angular dynamics
Nonlinear Euler
Acquired gyro
x omega error [deg/s]
y omega error [deg/s]
z omega error [deg/s]
Time [s]
Current acquisition step replaces rate by a fresh Gaussian; it is not Bayesian conditioning.
Both saved limits are retained at the same timestamp; no interpolation across acquisitions.