











failure2: command and fitted first-order thrust, tau=0.398608 s




failure2: first-order-model residual wrench




failure2: residual-wrench Lomb-Scargle spectrum


peak 0.2976 Hz




peak 0.598 Hz




peak 0.2217 Hz




peak 1.648 Hz




peak 0.4577 Hz



peak 0.489 Hz



failure2: acceleration objective



failure2: first-order-lag estimate summary

case: failure2
outcome metadata: crashed

first-order thrust time constant [s]: 0.398607586508
pure delay [s]: 0
initial tau [s]: [0.004957675933837891, 0.019830703735351562, 0.07932281494140625, 0.317291259765625]
controller command median period [s]: 0.00500774383545

data objective: 144.47616335
residual RMS: 0.299189490989
nfev: 40

mass [kg]: nominal 2.35159759081; estimated 8.00943088111
CoG body [m]: [-0.02324456 0.01582154 -0.00830359]
force effectiveness: [3.00506211 2.45312918 2.8869208 3.24026413]
J/m [m²]:
[[0.05740037 0.00267158 0.01312111]
 [0.00267158 0.03316633 -0.01401924]
 [0.01312111 -0.01401924 0.06816014]]

residual-wrench peak frequencies [Hz]:
[0.297583 0.597983 0.221657 1.647733 0.457686 0.489046]