



sweep_sg_window_covariance__003: trajectory




sweep_sg_window_covariance_003: residual wrench








sweep_sg_window_covariance_003: measured sensor comparison

gyro



specific force



sweep_sg_window_covariance__003: nominal -> estimated parameters

Case: sweep_sg_window_covariance__003
status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 2.71153422 delta 0.359936628

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [0.3923938 -0.0025603 -0.0861756] d=[0.3273937 -0.0025595 -0.0861946]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [-0.0025603 0.2707125 -0.0343943] d=[-0.0025595 0.2057599 -0.0343943]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [-0.0861756 -0.0343943 0.5938977] d=[-0.0861946 -0.0343943 0.4649056]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [-0.0106362 0.0191038 -0.0660079] d=[-0.0086115 0.0191344


rotor force effectiveness

[1. 1. 1. 1.] -> [0.9456316 0.951344 0.9888163 1.0345983] d=[-0.0543684 -0.048656 -0.0111837 0.0345983]





rotor lag [s] 0.180009079

gimbal lag [s] 0.0450590393

sweep_sg_window_covariance__003: covariance weighting




sweep_sg_window_covariance__003: parameter ridge



exact scale gauge: || v_{scale} ||=7.14682e-14, rank=13, nullity=1


sweep_sg_window_covariance__003: strict lag candidates




boundary flags: rotor lower=False upper=False; gimbal lower=False upper=False

sweep_sg_window_covariance__003: acceleration/wrench closure


angular-acceleration residual



raw torque residual



torque closure error



```
principal moments [kg m^2]
nominal: [0.064953 0.065 0.128992]
estimated: [0.265814 0.362708 0.628482]
estimated / nominal: [4.092421 5.580117 4.872255]

force closure max/rms: 7.21645e-15 / 1.64458e-15
torque closure max/rms: 4.996e-16 / 8.11894e-17
```