



sweep_sg_window_covariance__000: trajectory




sweep_sg_window_covariance_000: residual wrench








sweep_sg_window_covariance_000: measured sensor comparison

gyro



specific force



sweep_sg_window_covariance__000: nominal -> estimated parameters

Case: sweep_sg_window_covariance__000
status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 4.79515405 delta 2.44355646

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [0.5901501 0.550991 0.2731903] d=[0.5251501 0.5509917 0.2731713]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [0.550991 1.1339944 -0.2406695] d=[0.5509917 1.0690417 -0.2406696]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [0.2731903 -0.2406695 1.4743474] d=[0.2731713 -0.2406696 1.3453553]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [0.0740656 0.1682462 -0.1049091] d=[0.0760903 0.1682767


rotor force effectiveness

[1. 1. 1. 1.] -> [0.0776581 0.8974475 3.777221 2.1886508] d=[-0.9223419 -0.1025525 2.777221 1.1886508]





rotor lag [s] 0.105610486

gimbal lag [s] 0.0396575928

sweep_sg_window_covariance_000: covariance weighting




sweep_sg_window_covariance_000: parameter ridge



exact scale gauge: $\|v_{\text{scale}}\|=3.07013\text{e-}11$, rank=13, nullity=1


sweep_sg_window_covariance__000: strict lag candidates




boundary flags: rotor lower=False upper=False; gimbal lower=False upper=False

sweep_sg_window_covariance_000: acceleration/wrench closure


angular-acceleration residual



raw torque residual



torque closure error



```
principal moments [kg m^2]
nominal: [0.064953 0.065 0.128992]
estimated: [0.150072 1.449182 1.599238]
estimated / nominal: [ 2.310482 22.295083 12.397953]

force closure max/rms: 1.33227e-14 / 2.83827e-15
torque closure max/rms: 1.33227e-15 / 1.84414e-16
```