




sweep_sg_window_covariance__003: trajectory



sweep_sg_window_covariance_003: residual wrench



sweep_sg_window_covariance_003: measured sensor comparison



sweep_sg_window_covariance__003: nominal -> estimated parameters

Case: sweep_sg_window_covariance__003
status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 3.11137717 delta 0.759779582

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [0.9136188 -0.0178387 0.0704096] d=[0.8486188 -0.017838 0.0703906]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [-0.0178387 0.5036281 0.0025863] d=[-0.017838 0.4386754 0.0025863]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [0.0704096 0.0025863 0.4315725] d=[0.0703906 0.0025863 0.3025804]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [-0.0150566 -0.0612266 -0.0040013] d=[-0.0130319 -0.0611961


rotor force effectiveness

[1. 1. 1. 1.] -> [1.3788336 1.422165 0.6954439 0.8290023] d=[0.3788336 0.422165 -0.3045561 -0.1709977]





rotor lag [s] 0.2

gimbal lag [s] 0.0400004387

sweep_sg_window_covariance_003: covariance weighting




sweep_sg_window_covariance_003: parameter ridge



exact scale gauge: || v_{scale} ||=6.474e-14, rank=13, nullity=1


sweep_sg_window_covariance__003: strict lag candidates




boundary flags: rotor lower=False upper=True; gimbal lower=False upper=False

sweep_sg_window_covariance_003: acceleration/wrench closure


angular-acceleration residual



raw torque residual



torque closure error



principal moments [kg m²]
 nominal: [0.064953 0.065 0.128992]
 estimated: [0.421183 0.503233 0.924403]
 estimated / nominal: [6.484456 7.742045 7.166356]

force closure max/rms: 8.78464e-15 / 1.73707e-15
 torque closure max/rms: 5.55112e-17 / 1.02711e-17