



cov_identity: trajectory




cov_identity: residual wrench




cov_identity: measured sensor comparison

gyro



specific force



cov_identity: nominal -> estimated parameters

Case: cov_identity

status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 6.24729071 delta 3.89569311

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [0.4184155 0.0020977 -0.0961017] d=[0.3534155 0.0020984 -0.0961207]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [0.0020977 0.4115579 0.0187289] d=[0.0020984 0.3466053 0.0187288]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [-0.0961017 0.0187289 0.7805405] d=[-0.0961207 0.0187288 0.6515484]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [0.0083372 -0.0042761 -0.0293714] d=[0.0103619 -0.0042455]

rotor force effectiveness

[1. 1. 1. 1.] -> [2.2066716 2.5449993 2.2795023 2.0310487] d=[1.2066716 1.5449993 1.2795023 1.0310487]

rotor lag [s] 0.199999999

gimbal lag [s] 0.0425433964