



lag\_common\_estimated: trajectory





lag\_common\_estimated: residual wrench



## lag\_common\_estimated: measured sensor comparison

gyro

specific force



## lag\_common\_estimated: nominal -> estimated parameters

Case: lag\_common\_estimated

status: completed (all stages completed)

mass [kg]            nominal 2.35159759    estimated 5.67312079    delta 3.3215232

inertia [kg m^2] (nominal -> estimated; delta)

[ 6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [ 0.1534754 -0.0613465 -0.1713688]    d=[ 0.0884754 -0.0613458 -0.1713878]  
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [-0.0613465 1.6594705 -0.0299548]    d=[-0.0613458 1.5945178 -0.0299548]  
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [-0.1713688 -0.0299548 1.7684808]    d=[-0.1713878 -0.0299548 1.6394887]

CoG [m]            [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [ 0.0365068 0.1008191 -0.0424918]    d=[ 0.0385315 0.1008490]

rotor force effectiveness

[1. 1. 1. 1.] -> [1.099159 1.3494641 3.053214 2.7147838]    d=[0.099159 0.3494641 2.053214 1.7147838]

rotor lag [s] 0.0430524208

gimbal lag [s] 0.0430524208