




cov_global_full: trajectory



cov_global_full: residual wrench



cov_global_full: measured sensor comparison



cov_global_full: nominal -> estimated parameters

Case: cov_global_full

status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 1.66309443 delta -0.688503164

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [24.0928199 0.4370158 -8.0299056] d=[24.0278198 0.4370166 -8.0299246]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [0.4370158 26.7000974 1.1093732] d=[0.4370166 26.6351448 1.1093732]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [-8.0299056 1.1093732 2.8771737] d=[-8.0299246 1.1093732 2.7481816]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [-0.2447563 0.0351487 -0.607957] d=[-0.2427316 0.0351792]

rotor force effectiveness

[1. 1. 1. 1.] -> [0.4880085 0.5384874 0.6113581 0.6529534] d=[-0.5119915 -0.4615126 -0.3886419 -0.3470466]

rotor lag [s] 0.199999993

gimbal lag [s] 0.040763995