








default_full_covariance: trajectory




default_full_covariance: residual wrench








default_full_covariance: measured sensor comparison

gyro



specific force



default_full_covariance: nominal -> estimated parameters

Case: default_full_covariance

status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 1.07795273 delta -1.27364487

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [117.1072836 -69.5380588 -73.7812949] d=[117.0422835 -69.538058 -73.7812949]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [-69.5380588 149.8375073 -58.3750881] d=[-69.538058 149.7725546 -58.3750881]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [-73.7812949 -58.3750881 142.9393619] d=[-73.781314 -58.3750882 142.8103619]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [-1.3324326 -0.9585076 -1.1045125] d=[-1.3304079 -0.9584771 1.1045125]

rotor force effectiveness

[1. 1. 1. 1.] -> [0.232759 0.2460669 0.4124717 0.5627114] d=[-0.767241 -0.7539331 -0.5875283 -0.4372886]

rotor lag [s] 0.199999857

gimbal lag [s] 0.0503390711