



lag_zero: trajectory




lag_zero: residual wrench








lag_zero: measured sensor comparison

gyro



specific force



lag_zero: nominal -> estimated parameters

Case: lag_zero

status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 1.44405423 delta -0.907543364

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [6.8163997 4.3555807 3.9736055] d=[6.7513996 4.3555814 3.9735864]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [4.3555807 8.3233795 -3.3940934] d=[4.3555814 8.2584269 -3.3940935]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [3.9736055 -3.3940934 8.9355754] d=[3.9735864 -3.3940935 8.8065833]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [0.0214738 -0.1434477 0.0426912] d=[0.0234985 -0.1434172]

rotor force effectiveness

[1. 1. 1. 1.] -> [0.7547572 0.7985283 0.2030205 0.2641841] d=[-0.2452428 -0.2014717 -0.7969795 -0.7358159]

rotor lag [s] 0

gimbal lag [s] 0