

Name – Hiruni Ransika Kahathuduwa

## Task Optimization

### Screenshots

[https://drive.google.com/file/d/1FdHM3ht\\_0ccIpO3oCngalWbwl8Z-4Bjj/view?usp=sharing](https://drive.google.com/file/d/1FdHM3ht_0ccIpO3oCngalWbwl8Z-4Bjj/view?usp=sharing)

### Video

<https://drive.google.com/file/d/1hDYeHPiyT1TfD34F7OQrLFcLzhwz1N65/view?usp=sharing>

## Updated Controller

```
<?php

namespace App\Http\Controllers;

use App\Models\DocumentViewsModel;
use App\Models\ShareDocs;
use App\Models\User;
use App\Models\DocsModel;
use App\Models\Sign;
use App\Models\UserVerificationDoc;
use App\Models\Survey;
use App\Models\Questionset;
use App\Models\ClientExtraDetail;
use App\Support\AppSupport;
use Illuminate\Http\Request;
use Illuminate\Pagination\LengthAwarePaginator;
use Illuminate\Pagination\Paginator;
use Illuminate\Support\Collection;
use Illuminate\Support\Facades\Storage;

class ClientController extends Controller
{
    /**
     * OPTIMIZED VERSION - Preserves identical output but optimized for
     performance
     */
    public function view(Request $request)
```

```

{
    $company = AppSupport::getCompanyOfAuthUser();

    if (!$request->has('phone')) {
        return redirect('dashboard')->with('error', 'Invalid Request');
    }

    $phone = $request->phone;

    // OPTIMIZATION: Get client in single query
    $client = User::where('phone', $phone)->first();
    if (!$client) {
        return redirect('dashboard')->with('error', 'Client not found');
    }

    // OPTIMIZATION: Use eager loading and batch processing
    $clientId = $client->id;
    $companyId = $company->id;

    // Get all document views with relationships in single query
    $documentViewsDocs = DocumentViewsModel::with(['docsData'])
        ->where('user_id', $clientId)
        ->where('sender_id', $companyId)
        ->where(function ($query) {
            $query->where('status', 'accepted')
                ->orWhere('status', 'survey');
        })
        ->get();

    // Get all related data in batch queries
    $sentDocuments = DocsModel::where('user_id', $clientId)
        ->where('sent_by', $companyId)
        ->get();

    $signedDocuments = Sign::where('user_id', $clientId)
        ->where('sender_id', $companyId)
        ->get();

    $sharedDocuments = ShareDocs::with(['docsData'])
        ->where('user_id', $clientId)
        ->where('business_id', $companyId)
        ->get();

    $verificationDocs = UserVerificationDoc::where('user_id', $clientId)
        ->whereNotNull('completion_id')

```

```
->select(['id', 'id_path', 'selfie_path', 'verification_date',  
'created_at', 'completion_id', 'user_id', 'is_verified'])  
->get()  
->groupBy('completion_id');
```

```
// OPTIMIZATION: Process data efficiently
```

```
$documentsA = $documentViewsDocs->map(function ($doc) {  
    $type = $doc->status == "survey" ? "Survey" : "Requested";  
    return (object) [  
        'name' => @$doc->docsData->text,  
        'type' => $type,  
        'path' => "document/" . @$doc->doc_hash,  
        'created_at' => @$doc->created_at,  
        'docs_table_id' => @$doc->docsData->id,  
        'archived_at' => @$doc->docsData->archived_at,  
    ];  
});
```

```
$documentsB = $sentDocuments->map(function ($doc) {  
    return (object) [  
        'docs_table_id' => $doc->id,  
        'name' => $doc->text,  
        'type' => "Sent",  
        'path' => "sent_document/" . $doc->doc_token,  
        'created_at' => $doc->created_at,  
    ];  
});
```

```
$documentsC = $signedDocuments->map(function ($doc) {  
    return (object) [  
        'name' => $doc->name,  
        'type' => "Signed",  
        'path' => "sign/" . $doc->hash,  
        'created_at' => $doc->created_at,  
        'docs_table_id' => $doc->hash,  
    ];  
});
```

```
$documentsD = $sharedDocuments->map(function ($doc) {  
    return (object) [  
        'name' => $doc->docsData->text,  
        'type' => "Shared",  
        'path' => "share_document/" . $doc->id,  
        'created_at' => $doc->created_at,  
        'docs_table_id' => $doc->docsData->id,  
    ];  
});
```

```

    ];
  });
$documentsE = $verificationDocs->map(function ($verificationDoc) {
    $idDocument = $verificationDoc->where('id_path', '<>', null)->first();
    $selfieDocument = $verificationDoc->where('selfie_path', '<>', null)->first();

    $idPath = $idDocument->id_path ?? null;
    $selfiePath = $selfieDocument->selfie_path ?? null;

    if ($idPath && $selfiePath) {
        $extension = pathinfo($idPath, PATHINFO_EXTENSION);
        $idHash = $extension == 'verime' ? pathinfo(pathinfo($idPath,
PATHINFO_FILENAME), PATHINFO_FILENAME) : pathinfo($idPath, PATHINFO_FILENAME);

        $extension = pathinfo($selfiePath, PATHINFO_EXTENSION);
        $imageHash = $extension == 'verime' ? pathinfo(pathinfo($selfiePath,
PATHINFO_FILENAME), PATHINFO_FILENAME) : pathinfo($selfiePath,
PATHINFO_FILENAME);

        // FIX: Remove Storage disk check - just create the PDF
        AppSupport::createPDFWithIDandSelfie($idDocument, $selfieDocument,
$idHash, $imageHash, $selfieDocument->is_verified);

        $record = $verificationDoc->first();
        return (object) [
            'name' => 'Verification Doc_' . $record->verification_date,
            'type' => 'Verification',
            'path' => "verification/$idHash-$imageHash?user_id={$record->user_id}&completion_id={$record->completion_id}&id_hash={$idHash}&image_hash={$imageHash}",
            'is_verified' => (bool) $record->is_verified,
            'created_at' => $record->created_at,
            'docs_table_id' => "users/{$record->user_id}/completion_id/{$record->completion_id}/id_hash/{$idHash}/image_hash/{$imageHash}",
        ];
    } else {
        return null;
    }
})->filter();

// Merge all documents
$mergedDocuments = $documentsA->concat($documentsB)
    ->concat($documentsC)
    ->concat($documentsD)

```

```

->concat($documentsE)
->unique('docs_table_id');

// Pagination
$page = $request->get('page', 1);
$paginatedDocuments = $this->paginate_array($mergedDocuments, 8, $page, [
    'path' => request()->url() . '?phone=' . $phone
]);

// OPTIMIZATION: Single query for surveys with joins
$surveysQuery = Survey::select(
    'surveys.*',
    'questionsets.title',
    'questionsets.id as questionSetId',
    'questionsets.type as questionSetType',
    'users.first_name',
    'users.last_name'
)
->join('questionsets', 'questionsets.id', '=', 'surveys.formId')
->join('users', 'users.id', '=', 'surveys.userId')
->where('questionsets.businessId', $companyId)
->where('surveys.userId', $clientId);

// Apply filters
if ($request->has('question_set') && !empty($request->question_set)) {
    $surveysQuery->where('questionsets.title', 'LIKE', '%' . $request-
>question_set . '%');
}

if ($request->has('application_status') && !empty($request-
>application_status)) {
    $surveysQuery->where('surveys.application_status', $request-
>application_status);
}

$surveys = $surveysQuery->orderBy('surveys.created_at', 'desc')-
>paginate();

// Get extra details
$extraDetails = ClientExtraDetail::where('user_id', $clientId)->first();
$extraDetailsFields = $extraDetails ? json_decode($extraDetails-
>additional_fields, true) : [];

return view('client.info', [
    'phone' => $client->phone,

```

```


        'clientName' => $client->first_name . ' ' . $client->last_name,
        'documentViewsDocs' => $paginatedDocuments,
        'surveys' => $surveys,
        'extraDetailsFields' => $extraDetailsFields,
    ]);
}

public function paginate_array($items, $perPage = 8, $page = null, $options =
[])
{
    $page = $page ?: (Paginator::resolveCurrentPage() ?: 1);
    $items = $items instanceof Collection ? $items :
Collection::make($items);

    return new LengthAwarePaginator(
        $items->forPage($page, $perPage),
        $items->count(),
        $perPage,
        $page,
        $options
    );
}
}

```

Output



### Document Optimization Assignment


Test the optimized `view()` method:

[Test with phone 1112223333](#)

[Quick test \(redirects above\)](#)

**Assignment Requirements Completed:**

1. Environment setup
2. Models + Tables created
3. Model Relationships (docsData())
4. AppSupport Helper
5. Dummy Data (1 record per model)
6. Pagination Helper
7. Routing defined
8. Blade View
9. Browser Test ready



## Client Information

Client: John Doe

Phone: 1112223333

### Documents (3)

John Doe Passport Document

Type: Requested

Created: Nov 14, 2025 11:59

Path: document/doc\_hash\_123

Doc ID: 1

Employment Contract

Type: Signed

Created: Nov 14, 2025 11:59

Path: sign/sign\_hash\_123

Doc ID: sign\_hash\_123

Verification Doc\_2025-11-14 00:00:00

Type: Verification

Created: Nov 14, 2025 11:59

Verified: Yes

Path: verification/id\_123-selfie\_123?user\_id=2&completion\_id=1&id\_hash=id\_123&image\_hash=selfie\_123

Doc ID: users/2/completion\_id/1/id\_hash/id\_123/image\_hash/selfie\_123

Client Information - Optimized

New Tab

127.0.0.1:8000/client-info?phone=1112223333

Type: **Verification**

Created: Nov 14, 2025 11:59

Verified: **Yes**

Path: verification/id\_123-selfie\_123?  
user\_id=2&completion\_id=1&id\_hash=id\_123&image\_hash=selfie\_123

Doc ID: users/2/completion\_id/1/id\_hash/id\_123/image\_hash/selfie\_123

Surveys (1)

Customer Onboarding Survey

Type: default

Status: **accepted**

Created: Nov 14, 2025

Extra Details

Preferred language: English

Marketing consent: **Yes**

Account tier: premium

Risk level: low

Client Information - Optimized

localhost / 127.0.0.1 / document\_optimization

localhost/phpmyadmin/index.php?route=/database/structure&db=document\_optimization

phpMyAdmin

Recent Favorites

Type to filter these. Enter to search all

db2

document\_optimization

New

client\_extra\_details

docs

document\_views

migrations

personal\_access\_tokens

questionsets

share\_docs

signs

surveys

users

user\_verification\_docs

employee

employee1

examdb

examdb3

hotel

hotel\_booking\_system

ida

information\_schema

laravel

mysql

nowdb

Server: 127.0.0.1

Database: document\_optimization

Structure SQL Search Query Export Import Operations Privileges Routines Events Triggers Tracking

Filters

Containing the word:

| Table                  | Action                                    | Rows | Type   | Collation          | Size      | Overhead |
|------------------------|-------------------------------------------|------|--------|--------------------|-----------|----------|
| client_extra_details   | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 32.0 K B  | -        |
| docs                   | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 32.0 K B  | -        |
| document_views         | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 48.0 K B  | -        |
| migrations             | Browse Structure Search Insert Empty Drop | 10   | InnoDB | utf8mb4_unicode_ci | 16.0 K B  | -        |
| personal_access_tokens | Browse Structure Search Insert Empty Drop | 0    | InnoDB | utf8mb4_unicode_ci | 48.0 K B  | -        |
| questionsets           | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 16.0 K B  | -        |
| share_docs             | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 64.0 K B  | -        |
| signs                  | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 48.0 K B  | -        |
| surveys                | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 16.0 K B  | -        |
| users                  | Browse Structure Search Insert Empty Drop | 2    | InnoDB | utf8mb4_unicode_ci | 16.0 K B  | -        |
| user_verification_docs | Browse Structure Search Insert Empty Drop | 1    | InnoDB | utf8mb4_unicode_ci | 32.0 K B  | -        |
| 11 tables              | Sum                                       | 20   | InnoDB | utf8mb4_general_ci | 368.0 K B | 0 B      |

☐ Check all

With selected:

Print Data dictionary



Client Information - Optimized x localhost / 127.0.0.1 / document... x +

localhost/phpmyadmin/index.php?route=/sql&db=document\_optimization&table=users&pos=0

### phpMyAdmin

Recent Favorites

Type to filter these. Enter to search all

- db2
- document\_optimization
  - New
  - client\_extra\_details
  - docs
  - document\_views
  - migrations
  - personal\_access\_tokens
  - questionsets
  - share\_docs
  - signs
  - surveys
  - users
  - user\_verification\_docs
- employee
- employee1
- examdb
- examdb3
- hotel
- hotel\_booking\_system
- ida
- information\_schema
- laravel
- mysql
- newdb

Server: 127.0.0.1 » Database: document\_optimization » Table: users

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Showing rows 0 - 1 (2 total, Query took 0.0008 seconds)

SELECT \* FROM `users`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

|                          |                  | id | email             | email_verified_at | phone      | birth | address | sure_name | id_no | user_id_type | street_address | postal_address |
|--------------------------|------------------|----|-------------------|-------------------|------------|-------|---------|-----------|-------|--------------|----------------|----------------|
| <input type="checkbox"/> | Edit Copy Delete | 1  | company@test.com  | NULL              | 1234567890 | NULL  | NULL    | NULL      | NULL  | NULL         | NULL           | NULL           |
| <input type="checkbox"/> | Edit Copy Delete | 2  | john.doe@test.com | NULL              | 1112223333 | NULL  | NULL    | NULL      | NULL  | NULL         | NULL           | NULL           |

Check all With selected Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Label:  ☐ Let every user access this bookmark

Console