

Task 3.2P

I had to refer to w3schools^{[1][2]} to some things, but it was pretty easy, specially with intellisense and emmet abbreviations in VS Code.

```
th {  
  font-weight: bold;  
}
```

This section is not really required. When you open chrome's development tools without this style set, you can see that the font weight of bold is the default for th.

```
th {  
  display: table-cell;  
  vertical-align: inherit;  
  font-weight: bold;  
  text-align: internal-center;  
  unicode-bidi: isolate;  
}
```

user agent stylesheet

To ensure the header "Season" has a font weight of normal, I added wrote this class .font-normal and I added it to that element only. We could have also used inline css for that line, but I prefer this just because i'm familiar with Tailwind CSS.

```
.font-normal {  
  font-weight: normal !important;  
}
```

Below is what the website looks like:

OnTrack

Icecream Sales Tables

+

127.0.0.1:5500/task32p/index.html

Table 1: Australian Icecream Sales by State

	NSW	VIC	QLD	WA	SA	TAS	ACT	NT
Icecream Sales (\$M)	32.6	23.6	28.7	19.2	15.6	10.6	7.7	9.7
Profit (\$M)	3.6	2.6	8.7	9.2	1.6	0.6	1.7	0.7

Table 2: Australian Icecream Sales by Season

Season	Summer			Autumn			Winter			Spring		
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Sales (\$M)	28.9	24.7	21.4	10.3	4.3	2.3	2.4	4.9	5.1	6.9	12.8	23.7
Costs (\$M)	23.3	20.1	17.2	8.2	3.4	1.8	1.9	4.0	4.1	5.6	10.3	19.1
Profit (\$M)	5.6	4.6	4.2	2.1	0.9	0.5	0.5	0.9	1.0	1.3	2.5	4.6

References

[1] w3schools, "CSS Styling Tables," W3schools.com, 2019. Available:
https://www.w3schools.com/Css/css_table.asp. [Accessed: Jul. 04, 2026]

[2] "CSS border-collapse property," www.w3schools.com. Available:
https://www.w3schools.com/cssref/pr_border-collapse.php. [Accessed: Jul. 04, 2026]