

Task 2.1P

```
Task1_1P.html#document
+-- <!DOCTYPE html>
+-- <html lang="en">
+-- <head>
+-- <meta charset="utf-8">
+-- <meta name="author" content="Funny Guy">
+-- <meta name="description" content="Some funny jokes and pretty pictures.">
+-- <meta name="description" content="Some funny jokes and pretty pictures.">
+-- <title>
+-- #text "Jokes and Pictures"
-- <body>
+-- <h1>
+-- #text "Silly Jokes"
+-- <div id="jokes">
+-- <h2>
+-- #text "Silly Jokes"
+-- <p>
+-- #text "There are many funny jokes that we have heard. Some of the best are the silly ones, often called"
+-- em
+-- #text "Dad Jokes"
+-- #text "!! Here are a few examples."
+-- <ul>
+-- <li>
+-- <p>
+-- <strong>
+-- #text "Q."
+-- #text " What do you call an angry carrot?"
+-- <br>
+-- <em>
+-- <strong>
+-- #text "A."
+-- #text " A steamed veggie."
+-- <li>
+-- <p>
+-- <strong>
+-- #text "Q."
+-- #text " What has more lives than a cat?"
+-- <br>
+-- <em>
+-- <strong>
+-- #text "A."
+-- #text " A frog, because it croaks every day."
+-- <li>
+-- <p>
+-- <strong>
+-- #text "Q."
+-- #text " What does a baby computer call his father?"
+-- <br>
+-- <em>
+-- <strong>
+-- #text "A."
+-- #text " Data!"
+-- <div id="catnames">
+-- <h2>
+-- #text "Top 5 Funny Dog Names"
+-- <p>
+-- #text "People can come up with very creative names for pets!"
+-- <ol>
+-- <li>
+-- #text "Winnie the Poodle"
+-- <li>
+-- #text "Sherlock Bones"
+-- <li>
+-- #text "Bark Twain"
+-- <li>
+-- #text "Hairy Paw-ter"
+-- <li>
+-- #text "Santa Paws"
+-- <div id="images">
+-- <h2>
+-- #text "Some Pictures of Kittens"
+-- <p>
+-- #text "The internet is full of cute pictures of cats, here are some pictures of cute kittens."
+-- 
+-- 
-- <hr>
```

For the answer above, I followed more of a DOM styled structure, which clearly demonstrates the parent child relationship between HTML elements, starting from the document/html level and then going down through head, body, divs, headings, paragraphs, lists, images, etc...

I didn't use XPath style paths like those used in CSS selectors or Selenium style locators, such as .class, #id, and div > p. I only included IDs like div id="jokes" as attributes on the actual DOM nodes, and not as selector syntax.