Cold Chain Distributor Price list (V20211125)

BIOBASE

Biobase Meihua Trading Co., Ltd

2# building, No.9 Gangxing Road, High-tech Zone, Jinan City, shandong Province, China

TEL:+86-531-81219801/03 FAX:+86-531-81219804

E-mail: export@biobase.com Web: www.meihuatrade.com

Blood Bank Refrigerator

Model	Picture	Unit price	Temp Range (℃)	Capacity
BBR-4V120 (220V,50/60HZ)	TITA I	\$953		100
BBR-4V120 (110V/60HZ) External transformer		\$1,085	4±1	108L
BBR-4V160 (220V,50/60HZ)		\$1,050		160L
BBR-4V160 (110V/60HZ) External transformer		\$1,085		
BBR-4V210 (220V,50/60HZ)		\$1,600		2001
BBR-4V210 (110V/60HZ) External transformer		\$1,690		208L

BBR-4V250 (220V,50/60HZ)	Marie 1975	\$1,225		250
BBR-4V250 (110V,60HZ)		\$1,275	4±1	250L
BBR-4V310 (220V,50/60HZ)		\$1,400		310L
BBR-4V310 (110V,60HZ)		\$1,450		310L
BBR-4V608 (220V,50/60HZ)	BIODASE HERE	\$2,415	4±1	6001
BBR-4V608 (110V/60HZ)		\$2,540		608L

BBR-4V1000 (220V,50/60HZ) BBR-4V1000 (110V/60HZ)	BORASS PROPERTY OF THE PROPERT	\$4,010 \$4,180	- 4±1	1008L
Laboratory Refrigerato	or			
Model	Picture	Unit price	Temp Range(℃)	Capacity(L)
BPR-5V160 (220V,50HZ) BPR-5V160 (220V/110V,60HZ) External transformer for AC110V		\$412 \$431		130L
BPR-5V250 (220V,50HZ)		\$516	2~8	250L
BPR-5V250 (220V/110V,60HZ)		\$534	2 0	2300
BPR-5V310 (220V,50HZ)		\$548		310L
BPR-5V310 (220V/110V,60HZ)		\$566		2101

BPR-5V588 (220V,50/60HZ)		\$1,155		
BPR-5V588 (110V,60HZ)	DELANA DE LA CALLADA DE LA CAL	\$1,205	2~8	656L
BPR-5V1000 (220V,50/60HZ)		\$1,540		1000L
BPR-5V1000 (110V,60HZ)		\$1,590		1000L
BPR-5V50 (G) (220V, 50HZ)	BIOBASE	\$368	2~8	50L
BPR-5V50 (G) (220V, 60HZ/110V, 60HZ)	9	\$396	2~6	SOL
BPR-5V100 (G) (220V, 50HZ)	To consider the second of the	\$442	2~8	100L

BPR-5V100 (G) (220V, 60HZ/110V, 60HZ)		\$470	2~8	100L
BPR-5V260 (220V,50/60HZ)		\$557		260L
BPR-5V360 (220V,50/60HZ)	260L 360L	\$630	2~8	360 L
BPR-5V650 (220V,50/60HZ)	BOBASE	\$1,320		656L
BPR-5V650 (110V/60HZ)		\$1,455		
BPR-5V1500 (220V,50/60HZ)	MOAGE TO THE PARTY OF THE PARTY	\$2,650		1500L
BPR-5V1500 (110V/60HZ)		\$2,900	2~8	1500L
-25℃ Freezer	1			
Model	Picture	Unit price	Temp Range(℃)	Capacity(L)

BDF-25H305 (220V,50/60HZ)	SCOAGE 1	\$722	'-10~-25	305L
BDF-25H305 (110V/60HZ) External transformer		\$858		
BDF-25V400 (220V,50HZ)		\$1,015	-10~-25	400L
BDF-25V268 (220V,50/60HZ)		\$899	-10~-25	268L
BDF-25V268 (110V/60HZ) External transformer	268L	\$1,030	-10~-25	208L

BDF-25V328 (220V,50/60HZ)	Maria Talanta	\$1,030		
BDF-25V328 (110V/60HZ) External transformer	328L	\$1,160	-10~-25	328L
BDF-25V270 (220V,50HZ)		\$908	-10~-25	270L
BDF-25V270 (220V/110V,60HZ)		\$960	-10~-25	270L
BDF-25V350 (220V,50HZ)	DODAGE TO THE PARTY OF THE PART	\$1,050	-10∼-25	350L
BDF-25V350 (220V/110V,60HZ)		\$1,100	-10~-25	330L

BDF-25V265 (220V,50HZ)		\$575	Upper:2∼8	Upper:160L
BDF-25V265 (220V,60HZ)		\$597	Lower:-10~-25	Lower:105L
BDF-25V368 (220V,50/60HZ)	NOTAMA DESIGNATION OF THE PROPERTY OF THE PROP	\$1,195	Upper:2∼8	Upper:189L
BDF-25V368 (110V/60HZ) External transformer		\$1,405	Lower:-10~-25	Lower:179L
BDF-25H226 (220V,50HZ)	DIOMES	\$405	-10~-25°C	226L

BDF-25H358 (220V,50HZ)	DISSEASES	\$497	-10~-25°C	358L
-40℃ Freezer	•			
Model	Picture	Unit price	Temp Range(℃)	Capacity(L)
BDF-40V58 (220V,50HZ)		\$647	-15°C∼-40°C	58L
BDF-40V58 (220V,60HZ)	ВОМАН	\$791	-15°C∼-40°C	58L
BDF-40V58 (110V,60HZ)		\$828	-15°C~-40°C	58L
BDF-40V90 (220V,50HZ)	Broase	\$706	-15°C∼-40°C	90L

BDF-40V368 (220V,50/60HZ)		\$1,715	Upper:2∼8	Upper:189L
BDF-40V368 (110V/60HZ) External transformer		\$1,875	Lower:-20~-40	Lower:179L
BDF-40V268 (220V,50/60HZ)	COMM	\$1,100	2005 4005	2601
BDF-40V268 (110V/60HZ) External transformer		\$1,235	-30°C~-40°C	268L
BDF-40V328 (220V,50/60HZ)		\$1,285	-30°Co. 40°C	2201
BDF-40V328 (110V/60HZ) External transformer		\$1,415	-30°C~-40°C	328L

BDF-40V528 (220V,50/60HZ)	BIOBASE STATE OF THE PARTY OF T	\$2,105	-20°C∼-40°C	528L
BDF-40V528 (110V/60HZ) External transformer	528L	\$2,310	20 6 140 6	3201
BDF-40V268II (220V,50HZ)		\$1,130	-15°C∼-40°C	268L
BDF-40V268II (220V,60HZ)		\$1,180	-15°C∼-40°C	268L
BDF-40V268II (110V,60HZ)		\$1,215	-15°C∼-40°C	268L

BRF-40V318 (220V,50HZ)		\$1,440	Refrigerator :2°C~8°C Freezer:'-15°C~-40°C	318L (Refrigerator :208L Freezer:110L)
BDF-40V362 (220V,50HZ)	BODASE TO BE THE STATE OF THE S	\$1,260	-15°C∼-40°C	2621
BDF-40V362 (220V,60HZ)		\$1,310	-13 G40 G	362L
BDF-40V362 (110V,60HZ)		\$1,345	-15°C∼-40°C	362L
BDF-40V398 (220V,50HZ)		\$1,720	-10°C∼-40°C	408L

BDF-40V398 (220V,60HZ)	access#	\$1,890	-10°C∼-40°C	408L
BDF-40V398 (110V,60HZ)	ARTHUR PARTY AND	\$1,925	-10 G *-40 C	TOOL
BDF-40H100 (220V,50/60HZ)	B/CB/SF	\$570	-10°C∼-40°C	105L
BDF-40H100 (110V/60HZ) External transformer	socked socked	\$706	-10°C∼-40°C	105L
BDF-40H200 (220V,50HZ)	DOMOS .	\$670	1E°C 40°C	2201
BDF-40H200 (220V,60HZ)		\$815	-15°C~-40°C	220L

BDF-40H200 (110V,60HZ)	DIDENTE .	\$851	-15°C~-40°C	220L
BDF-40H300 (220V,50HZ)		\$786		
BDF-40H300 (220V,60HZ)	BIOBASE IN THE STATE OF THE STA	\$900	-15°C∼-40°C	320L
BDF-40H300 (110V,60HZ)		\$933		
BDF-40H485 (220V,50/60HZ)	BORAST I	\$1,380	-20°C∼-40°C	485L
BDF-40H485 (110V,60HZ) External transformer	M	\$1,510	-20 C∼-40 C	403L
Tuna Freezer				
Model	Picture	Unit price	Temp Range(℃)	Capacity(L)

BDF-60H58 (220V,50HZ)	BOOMSE	\$841		
BDF-60H58 (220V,60HZ)	新	\$951		60L
BDF-60H58 (110V,60HZ)		\$986	-25 ∼ -60, adjustable	
BDF-60H118A (220V,50HZ)		\$926	-25 ≈ -60, adjustable	
BDF-60H118A (220V,60HZ)	model9	\$1,065		118L
BDF-60H118A (110V,60HZ)		\$1,100		
BDF-60H218 (220V,50HZ)		\$1,015	-25 ∼ -60, adjustable	220L

BDF-60H218 (220V,60HZ)		\$1,155		220L	
BDF-60H218 (110V,60HZ)		\$1,190			
BDF-60H318 (220V,50HZ)	20000M	\$1,105			
BDF-60H318 (220V,60HZ)		\$1,245	- -25 ∼ -60, adjustable	320L	
BDF-60H318 (110V,60HZ)		\$1,280	-23 · · · · · · · · · · · · · · · · · · ·		
BDF-60H458 (220V,50HZ)	SCORAGE STATE OF THE STATE OF T	\$1,900			
BDF-60H458 (220V,60HZ)	50000	\$2,090		458L	
BDF-60H458 (110V,60HZ)		\$2,125			
-60°C Freezer (Power Supply:AC220V,50HZ)					

Model	Picture	Unit price	Temp Range(°C)	Capacity(L)
BDF-60V58 (220V,50HZ)	BOOMER (SEE	\$896		
BDF-60V58 (220V,60HZ)		\$1,040	-25~-60 adjustable	58L
BDF-60V58 (110V,60HZ)		\$1,110		
BDF-60V108 (220V,50HZ)	DOMASE.	\$1,190		
BDF-60V108 (220V,60HZ)	Will supplement Street Will supplement Street Will supplement Street	\$1,330	-25~-60 adjustable	108L
BDF-60V108 (110V,60HZ)		\$1,390		
BDF-60V158 (220V,50HZ)		\$1,420	-25~-60 adjustable	158L

BDF-60V158 (220V,60HZ)		\$1,595	-25~-60	158L
BDF-60V158 (110V,60HZ)		\$1,630	adjustable	1301
BDF-60V398 (220V,50HZ)	Property	\$1,900		
BDF-60V398 (220V,60HZ)	1	\$2,090	-25~-60 adjustable	398L
BDF-60V398 (110V,60HZ)	A CONTRACTOR OF THE PARTY OF TH	\$2,125		

-86°C Freezer (Power Supply:AC220V±10%,50/60HZ)

Model	Picture	Unit price	Temp Range(°C)	Capacity(L)
BDF-86V728 (220V,50/60HZ)	.	\$6,135	40 06	728L
BDF-86V728 (110V,60HZ)		\$6,550	-40~-86	720L

BDF-86V838 (220V,50/60HZ)	BOBASE	\$5,920	-40~-86	838L
BDF-86V838 (110V,60HZ)		\$6,335	-40~-60	0301
BDF-86V158 (220V,50HZ)	SG No.	\$1,720	-40 ∼ -86	158L
BDF-86V158 (220V,60HZ)		\$1,890	-40 10 -00	1301
BDF-86V158 (110V,60HZ)	•	\$1,925	-40 ~ -86	158L
BDF-86V338 (220V,50/60HZ)	Ones Service S	\$3,295	40 26	2201
BDF-86V338 (110V,60HZ)		\$3,550	-40 ∼ -86	338L

BDF-86V408 (220V,50/60HZ)	NOMACE TO A STATE OF THE STATE	\$3,380	-40 ∼ -86	408L
BDF-86V408 (110V,60HZ)		\$3,635	-40 ~ -80	408L
BDF-86V108 (220V,50HZ)		\$1,515		
BDF-86V108 (220V,60HZ)		\$1,695	-40 ∼ -86	108L
BDF-86V108 (110V,60HZ)	108L	\$1,720		
BDF-86V340 (220V,50/60HZ)		\$3,145	-40 ∼ -86	340L
BDF-86V340 (110V,60HZ)		\$3,400		

BDF-86V588 (220V,50/60HZ)		\$4,910	-40~-86	588L
BDF-86V588 (110V,60HZ)	588L	\$5,150		3332
Tabletop Freeze Dry	yer			
Model	Picture	Unit price	Cold Trap Temp(°C)	Water Capture capability (kg/24h)
BK-FD10S (220V,50HZ)		\$1,385		
BK-FD10S (220V,60HZ)	DE COMATION AND AND AND AND AND AND AND AND AND AN	\$1,560	-60	3
BK-FD10S (110V,60HZ)		\$1,760		

BK-FD10T (220V,50HZ)		\$1,575			
BK-FD10T (220V,60HZ)	NODAGE OF THE PROPERTY OF THE	\$1,700	-60	3	
BK-FD10T (110V,60HZ)		\$1,940			
BK-FD10P (220V,50HZ)	7# A TEC	\$1,660			
BK-FD10P (220V,60HZ)	BORNE	\$1,785	-60	3	
BK-FD10P (110V,60HZ)		\$2,025			

BK-FD10PT (220V,50HZ)		\$1,905	-60	3
BK-FD10PT (220V,60HZ)		\$2,075		
BK-FD10PT (110V,60HZ)		\$2,310		
Vertical Freeze Dryei	•			
Model	Picture	Unit price	Cold Trap Temp(°C)	Water Capture capability (kg/24h)
BK-FD12S (220V,50HZ)		\$1,525		
BK-FD12S (220V,60HZ)		\$1,700	≤-60	4
BK-FD12S (110V,60HZ)		\$2,060		
BK-FD12S (220V,50HZ)		\$2,705	-80	4

BK-FD12S (220V,60HZ)		\$2,875	-80	4
BK-FD12T (220V,50HZ)		\$1,660	≤-60	4
BK-FD12T (220V,60HZ)		\$1,785		
BK-FD12T (110V,60HZ)		\$2,025		
BK-FD12T (220V,50HZ)		\$2,840	-80	
BK-FD12T (220V,60HZ)		\$3,010		
BK-FD12P (220V,50HZ)		\$1,955	≤-60	
BK-FD12P (220V,60HZ)		\$2,125	≤-60	4
BK-FD12P (110V,60HZ)		\$2,365	<u> </u>	r
BK-FD12P (220V,50HZ)		\$3,180	-80	

BK-FD12P (220V,60HZ)		\$3,350	-80	4
BK-FD12PT (220V,50HZ)	THINK	\$2,300		
BK-FD12PT (220V,60HZ)		\$2,470	≤-60	
BK-FD12PT (110V,60HZ)		\$2,710		4
BK-FD12PT (220V,50HZ)		\$3,520	-80	
BK-FD12PT (220V,60HZ)		\$3,690	J.	
BK-FD18S (220V,50/60HZ)		\$2,315	≤-56	
BK-FD18S (110V,60HZ) External transformer		\$2,570	≤-56	6
BK-FD18S (220V,50/60HZ)		\$3,535	-80	

BK-FD18S (110V,60HZ) External transformer		\$3,875	-80	6
BK-FD18T (220V,50/60HZ)	-U-	\$2,435	≤-56	6
BK-FD18T (110V,60HZ) External transformer		\$2,670		
BK-FD18T (220V,50/60HZ)		\$3,660	-80	
BK-FD18T (110V,60HZ) External transformer		\$4,000		
BK-FD18P (220V,50/60HZ)		\$2,680	- ≤-56	6
BK-FD18P (110V,60HZ) External transformer		\$2,935		
BK-FD18P (220V,50/60HZ)		\$3,900	-80	
BK-FD18P (110V,60HZ) External transformer		\$4,245		

BK-FD18PT (220V,50/60HZ)		\$2,800		
BK-FD18PT (110V,60HZ) External transformer		\$3,055	≤-56	
BK-FD18PT (220V,50/60HZ)		\$4,025		6
BK-FD18PT (110V,60HZ) External transformer		\$4,365	-80	
Pilot Freeze Dryer				
Model	Picture	Unit price	Cold Trap Temp.(℃)	Water Capture capability (kg/24h)
BK-FD20S (220V,50/60HZ)		\$9,745		
BK-FD20S (110V,60HZ) External transformer		\$10,410		
BK-FD20T (220V,50/60HZ)		\$10,980	<-75(no-loading)	≥6
BK-FD20T (110V,60HZ) External transformer		\$11,645		

BK-FD30S (220V,50/60HZ)	cc	\$10,360		
BK-FD30S (110V,60HZ) External transformer	CC	\$11,195		≥8
BK-FD30T (220V,50/60HZ)		\$12,210		20
BK-FD30T (110V,60HZ) External transformer		\$13,045	<-75(no-loading)	
BK-FD50S (220,50/60HZ)		\$11,600		
BK-FD50S (110,60HZ) External transformer	O O	\$12,595		≥10
BK-FD50T (380V,50HZ 220V,50HZ/60HZ)		\$14,060		

		-		
BK-FD50T (110V,60HZ) External transformer		\$15,060		
BK-FD100S (380V,50HZ)		\$14,060		
BK-FD100S (220V,60HZ) External transformer		\$15,230	<-75(no-loading)	≥15
BK-FD100T (380V,50HZ)		\$19,000		
BK-FD100T (220V,60HZ) External transformer		\$20,160		
Car Refrigerator				
Model	Picture	Unit price	Temp. Range(℃)	Capacity(L)
CR-19(220V/110V,50Hz)	CR-19	\$65	Cooling:22~25°C lower than the ambient temperature Heating:60±5°C	19
Portable Refrigerator				
Model	Picture	Unit price	Temp. Range(℃)	Inner Capacity(L)

BJPX-L5	BIOBASE	\$32		5
BJPX-L6	BIOBASÉ	\$33		6
BJPX-L8	BIOBASE	\$34	2 ~8	8
BJPX-L12	BIOBASE	\$38		12
BJPX-L15	BIOBASE	\$46		15
BJPX-L33	BIOBASE	\$72	2 ~8	33

BJPX-L55	BIOBASE	\$93		55
BJPX-L65	BIOBASE	\$116	2 ~8	65
BJPX-L85	BIOBASE	\$139		85
LCX-6L	LCX-6L	\$38	2 ~8	6
LCX-12L	LCX-12L	\$38	2 ~8	12
LCX-17L	LGX-17L	\$44	2.50	17
LCX-20L	LCX-20L	\$50	2 ~8	20

LCX-33L	LCX-33L	\$74	2 ~8	33
LCX-54L	LCX-54L	\$89	2~6	54
Biosafety Transport B	Box			
Model	Picture	Unit price	Capacity	
BTB-L5		\$41	5L	
BTB-L8		\$61	8L	
BTB-L6	DICEASE DICEASE	\$52	6L	
BTB-L12	DICEASE IN THE PROPERTY OF THE	\$67	12L	

Ice Maker				
Model	Picture	Unit price	Ice Making Capacity	Ice Storage Capacity(L)
FIM20 (220V,50HZ/60HZ)		\$475	20les /24le	
FIM20 (110V,60HZ)		\$511	20kg/24h	101
FIM30 (220V,50HZ/60HZ)	Eliobase	\$493	201/241-	- 10kg
FIM30 (110V,60HZ)		\$530	30kg/24h	
FIM40 (220V,50HZ/60HZ)		\$646	40kg/24h	15kg
FIM40 (110V,60HZ)		\$682		
FIM50 (220V,50HZ/60HZ)		\$664	50kg/24h	
FIM50 (110V,60HZ)		\$700		
FIM60 (220V,50HZ/60HZ)	8 200	\$718		
FIM60 (110V,60HZ)	William Willia	\$754	60kg/24h	25kg
FIM70 (220V,50HZ/60HZ)	100	\$754	70kg/24h	25kg
FIM70 (110V,60HZ)		\$790		

FIM85 (220V,50HZ/60HZ)	110	\$808	051 (0.4)	25kg
FIM85 (110V,60HZ)		\$844	85kg/24h	
FIM100 (220V,50HZ/60HZ)		\$862	100kg/24h	40kg
FIM100 (110V,60HZ)	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	\$883	100kg/ 24ff	
FIM120 (220V,50HZ/60HZ)		\$866	120lra /24b	
FIM120 (110V,60HZ)	A CONTRACTOR OF THE STATE OF TH	\$918	120kg/24h	40kg
FIM150 (220V,50HZ/60HZ)	THE	\$935	150kg/24h	
FIM150 (110V,60HZ)		\$987		
FIM200 (220V,50HZ/60HZ)	2 mm	\$1,390	- 200kg/24h	- 60kg
FIM200 (110V,60HZ)		\$1,440		
FIM250 (220V,50HZ/60HZ)	TREATMENT AND THE STATE OF THE	\$1,420		
FIM250 (110V,60HZ)		\$1,475	250kg/24h	
FIM300 (220V,50HZ/60HZ)		\$2,195	300kg/24h	150kg

FIM300 (110V,60HZ)		\$2,245	300kg/24h	150kg
FIM500 (220V,50HZ/60HZ)		\$3,000	500kg/24h	200kg
FIM500 (110V,60HZ)		\$3,050	500kg/24h	200kg
Freezer Rack		· I		
Model	Picture	Unit price	Capacity	
R264B		\$43	28 units boxe	es 2"
R255B		\$43	25 units boxes 2"	
R254B		\$40	20 units boxes 2"	
R244B		\$33	16 units boxes 2"	
R243B		\$32	12 units boxes 2"	
R11		\$38	11 units boxe	es 2"
R6		\$34	6 units boxes	s 2"
Temperature Recorder	•	•	•	
Model	Picture	Unit price	Temperature range(°C)	Description

RC-4	Elliceth Cat.::	\$15	-30 ~ 60(Internal sensor) '-40 ~ 85(Optional external sensor)	Humidity Range:NONE
RC-4HC	Galecth Carlo	\$27	-30 ~ 60(Internal sensor) '-40 ~ 85(Optional external sensor)	Humidity Range:10% to 99% RH

Tlog 100EC	Cilicch' Trug bosc	\$82	-85 ~ 150	/
Tlog 100EL	SOR	\$93	-196 ~ 150	/

Note: The refrigerator needs to be equipped with test holes, when buying the temperature recorder for the refrigerator