



ADDENDUM, sw release 18.2 for:

- **Zeus²**
- **Zeus² Glass Helm**
- **Zeus³**
- **Zeus³ Glass Helm**

This addendum documents new features that are included in this software release and that are not described in the product manuals.

→ **NOTE:** Change in operator system software numbering. The software version number now consists of the last two digits of the year and the sequential release number of the year that it is released. The software version number that your display unit is currently running can be found in the About option in the system settings dialog.

Feature	Page
WS310 and WS320 wind sensor calibration	3
Bluetooth phone notifications*	3
• Connecting a Bluetooth enabled phone*	3
• Disconnect the phone from the unit*	3
• Reconnect a Bluetooth enabled phone*	3
• Call troubleshooting*	4
Link app	4
• Connecting a phone or tablet to view/control the unit	4

* This feature is not available for Zeus², Zeus² Glass Helm or Zeus³ Glass Helm.

WS310 and WS320 wind sensor calibration

Wind Angle calibration of the WS310 and WS320 wind sensors is supported. The sensors output wind angle and wind speed data to the unit through the NMEA 2000 network via an interface. The sensors are calibrated from the Network Settings Calibration dialog.

Bluetooth phone notifications

- **Note:** This feature can be used to see incoming caller ID, and to send and receive android phone messages on the unit.
- **Note:** This feature can only be used to see incoming caller ID, and to receive iPhone messages on the unit while the feature is turned on. Messages received before the feature is turned on or while the feature is off are not shown on the unit. This feature cannot send iPhone messages. The iPhone does not support sending messages from connected Bluetooth devices.



After the phone and unit are paired and connected, use the phone icon on the toolbar to manage messages on the unit.

The phone's call history can also be displayed in the unit. If an Android phone is connected, a call in the list can be selected to send a message to.

Connecting a Bluetooth enabled phone

The following steps are for first time setups with the phone. To reconnect the same phone at a later time, refer to *"Reconnect a Bluetooth enabled phone"* on page 3.

Perform the following steps with the phone and the unit close together.

1. Turn the phone's Bluetooth feature on and turn on phone visibility
- **Note:** Refer to the phone documentation to find out how to use its Bluetooth feature.
2. In the unit, enable phone pairing in the system settings advanced features dialog
3. Select the phone icon in the toolbar. This enables Bluetooth in the unit and the Bluetooth Devices dialog opens. The system searches for Bluetooth enabled devices, and lists them in the Bluetooth Devices dialog. Devices that are already paired are listed under Paired Devices. Devices that are not paired are listed under Other Devices.
4. Select the phone under Other Devices. The Bluetooth Device Details dialog opens.
5. Select the pair option
6. Confirm the pairing prompt request in both the phone and the unit. The phone will move to the paired devices list and will have the status not connected.
7. Select the phone in the list and then select the connect option. In the phone, allow the unit to connect.

When the phone and unit are connected, a phone icon is shown in the status bar.

Disconnect the phone from the unit

1. Open the Wireless settings dialog
2. Select the Bluetooth devices option
3. Select the connected phone in the paired devices list
4. Select the disconnect option if the phone is to be remembered for future connection. Alternatively, select forget if you do not plan to connect the phone in the future.

Reconnect a Bluetooth enabled phone

This procedure is for reconnecting a phone that was previously connected. To connect a phone the first time, refer to *"Connecting a Bluetooth enabled phone"* on page 3.

Before performing this procedure the phone's Bluetooth feature and phone visibility must be turned on. Also, the unit's phone pairing must be enabled.

1. Select the phone icon in the toolbar. This opens the Bluetooth Devices dialog.
2. Select the phone in the dialog
3. Select the connect option.

When the phone and unit are connected, a phone icon is shown in the status bar.

Call troubleshooting

The connection profile should be set to auto unless one of the following occurs:

- When the phone is connected and the alert type is set to pop-up or notification there should be an alert on the unit when the phone rings. If there is either no alert or the alert is very delayed set the connection profile to alternative.
- If the phone is connected and there is no sound on the phone when talking on the phone, set the connection profile to alternative.

To change the connection profile setting, open the Bluetooth devices dialog from the wireless settings dialog. Next, select the phone listed in the dialog, and then select the connection profile option. This opens the connection profile dialog, select the connection profile option. Select the profile you want to change to.

To set the alert type and the setting for audio alerts, select the phone icon in the toolbar and then select the settings button.

Link app

Connects a phone or tablet to the unit.

When connected, the Link app on the phone or tablet can be used to:

- Remotely view and control the system
- Back-up and restore settings
- Back-up and restore waypoints, routes and tracks

The Link app can be downloaded from the relevant phone/tablet application store.

→ **Note:** For safety reasons, Autopilot and CZone functions cannot be controlled from the phone or tablet.



Connecting a phone or tablet to view/control the unit

→ **Note:** The following steps are for first time setups. After the setup is complete and Always is selected in step 5, you can reconnect from the Link app on the phone or tablet. Open the Link app and select the unit's icon and then the remote control option.

Install the Link app on the phone or tablet before following this procedure.

Perform the following steps with the phone and the unit close together.

1. In the unit, open the wireless settings dialog and select the connect your phone/tablet option
2. Follow the on-screen prompts to set up the WiFi connection with the unit and the phone or tablet.

→ **Note:** If the WiFi is in client mode, a prompt will ask if you want to switch it to be a hotspot. Switch it to be a hotspot.

3. After the phone or tablet is connected, open the phone or tablet Link app. The unit's name should be listed and connected. If the unit is not listed, follow the on screen instructions to manually find and connect it.

4. In the phone or tablet Link app, select the icon with the unit's name. Then select the remote control option to view/control the unit from the phone/tablet.

→ **Note:** Additional options are available for backing-up and restoring user settings, and waypoints, routes and tracks.

5. In the unit, select Yes for one-time connection, or Always if the device is to be remembered for regular connection. This setting can be changed later using the remote controllers option in the wireless settings dialog.

The unit is mirrored on the phone or tablet. Use the phone or tablet's touchscreen to control the unit.

→ **Note:** Other units connected on the network are not visible on the phone or tablet when using the unit's internal WiFi.