-

**№** 2

:

:

: -01-24


**2024** .

, git.

**1.** 

1. GitHub

1. GitHub.



- .1: Github
- 2. **Git**
- 3. git. git config –global user.name "", git config global user.email "work@mail",

1

```
xtades@fedora:~
             config --global user.name
config --global user.email
      .2
4.
            utf-8
                                  git
       config --global core.quoterpath false
.3
3.
            «master»
                                          xtades@fedora:~
             config --global init.defauiltBranch master
                                                                       12:32:36
      .4
             autocrlf
                                   input,
                                                                   Linux,
                                 input,
. CR LF –
    CRLF LF
                                          safecrlf
                                                                 warn,
                                                                           \operatorname{Git}
                                        warn Git
                                          xtades@fedora:~
             config --global core.autocrlf input
config --global core.safecrlf warn
                                                                           12:33:55
      .5
5.
           SSH-
6.
                                  ssh-keygen -C ", work@email",
            ).
                                                                    \sim/.ssh/.
```




2. , xclip




.7

3. , GitHub. «SSH and GPG keys». «New SSH key»




.8

4. «Key». Title . «Add SSH-key»,



5.


1. , , , mkdir, -p  $$\sim/{\rm work/study/2022-~2023/"}$  " . ls,



.10

3).

 ${\rm 1.} \\ {\rm harma/course-directory\text{-}student\text{-}} \\ {\rm template.} \\ {\rm https://github.com/yamad-wuse} \\ {\rm wUse} \\ \\ {\rm this} \\ {\rm template}, \\ \\ {\rm this} \\ {\rm this} \\ \\ {\rm thi$ 



2. cd

.12

3. git clone – recursive , «code»,

 $\langle SSH \rangle$ 

```
Clone --recursive git@github.com:histroff/study_2024-2025_arh--pc.git arch-pc
Knowpopalawe a *arch-pc*...

**Converge to the converge to the
```


.13

4.

5. rm

. 14

6.




. 15


. 16

```
xtades@fedora:~/work/study/2024-2025/Архитектура конпьютера/arch-pc
                                 List of courses
Generate directories structure
Update submules
. 17
                                                                           {\it ``makefile''}
 5.
                                       _{\mathrm{make}}
                                                                                                                                  2,
                                                                    cd, arch-pc
                      3
```

. 18\*\*



6. GitHub



. 20

6. ·

1.

```
. 21
(
5
                                                            GitHub
                                                                              3
  7.
                                                        Git, GitHub,
  8.
                      (VCS) —
     Commit:\\
                 VCS
                                                                        , Subver-
     sion).
                         VCS
      Git).
                 pull push
                Git:
   • git init
                                       git pull
                            git push
             git status
                                                              git diff
            git add .
                                                                git add
                                                   {\rm git}\ {\rm rm}
                                                                    ) git commit
                                                                 git checkout -b
     -am '
                                           git checkout
     git push origin
                                                                       {\rm git\ merge}
     -no-ff _
                                        git branch -d _
```

git branch -D \_ git push origin : \_ git init 2. : git init 2. : git add .

3. : git commit -m " " : git clone
GitHub 2. : git push origin main 3. : git pull origin main 14