

Project Report

For

Hitachi

Revision: 1.0

Generated By

Hitachi Design Simulator Platform & Services

Revision	Change Details	Date
1.0		Jul 25 2017

References:

1. https://ec.europa.eu/home-affairs/sites/homeaffairs/files/e-library/documents/policies/security/pdf/secerca_final_report_volume__1_main_report_en.pdf

Table of Contents

1. Project Scope.
2. Project Scenes Layouts
 2. 1 Scene [A]
 2. 2 Scene [B]
3. Field of View (FOV) Coverage Area Estimation
4. Project Select Hardware
5. Project Resource Requirements
6. Project Compliance Assessment

1.Project Scope:

This is an automated report generated for project using Hitachi Design Simulator Platform & Services. The report includes the scene where the camera is placed and details about the coverage of the selected camera.




Fig.Project Overview

2. Project Scenes Layouts

2.1 Scene [A]

Camera 1

Camera FOV	20.82 deg
Distance	7.0 ft
Camera tilt	(-133.50, 45.52, 149.60) deg
Camera focus	10.0 mm



Fig. Camera 1 position



Fig. Camera 1 Simulation

2.2 Scene [B]

Camera 2

Camera FOV	20.0 deg
Distance	7.0 ft
Camera tilt	(-87.45, 57.29, 48.15) deg
Camera focus	10.0 mm




Fig. Camera 2 position




Fig. Camera 2 Simulation

3. Field of View (FOV) Coverage Area Estimation

Scene ID	Cam ID	Max. FOV Angle	Lens Focal	Est. distance from target	Est. Coverage(%)
1	1	20.82x20.82	10 mm	7 ft	6.6%
2	2	20x20	10 mm	7 ft	6.09%

Fig. Est. Coverage Area of Project Site

4. Project Selected Hardware

Category (Security Cameras)	Brand/Model	QTY	Est. Unit Cost	Additional Info
IP Camera	Add Camera	2	\$500	ONVIF, PoE, 3yr Warranty
	Total	2	\$1000	

Fig. Hardware List of Project Site

5. Project Resource Requirements

Cam ID	Resolution	Codec	FPS	Days	Activity	Rec. Profile	B/W (Mbps)	Storage(GB)
1	1920x1080	H.264	30	30	Med. Indoor	Cont. 24H	23.73	7508.32
2	1920x1080	H.264	30	30	Med. Indoor	Cont. 24H	23.73	7508.32
						Total	47.46	15016.64

6. Project Compliance Assessment

