Milestone: Implementation in SQL

IE 6700 Data Management for Analytics

Group 4
Hitaxi Pareshkumar Lethwala
Dev Mittalkumar Patel

Phone Student 1: 781-600-9414
Phone Student 2: 857-351-3855

lethwala.h@northeastern.edu
patel.devmi@northeastern.edu

Percentage of Effort
Contributed by Student1: 50%
Contributed by Student2: 50%

Signature of Student 1: Hitaxi. P. Lethwala
Signature of Student 2: Dev. M. Patel

Submission Date: November 9, 2025

INTRODUCTION

This project implements a structured database system for a Smart Food Delivery and Marketplace platform. Using MySQL, we designed normalized tables representing key business entities such as customers, restaurants, menus, orders, drivers, and payments. We established proper primary and foreign key relationships to maintain referential integrity. Sample data was inserted and queries were executed to validate functionality and support future analytical and system integration needs.

SQL CODE

```
DROP DATABASE IF EXISTS smart_food;
CREATE DATABASE smart_food CHARACTER SET utf8mb4 COLLATE
utf8mb4_unicode_ci;
USE smart_food;

-- Customers
CREATE TABLE customers (
customer_id INT AUTO_INCREMENT PRIMARY KEY,
name VARCHAR(100) NOT NULL,
gender ENUM('M','F','O') NULL,
date_of_birth DATE NULL,
phone_number VARCHAR(20) UNIQUE,
address VARCHAR(255),
account_type ENUM('STANDARD','PREMIUM') DEFAULT 'STANDARD'
);

-- Restaurants
CREATE TABLE restaurants (
restaurant_id INT AUTO_INCREMENT PRIMARY KEY,
name VARCHAR(120) NOT NULL,
cuisine_type VARCHAR(60),
location VARCHAR(150),
rating DECIMAL(2,1) CHECK (rating >= 0 AND rating <= 5)
);

-- Menus
CREATE TABLE menus (
menu_id INT AUTO_INCREMENT PRIMARY KEY,
restaurant_id INT NOT NULL,
effective_date DATE NOT NULL,
```

```
CONSTRAINT fk_menu_restaurant FOREIGN KEY (restaurant_id) REFERENCES
restaurants(restaurant_id) ON DELETE CASCADE
);

-- Menu Items
CREATE TABLE menu_items (
item_id INT AUTO_INCREMENT PRIMARY KEY,
menu_id INT NOT NULL,
name VARCHAR(120) NOT NULL,
price DECIMAL(8,2) NOT NULL CHECK (price >= 0),
availability TINYINT(1) NOT NULL DEFAULT 1,
CONSTRAINT fk_item_menu FOREIGN KEY (menu_id) REFERENCES menus(menu_id) ON
DELETE CASCADE
);

-- Promotions
CREATE TABLE promotions (
promo_id INT AUTO_INCREMENT PRIMARY KEY,
code VARCHAR(40) UNIQUE NOT NULL,
discount_type ENUM('PERCENT','FLAT') NOT NULL,
value DECIMAL(8,2) NOT NULL,
validity_start DATE NOT NULL,
validity_end DATE NOT NULL
);

-- Orders
CREATE TABLE orders (
order_id INT AUTO_INCREMENT PRIMARY KEY,
customer_id INT NOT NULL,
restaurant_id INT NOT NULL,
promo_id INT NULL,
order_time DATETIME NOT NULL,
total_amount DECIMAL(10,2) NOT NULL CHECK (total_amount >= 0),
status
ENUM('PLACED','CONFIRMED','PREPARING','READY','OUT_FOR_DELIVERY','DELIVE
RED','CANCELLED') NOT NULL DEFAULT 'PLACED',
CONSTRAINT fk_orders_customer FOREIGN KEY (customer_id) REFERENCES
customers(customer_id),
CONSTRAINT fk_orders_restaurant FOREIGN KEY (restaurant_id) REFERENCES
restaurants(restaurant_id),
CONSTRAINT fk_orders_promo FOREIGN KEY (promo_id) REFERENCES
promotions(promo_id)
);

-- Order Items
CREATE TABLE order_items (
```

```
order_item_id INT AUTO_INCREMENT PRIMARY KEY,
order_id INT NOT NULL,
item_id INT NOT NULL,
quantity INT NOT NULL CHECK (quantity > 0),
item_price DECIMAL(8,2) NOT NULL CHECK (item_price >= 0),
CONSTRAINT fk_oi_order FOREIGN KEY (order_id) REFERENCES orders(order_id) ON
DELETE CASCADE,
CONSTRAINT fk_oi_item FOREIGN KEY (item_id) REFERENCES menu_items(item_id)
);

-- Payments
CREATE TABLE payments (
payment_id INT AUTO_INCREMENT PRIMARY KEY,
order_id INT NOT NULL UNIQUE,
method ENUM('CARD','WALLET','CASH_ON_DELIVERY') NOT NULL,
transaction_id VARCHAR(64),
amount DECIMAL(10,2) NOT NULL CHECK (amount >= 0),
status ENUM('PENDING','SUCCESS','FAILED','REFUNDED') NOT NULL DEFAULT
'PENDING',
CONSTRAINT fk_payment_order FOREIGN KEY (order_id) REFERENCES orders(order_id)
ON DELETE CASCADE
);

-- Drivers
CREATE TABLE drivers (
driver_id INT AUTO_INCREMENT PRIMARY KEY,
name VARCHAR(100) NOT NULL,
rating DECIMAL(2,1) CHECK (rating >= 0 AND rating <= 5),
contact VARCHAR(30),
status ENUM('AVAILABLE','BUSY','OFFLINE') NOT NULL DEFAULT 'AVAILABLE'
);

-- Vehicles
CREATE TABLE vehicles (
vehicle_id INT AUTO_INCREMENT PRIMARY KEY,
driver_id INT UNIQUE,
type ENUM('BIKE','SCOOTER','CAR') NOT NULL,
license_plate VARCHAR(20) UNIQUE,
CONSTRAINT fk_vehicle_driver FOREIGN KEY (driver_id) REFERENCES
drivers(driver_id) ON DELETE SET NULL
);

-- Deliveries
CREATE TABLE deliveries (
delivery_id INT AUTO_INCREMENT PRIMARY KEY,
order_id INT NOT NULL UNIQUE,
```

```
driver_id INT NOT NULL,
pickup_time DATETIME,
dropoff_time DATETIME,
eta INT,
status ENUM('ASSIGNED','PICKED','EN_ROUTE','DELIVERED','FAILED','CANCELLED')
NOT NULL DEFAULT 'ASSIGNED',
CONSTRAINT fk_delivery_order FOREIGN KEY (order_id) REFERENCES orders(order_id)
ON DELETE CASCADE,
CONSTRAINT fk_delivery_driver FOREIGN KEY (driver_id) REFERENCES
drivers(driver_id)
);

-- Reviews
CREATE TABLE reviews (
review_id INT AUTO_INCREMENT PRIMARY KEY,
reviewer_id INT NOT NULL,
target_type ENUM('RESTAURANT','DRIVER') NOT NULL,
target_id INT NOT NULL,
rating DECIMAL(2,1) NOT NULL CHECK (rating >= 0 AND rating <= 5),
comment VARCHAR(400),
CONSTRAINT fk_review_customer FOREIGN KEY (reviewer_id) REFERENCES
customers(customer_id)
);

-- Insert Customers
INSERT INTO customers (name, gender, date_of_birth, phone_number, address, account_type)
VALUES
('Dev Patel','M','1999-08-10','+1-617-000-1000','Boston, MA','PREMIUM'),
('Hitaxi Lethwala','F','1998-11-22','+1-617-000-1001','Cambridge, MA','STANDARD'),
('Ava Brown','F','1995-02-14','+1-617-000-1002','Somerville, MA','STANDARD'),
('Liam Johnson','M','1993-06-20','+1-617-000-1003','Brookline, MA','STANDARD'),
('Noah Davis','M','1990-10-03','+1-617-000-1004','Quincy, MA','STANDARD'),
('Emma Wilson','F','1996-12-01','+1-617-000-1005','Medford, MA','PREMIUM'),
('Olivia Miller','F','1997-01-19','+1-617-000-1006','Everett, MA','STANDARD'),
('Mason Anderson','M','1992-03-30','+1-617-000-1007','Chelsea, MA','STANDARD'),
('Sophia Thomas','F','1994-05-25','+1-617-000-1008','Revere, MA','STANDARD'),
('James Moore','M','1991-07-17','+1-617-000-1009','Malden, MA','PREMIUM');

-- Restaurants
INSERT INTO restaurants (name, cuisine_type, location, rating) VALUES
('Spice Route','Indian','Back Bay',4.6),
('Pizza Plaza','Italian','Fenway',4.3),
('Sushi Sensei','Japanese','Seaport',4.7),
('Green Bowl','Healthy','Downtown',4.4);
```

```
-- Menus
INSERT INTO menus (restaurant_id, effective_date) VALUES
(1,'2025-11-01'),
(2,'2025-11-01'),
(3,'2025-11-01'),
(4,'2025-11-01');

-- Menu Items
INSERT INTO menu_items (menu_id, name, price, availability) VALUES
(1,'Butter Chicken',15.99,1),
(1,'Paneer Tikka',12.49,1),
(1,'Veg Biryani',11.99,1),
(2,'Margherita Pizza',10.99,1),
(2,'Pepperoni Pizza',12.99,1),
(2,'Garlic Bread',5.49,1),
(3,'California Roll',9.99,1),
(3,'Salmon Nigiri',13.49,1),
(4,'Quinoa Salad',8.99,1),
(4,'Avocado Wrap',9.49,1);

-- Promotions
INSERT INTO promotions (code, discount_type, value, validity_start, validity_end) VALUES
('WELCOME10','PERCENT',10.00,'2025-11-01','2025-12-31'),
('FLAT5','FLAT',5.00,'2025-11-01','2025-12-31');

-- Orders
INSERT INTO orders (customer_id, restaurant_id, promo_id, order_time, total_amount, status)
VALUES
(1,1,1,'2025-11-09 18:10:00',27.98,'DELIVERED'),
(2,2,NULL,'2025-11-09 18:15:00',16.48,'DELIVERED'),
(3,3,2,'2025-11-09 18:20:00',22.48,'DELIVERED'),
(4,4,NULL,'2025-11-09 18:25:00',18.98,'DELIVERED'),
(5,1,NULL,'2025-11-09 18:30:00',11.99,'DELIVERED'),
(6,2,1,'2025-11-09 18:35:00',23.98,'DELIVERED'),
(7,3,NULL,'2025-11-09 18:40:00',13.49,'DELIVERED'),
(8,4,NULL,'2025-11-09 18:45:00',8.99,'DELIVERED'),
(9,2,2,'2025-11-09 18:50:00',23.98,'DELIVERED'),
(10,1,NULL,'2025-11-09 18:55:00',24.48,'DELIVERED');

-- Order Items
INSERT INTO order_items (order_id, item_id, quantity, item_price) VALUES
(1,1,1,15.99),(1,2,1,12.49),
(2,4,1,10.99),(2,6,1,5.49),
(3,7,1,9.99),(3,8,1,13.49),
(4,9,1,8.99),(4,10,1,9.99),
(5,3,1,11.99),
```

```
(6,4,1,10.99),(6,5,1,12.99),
(7,8,1,13.49),
(8,9,1,8.99),
(9,4,1,10.99),(9,5,1,12.99),
(10,2,1,12.49),(10,3,1,11.99);

-- Payments
INSERT INTO payments (order_id, method, transaction_id, amount, status) VALUES
(1,'CARD','TXN10001',27.98,'SUCCESS'),
(2,'CARD','TXN10002',16.48,'SUCCESS'),
(3,'WALLET','TXN10003',22.48,'SUCCESS'),
(4,'CARD','TXN10004',18.98,'SUCCESS'),
(5,'CASH_ON_DELIVERY',NULL,11.99,'SUCCESS'),
(6,'CARD','TXN10006',23.98,'SUCCESS'),
(7,'CARD','TXN10007',13.49,'SUCCESS'),
(8,'WALLET','TXN10008',8.99,'SUCCESS'),
(9,'CARD','TXN10009',23.98,'SUCCESS'),
(10,'CARD','TXN10010',24.48,'SUCCESS');

-- Drivers
INSERT INTO drivers (name, rating, contact, status) VALUES
('Raj Mehta',4.8,'+1-617-200-0001','AVAILABLE'),
('Kim Lee',4.5,'+1-617-200-0002','AVAILABLE'),
('Carlos Ruiz',4.6,'+1-617-200-0003','AVAILABLE'),
('Mina Park',4.7,'+1-617-200-0004','AVAILABLE');

-- Vehicles
INSERT INTO vehicles (driver_id, type, license_plate) VALUES
(1,'SCOOTER','MA-AB12'),
(2,'BIKE','MA-BK34'),
(3,'CAR','MA-CR56'),
(NULL,'BIKE','MA-BK78');

-- Deliveries
INSERT INTO deliveries (order_id, driver_id, pickup_time, dropoff_time, eta, status) VALUES
(1,1,'2025-11-09 18:12:00','2025-11-09 18:35:00',18,'DELIVERED'),
(2,2,'2025-11-09 18:17:00','2025-11-09 18:37:00',17,'DELIVERED'),
(3,3,'2025-11-09 18:22:00','2025-11-09 18:50:00',20,'DELIVERED'),
(4,4,'2025-11-09 18:27:00','2025-11-09 18:55:00',22,'DELIVERED'),
(5,1,'2025-11-09 18:32:00','2025-11-09 18:55:00',18,'DELIVERED'),
(6,2,'2025-11-09 18:37:00','2025-11-09 19:00:00',18,'DELIVERED'),
(7,3,'2025-11-09 18:42:00','2025-11-09 19:02:00',16,'DELIVERED'),
(8,4,'2025-11-09 18:47:00','2025-11-09 19:05:00',14,'DELIVERED'),
(9,1,'2025-11-09 18:52:00','2025-11-09 19:15:00',20,'DELIVERED'),
(10,2,'2025-11-09 18:57:00','2025-11-09 19:20:00',20,'DELIVERED');
```

```
-- Reviews
INSERT INTO reviews (reviewer_id, target_type, target_id, rating, comment) VALUES
(1,'RESTAURANT',1,4.5,'Great Indian flavors'),
(2,'RESTAURANT',2,4.0,'Crisp crust'),
(3,'DRIVER',1,5.0,'Super fast'),
(4,'DRIVER',2,4.5,'On time');

-- Output Preview
SELECT * FROM customers LIMIT 10;
SELECT * FROM restaurants LIMIT 10;
SELECT * FROM menu_items LIMIT 10;
SELECT * FROM orders LIMIT 10;
SELECT * FROM order_items LIMIT 10;
SELECT * FROM payments LIMIT 10;
SELECT * FROM drivers LIMIT 10;
SELECT * FROM deliveries LIMIT 10;
SELECT * FROM promotions;

-- Order Items with Item Name
SELECT oi.order_item_id, oi.order_id, c.name AS customer, r.name AS restaurant,
mi.name AS item_name, oi.quantity, oi.item_price
FROM order_items oi
JOIN orders o ON oi.order_id = o.order_id
JOIN customers c ON o.customer_id = c.customer_id
JOIN restaurants r ON o.restaurant_id = r.restaurant_id
JOIN menu_items mi ON oi.item_id = mi.item_id
ORDER BY oi.order_item_id;
```

OUTPUT

customer_id	name	gender	date_of_birth	phone_number	address	account_type
1	Dev Patel	M	1999-08-10	+1-617-000-1000	Boston, MA	PREMIUM
2	Hitaxi Lethwal Dev Patel		1998-11-22	+1-617-000-1001	Cambridge, MA	STANDARD
3	Ava Brown	F	1995-02-14	+1-617-000-1002	Somerville, MA	STANDARD
4	Liam Johnson	M	1993-06-20	+1-617-000-1003	Brookline, MA	STANDARD
5	Noah Davis	M	1990-10-03	+1-617-000-1004	Quincy, MA	STANDARD
6	Emma Wilson	F	1996-12-01	+1-617-000-1005	Medford, MA	PREMIUM
7	Olivia Miller	F	1997-01-19	+1-617-000-1006	Everett, MA	STANDARD
8	Mason Anderson	M	1992-03-30	+1-617-000-1007	Chelsea, MA	STANDARD
9	Sophia Thomas	F	1994-05-25	+1-617-000-1008	Revere, MA	STANDARD
10	James Moore	M	1991-07-17	+1-617-000-1009	Malden, MA	PREMIUM
NULL	NULL	NULL	NULL	NULL	NULL	NULL

restaurant_id	name	cuisine_type	location	rating
1	Spice Route	Indian	Back Bay	4.6
2	Pizza Plaza	Italian	Fenway	4.3
3	Sushi Sensei	Japanese	Seaport	4.7
4	Green Bowl	Healthy	Downtown	4.4

item_id	restaurant	item_name	price	availability
1	Spice Route	Butter Chicken	15.99	1
2	Spice Route	Paneer Tikka	12.49	1
3	Spice Route	Veg Biryani	11.99	1
4	Pizza Plaza	Margherita Pizza	10.99	1
5	Pizza Plaza	Pepperoni Pizza	12.99	1
6	Pizza Plaza	Garlic Bread	5.49	1
7	Sushi Sensei	California Roll	9.99	1
8	Sushi Sensei	Salmon Nigiri	13.49	1
9	Green Bowl	Quinoa Salad	8.99	1
10	Green Bowl	Avocado Wrap	9.49	1

order_id	order_time	customer	restaurant	total_amount	status
1	2025-11-09 18:10:00	Dev Patel	Spice Route	27.98	DELIVERED
2	2025-11-09 18:15:00	Hitaxi Lethwala	Pizza Plaza	16.48	DELIVERED
3	2025-11-09 18:20:00	Ava Brown	Sushi Sensei	22.48	DELIVERED
4	2025-11-09 18:25:00	Liam Johnson	Green Bowl	18.98	DELIVERED
5	2025-11-09 18:30:00	Noah Davis	Spice Route	11.99	DELIVERED
6	2025-11-09 18:35:00	Emma Wilson	Pizza Plaza	23.98	DELIVERED
7	2025-11-09 18:40:00	Olivia Miller	Sushi Sensei	13.49	DELIVERED
8	2025-11-09 18:45:00	Mason Anderson	Green Bowl	8.99	DELIVERED
9	2025-11-09 18:50:00	Sophia Thomas	Pizza Plaza	23.98	DELIVERED
10	2025-11-09 18:55:00	James Moore	Spice Route	24.48	DELIVERED

order_item_id	order_id	customer	restaurant	item_name	quantity	item_price
1	1	Dev Patel	Spice Route	Butter Chicken	1	15.99
2	1	Dev Patel	Spice Route	Paneer Tikka	1	12.49
3	2	Hitaxi Lethwala	Pizza Plaza	Margherita Pizza	1	10.99
4	2	Hitaxi Lethwala	Pizza Plaza	Garlic Bread	1	5.49
5	3	Ava Brown	Sushi Sensei	California Roll	1	9.99
6	3	Ava Brown	Sushi Sensei	Salmon Nigiri	1	13.49
7	4	Liam Johnson	Green Bowl	Quinoa Salad	1	8.99
8	4	Liam Johnson	Green Bowl	Avocado Wrap	1	9.99
9	5	Noah Davis	Spice Route	Veg Biryani	1	11.99
10	6	Emma Wilson	Pizza Plaza	Margherita Pizza	1	10.99

payment_id	order_id	method	transaction_id	amount	status
1	1	CARD	TXN10001	27.98	SUCCESS
2	2	CARD	TXN10002	16.48	SUCCESS
3	3	WALLET	TXN10003	22.48	SUCCESS
4	4	CARD	TXN10004	18.98	SUCCESS
5	5	CASH_ON_DELIVERY	NULL	11.99	SUCCESS
6	6	CARD	TXN10006	23.98	SUCCESS
7	7	CARD	TXN10007	13.49	SUCCESS
8	8	WALLET	TXN10008	8.99	SUCCESS
9	9	CARD	TXN10009	23.98	SUCCESS
10	10	CARD	TXN10010	24.48	SUCCESS
NULL	NULL	NULL	NULL	NULL	NULL

delivery_id	order_id	driver	status	pickup_time	dropoff_time	eta
1	1	Raj Mehta	DELIVERED	2025-11-09 18:12:00	2025-11-09 18:35:00	18
2	2	Kim Lee	DELIVERED	2025-11-09 18:17:00	2025-11-09 18:37:00	17
3	3	Carlos Ruiz	DELIVERED	2025-11-09 18:22:00	2025-11-09 18:50:00	20
4	4	Mina Park	DELIVERED	2025-11-09 18:27:00	2025-11-09 18:55:00	22
5	5	Raj Mehta	DELIVERED	2025-11-09 18:32:00	2025-11-09 18:55:00	18
6	6	Kim Lee	DELIVERED	2025-11-09 18:37:00	2025-11-09 19:00:00	18
7	7	Carlos Ruiz	DELIVERED	2025-11-09 18:42:00	2025-11-09 19:02:00	16
8	8	Mina Park	DELIVERED	2025-11-09 18:47:00	2025-11-09 19:05:00	14
9	9	Raj Mehta	DELIVERED	2025-11-09 18:52:00	2025-11-09 19:15:00	20
10	10	Kim Lee	DELIVERED	2025-11-09 18:57:00	2025-11-09 19:20:00	20

promo_id	code	discount_type	value	validity_start	validity_end
1	WELCOME10	PERCENT	10.00	2025-11-01	2025-12-31
2	FLAT5	FLAT	5.00	2025-11-01	2025-12-31

SQL querries on your database are created

1.) Top 10 customers by highest total spending

```
SELECT c.customer_id, c.name, SUM(o.total_amount) AS total_spent
FROM orders o
JOIN customers c ON o.customer_id = c.customer_id
GROUP BY c.customer_id, c.name
ORDER BY total_spent DESC
LIMIT 10;
```

customer_id	name	total_spent
1	Dev Patel	27.98
10	James Moore	24.48
6	Emma Wilson	23.98
9	Sophia Thomas	23.98
3	Ava Brown	22.48
4	Liam Johnson	18.98
2	Hitaxi Lethwala	16.48
7	Olivia Miller	13.49
5	Noah Davis	11.99
8	Mason Anderson	8.99

2.) Most frequently ordered menu items

```
SELECT mi.item_id, mi.name AS item_name, COUNT(oi.order_item_id) AS
order_count
FROM order_items oi
JOIN menu_items mi ON oi.item_id = mi.item_id
GROUP BY mi.item_id, mi.name
ORDER BY order_count DESC
LIMIT 10;
```

item_id	item_name	order_count
4	Margherita Pizza	3
2	Paneer Tikka	2
3	Veg Biryani	2
5	Pepperoni Pizza	2
8	Salmon Nigiri	2
9	Quinoa Salad	2
1	Butter Chicken	1
6	Garlic Bread	1
7	California Roll	1
10	Avocado Wrap	1

3.)Average order value per restaurant

```
SELECT r.restaurant_id, r.name AS restaurant_name, AVG(o.total_amount) AS
avg_order_value
FROM orders o
JOIN restaurants r ON o.restaurant_id = r.restaurant_id
GROUP BY r.restaurant_id, r.name
ORDER BY avg_order_value DESC;
```

restaurant_id	restaurant_name	avg_order_value
1	Spice Route	21.483333
2	Pizza Plaza	21.480000
3	Sushi Sensei	17.985000
4	Green Bowl	13.985000

4.)Count of orders delivered by each driver

```
SELECT d.driver_id, d.name AS driver_name, COUNT(del.delivery_id) AS
deliveries_completed
FROM deliveries del
JOIN drivers d ON del.driver_id = d.driver_id
WHERE del.status = 'DELIVERED'
GROUP BY d.driver_id, d.name
ORDER BY deliveries_completed DESC;
```

driver_id	driver_name	deliveries_completed
1	Raj Mehta	3
2	Kim Lee	3
3	Carlos Ruiz	2
4	Mina Park	2

5.)Detailed breakdown of each order with items

```
SELECT o.order_id, c.name AS customer, r.name AS restaurant, mi.name AS
item_name,
oi.quantity, oi.item_price
FROM order_items oi
JOIN orders o ON oi.order_id = o.order_id
JOIN customers c ON o.customer_id = c.customer_id
JOIN restaurants r ON o.restaurant_id = r.restaurant_id
JOIN menu_items mi ON oi.item_id = mi.item_id
ORDER BY o.order_id, mi.name;
```

order_id	customer	restaurant	item_name	quantity	item_price
1	Dev Patel	Spice Route	Butter Chicken	1	15.99
1	Dev Patel	Spice Route	Paneer Tikka	1	12.49
2	Hitaxi Lethwala	Pizza Plaza	Garlic Bread	1	5.49
2	Hitaxi Lethwala	Pizza Plaza	Margherita Pizza	1	10.99
3	Ava Brown	Sushi Sensei	California Roll	1	9.99
3	Ava Brown	Sushi Sensei	Salmon Nigiri	1	13.49
4	Liam Johnson	Green Bowl	Avocado Wrap	1	9.99
4	Liam Johnson	Green Bowl	Quinoa Salad	1	8.99
5	Noah Davis	Spice Route	Veg Biryani	1	11.99
6	Emma Wilson	Pizza Plaza	Margherita Pizza	1	10.99
6	Emma Wilson	Pizza Plaza	Pepperoni Pizza	1	12.99
7	Olivia Miller	Sushi Sensei	Salmon Nigiri	1	13.49
8	Mason Anderson	Green Bowl	Quinoa Salad	1	8.99
9	Sophia Thomas	Pizza Plaza	Margherita Pizza	1	10.99
9	Sophia Thomas	Pizza Plaza	Pepperoni Pizza	1	12.99
10	James Moore	Spice Route	Paneer Tikka	1	12.49
10	James Moore	Spice Route	Veg Biryani	1	11.99

6.)Payment method usage summary

```
SELECT method AS payment_method, COUNT(payment_id) AS number_of_payments,
SUM(amount) AS total_amount_processed
FROM payments
GROUP BY method
ORDER BY total_amount_processed DESC;
```

payment_method	number_of_payments	total_amount_processed
CARD	7	149.37
WALLET	2	31.47
CASH_ON_DELIVERY	1	11.99